Abdulla AM, 1608 Abele S, 112C Abernethy DR, 1183 Abramowitz R, 379 Achimastos A, 781 Adams E, 84 Adelman AG, 1412 Ahnve S, 47 Ahron A, 1620 Ahuia RC, 451 Aia M 375 Akhtar M, 71, 508 Akino E, 1480 Akins CW, 108C, 122C Alboni P, 93 Aldariz AE, 1458 Alexander JH, 99 Alexander RW, 1500 Ali N, 373 Alker KJ, 604, 1397 Aliebach NW, 1199 Allen HD, 1110, 1369 Allison SB. 833 Al-Mondhiry H, 1344 Alonso DR, 706 Alpan G, 1280 Alpert J. 35 Alpert MA, 829 Alvarez JA, 1458 Amin E, 109 Amon KW, 42 Anderson JL, 79B, 112B, 522, 833, 1326 Anderson KP, 335 Anderson PAW, 879 Anderson RH, 1411, 1487. 1488, 1633 Andrade JL, 387, 1487 Andresen D. 902 Angelini P, 1488 Antonelli G 846 Antonius NA, 1735 Arbustini E, 1066, 1388 Arce J. 1470 Arcilla RA, 1643 Ariza N, 985 Aronow WS, 169, 265 Aronson RJ, 1487 Arthur JA, 1699 Artiaco D, 818 Arvan S. 1542 Ashburn WL, 1547 Asinger R, 77 Askenazi J, 99 Atallah G. 961 Atlan H. 497 Atwood JE, 228 Aueron F, 10, 953

Bacaner MB, 1268 Badke FR, 1187 Baez A, 936 Baggioni F, 93 Bahnson HT, 978 Bailey CP, 328 Baker BJ, 1140 Balady GJ, 1339 Bamrah VS, 1164 Banitt EH, 17B, 22B Bardy GH, 619 Barnaby PF, 408 Baroni MA, 1458 Barratt-Boyes BG, 408 Barrett PA, 361 Barrillon A, 354 Barry WH, 1500 Bartoszyk OB, 770 Basara BE, 358 Bashore TM, 567, 1028 Bass JL, 1179 Bathen J, 72B Battler A, 644 Baughman KL, 1135, 1406 **Baur HR 1402** Bechtold H, 902 Becker AE, 1411, 1487 Beeder C, 662 Beem J, 630 Beerman LB, 978, 1433 Behar VS. 1489 Belber AD, 655 Belhassen B, 1405 Belic N, 99 Beller GA, 462 Bernis C. 359 Bencivelli W. 1442 Bender F, 1733 Benditt DG, 63, 731, 1268 Benetos A, 781 Benhorin J, 414, 418 Benjamin P, 330 Benowitz N, 24A, 1588 Benson A, 967 Benson DW Jr, 63, 731, 1268 Bentivoglio LG, 27C, 82C Bentivoglio M, 1299 Berger BC, 379 Berger HJ, 1349 Berger WE III, 1221 Berkenboom GM, 15 Berman DS, 991, 1209 Berman W Jr, 899 Bernini W, 1683 Berti C, 206 Besterman E, 1488 Bexton RS, 30B Bhandari AK, 135, 1438 Bhargava V, 228 Bhatia S, 373 Bhayana J. 182 Biasco G, 846 Bigger JT Jr, 8B, 275 Billingham ME, 263 Bilsker MS. 645, 985 Binenboim C. 1280 Birkui P, 608 Biro GP, 1414 Bishop RL, 376, 1667 Bishop SP, 552, 706 Black A, 328 Blackstone EH, 552 Blanco P, 206 Blaufox MD, 32A Block PC, 27C, 52C, 69C, 108C, 122C, 666, 1695 Blomstrom P, 1465 Bloor CM, 706 Bluguermann JJ, 1458 Blumenthal SS, 55A Bogerty SA, 340 Bolens M, 1415

Bolson EL, 689

Boman H. 399

Bond JF, 1452

Bonin JD, 1620

Bonow RO, 36C, 377, 1103, 1468, 1487 Borer JS, 694 Borkon AM, 1135 Borow KM, 1154 Bortolotti U. 1066 Bostick D. 476 Boucher CA, 470, 823, 1678 Bourassa MG, 1, 27C, 36C, 102C, 131C Bouthier JD, 781 Bove AA, 1054, 1496 Bowles MJ, 684 Bowman FO Jr, 202 Bowyer KW, 879 Boyer RA, 328 Braat SH, 637, 1538 Brachmann J, 1022, 1712 Brammell HL, 908 Brandt PWT, 408 Brasseur LA, 439 Braunwald E, 421, 941, 1451 Bren GB, 404 Breningstall G, 731 Brent BN, 1349 Brovers G, 1 Bricker JT, 1652 Brinker JA, 1135 Bristow MR, 263 Brizendine M, 805, 812 Brock R. 328 Brofman BL, 1452 Brown BG, 689 **Brown KA**, 1678 Brown WT, 148 Browning CA, 376 Brugada P, 88, 1538 Brymer JF, 1008 Buettner C, 764 Buja LM, 1365, 1688 Bull A, 1344 Bullaboy CA, 971 Bush C, 567 Bush LR, 1688 Bussmann W-D, 700 Butman S, 352 Buttner E. 722 Buxton AE, 738, 1275 Buy J-J, 439

Cadigan JB, 1339 Caggiula A, 1259 Cahalan MK, 1173 Cahen P, 961 Calabrese P, 846 Caldwell JH, 689 Califf RM, 18, 265, 967, 1489 Callahan MJ, 198 Camm AJ, 30B Cammarosano C, 971 Campeau L, 102C Cannon RO III, 1103, 1468 Capelli H. 1487 Carabello BA, 655 Carlquist JF, 1326 Carpenter J, 112C, 1532 Carroll RJ, 1388 Carruthers SG, 334 Casanegra P, 718 Cassidy DM, 1275

Chahine RA, 363 Chaitman BR, 1 Chan MC, 290 Chandraratna PA. 234 Chandrasekaran K, 1732 Charuzi Y. 662 Chaung L-Y, 941 Chen CC, 392, 973 Chenzbraun A, 414, 418, 528 Chernoff SB, 1514 Chesler E. 35 Chia BL, 1413 Chiang BN, 392, 973 Chiariello M, 1462 Chierchia S, 1683 Child JS, 635 Chiu I-S, 1633 Christensen HD, 918 Christian CC, 243 Chu P. 1244 Chu S-H 976 Chuang S-M, 976 Chung KJ, 1429 Cinca J, 433 Ciro E, 187, 1103 Clark EB. 324 Clarke RH, 1620 Cleveland RJ, 1429, 1620 Clover RC, 493 Cobb FR, 18, 294 Cobbe SM, 1712 Cockrell JC, 745 Cockrell JL, 35 Codini MA, 381 Cohen AM, 528 Cohen D.I. 344 Cohen HE, 651 Cohen IS, 344, 972 Cohen SR, 1599 Cohn LH, 1414 Colan SD, 1154 Coleman RE, 18 Collins D. 47 Collins MB, 694 Collins SM, 1380 Colucci WS, 1500 Colvin EV. 1652 Coma-Canella I. 1194 Commin P. 608 Conant B. 805 Conard GJ, 41B Condorelli M, 791, 1462 Conetta DA, 1374, 1380 Conley MJ, 1489 Connolly SJ, 516 Conti CR, 679, 1374 Cook LS, 1703 Cooper EM, 655 Corbett JR, 1365 Corday E, 599 Corea L, 1299 Cosio FG, 1018 Costello RB. 35 Cote L, 562 Cotler RP, 645 Cottrill CM, 1476

Cowley MJ, 12C, 17C,

22C, 27C, 48C, 52C, 58C, 77C, 122C, 126C,

Castellanos A, 958, 1570

Castle CH, 579

Caves P. 982

Ceretto W, 47

131C, 666 Cox JL, 619 Craelius W. 531 Crawford MH, 42, 1000, 1051 Crea F. 1683 Crelinsten GL. 225 Crevey BJ, 112B Criley JM, 269, 812 Croft CH, 421, 1593 Cross SW. 396 Crowley DC, 1614 Cuocolo A, 791 Cuomo S, 818 Curtis JJ, 1034 Curtiss El, 1071 Cutler RE, 51A Czygan E, 1022

Dagenais GR, 562

Dai WS, 1259 Dai Y-H, 470 Daiger SP, 399 Dale J, 1255 Dalen JE, 372 Daniel Y, 1207 Danielson GK, 198, 1648 Dannehl KN, 1284 Dash H, 1148 David PR, 36C Day PJ, 157, 173 DeBusk RF, 1221 De Caprio L. 818 De Caterina R. 1683 Decoster PM, 439 DeCoursey S, 1514 Deeg P, 345 de Feyter PJ, 1727 Deglin SM, 1468 Degre SG, 15 Dehmer GJ, 1159 de Leval MR, 367, 1633 Delmonico JE Jr, 328 Del Negro AA, 139 De Luca N, 791, 818 DeMaio SJ Jr. 770 DeMaria AN, 1476 de Miquel E, 1194 den Dulk K, 537, 637, 1538 Denenberg BS, 655 Denes P, 774, 1519 Denker S, 71, 508 DePace NL, 359, 385 Desaulniers D, 562 De Soyza N, 1140 Detre KM, 7C, 12C, 22C, 23, 27C, 32C, 36C, 48C, 56C, 77C, 82C, 89C, 131C, 444 Detry J-MR, 439 Devereux RB, 148 DeWitt CW, 1326 De Zuloaga C, 961 DiBianco R. 35, 745 Dickens J, 1199 Diggelmann U, 1402 Dillon T, 899 DiMarco JP, 1558 Dinaburg AG, 238 Dodge HT, 689

Doherty JE, 1140, 1703 Doi YL, 1667 Donaldson RF, 351, 1620 Dorros G. 12C, 17C, 22C, 27C, 48C, 52C, 126C Douglas JS Jr, 10 Drake CE, 1408 Driscoll DJ, 198 Dudlets P, 1401 Duff HJ, 59B, 632 Duffey DJ, 908 Dujovne CA, 1514 Dumesnil JG, 395 Dunn FG. 105 Dunnigan A, 63, 731, 1268 Duran CMG, 178, 1061 Dushane JW, 1735 Dymond DS, 1532 Dzau VJ, 1460

Edward AG, 1207 Edwards JE, 640 Edwards WD, 849, 980, 1472, 1732 Effert S, 356, 590 Ehmke DA, 357 Eichler HG, 1228 Eidbo EE, 1388 Einsidler E, 456 Eisenberg D, 1603 Eisenman MJ, 35 Eldar M, 644 Elkayam U, 234, 1321, 1603 Elkins RC, 1703 Ellestad MH, 493, 1413 Ells R, 112C El-Sherif N, 303, 390 Elston RC, 148 Enderlein MA, 218, 391 Endo S. 1217 Eng C, 252 Engberding R, 1733 Enjalbert M. 102C Epstein SE, 377, 1103 Erbel R, 590, 1725 Ertl G, 941 Esper RJ, 1458 Esterbrooks DJ. 265 Estes NAM III. 26B Estrera AS. 1084 Ewels CJ, 36C

Faggian G, 348 Fagraeus L, 243 Fajuri A, 1707 Fallon JT, 706, 1695 Falvo-Gerard L, 1259 Fauchet M, 608 Faxon DP, 72C, 77C, 131C, 138C Fazio F, 1442 Feldman B, 1695 Feldman RL, 1233 Feldman S, 644 Feldstein ML, 941 Ferguson D, 531 Ferguson DW, 55 Ferguson RJ, 1 Ferguson RK, 116 Ferlinz J, 1487 Fernandez F. 354 Fernández-Yáñez J, 1018 Ferrans VJ, 1388 Ferraro N, 1308 Ferri DP, 35 Ferro G, 818 Figueras J, 433 Finn JC, 97C

Finnerty FA Jr., 1304 Firth BG, 342, 1159, 1593, 1662 Fischer DR, 978, 1433 Fisher LD, 112C, 131C, 138C Fixler D. 342 Flaker GC, 1034 Flecainide-Quinidine Research Group, 66B Fleg JL, 715 Fleming R, 1205 Flessas AP, 84, 481 Fletcher RD, 745, 1730 Flores BT, 1275 Fogarty TJ, 97C Forman MB, 476 Foster C, 1532 Foster ED, 112C Foster JR, 751 Found FM. 1044 Fouchard M, 781 Fox N. 421 Fox RM, 483, 1475, 1529 Frais MA, 632 Fraker TD Jr, 646, 1699 Franciosa JA, 127, 1447 Francoz R, 635 Frank MJ, 1608 Freed MD, 952 Freedom RM, 884, 1421, 1627 Fregoso A, 1442 Freis ED, 630 French W, 1639 Frescura C, 348 Fricker FJ, 978, 1433 Friedli B, 1415 Friedman A, 341 Friedman SA, 1205 Frohlich ED, 105 Frye RL, 674 Fuhrman BP, 1179 Fujii S, 1480 Fujiwara S, 1288 Fulcher CW, 971 Fulton DR, 1429 Furberg CD, 626

Gaffney FA, 1662 Galan K, 10 Gallagher JJ, 365, 619, 960 Gallo I, 178, 1061 Gallucci V. 1066 Gang ES, 275 Gangadharan V, 1401 Ganz P, 1500 Ganz W, 662, 991, 1209 Garan H, 26B, 1558 Garcia-Fernandez MA, 1194 Garfinkel BT, 856 Garrett PE, 941 Gascho JA, 462 Gaspar J. 1500 Gault JH, 655 Gay J. 354 Gazzetti P, 1683 Geary GG, 408 Gebhardt VA, 1292 Geft IL, 662, 991, 1209 Gehring B, 182 Geiser EA, 1374, 1380 Geiss KR, 1547 Geltman EM, 1473 Gentzkow GD, 101B Gentzler RD, 655

Gersony WM, 202 Gertz EW, 1244 Gerundini P, 1442 Gettes LS, 751 Geyer RP, 608 Giannessi D, 1683 Gibson A, 982 Gibson RS, 462 Gibson TC, 1013 Gilardi MC, 1442 Gilbert C. 508 GIH CC, 383 Gilpin E. 47 Ginsberg R, 745 Ginzton LE, 805, 1639 Giunta A, 187 Given BD, 1460 Glaser K, 972 Gleich GJ, 1472 Glogar D, 941 Glogar DH, 923 Go M Jr, 669 Goddard MD, 1292 Golbus MS, 391 Gold HK, 122C, 421 Goldberg AP, 40A Goldberg H, 1199 Goldberg HL, 694 Goldberg M, 476 Goldberg SJ, 1110, 1369 Goldstein J, 694 Gondi B. 974 Goplerud CP, 357 Gordon GD, 1228 Gordon S, 1401 Gore JM, 35, 372 Gorfinkel HJ, 42C Goris ML, 1221 Gosselin AJ, 27C, 138C Goto K, 1480 Gotsman MS, 497 Gott VL, 1135 Gottdiener JS, 139, 745, 1730 Gottlieb GJ, 706 Gottlieb S, 329, 414, 418 Gottlieb SH, 715 Gottlieb SO, 1135 Gough WB, 303 Gow RM, 1421 Graham EL, 1264 Graham RM, 16A Granrud G, 66B, 77 Grant G. 1558 Graybiel A, 1199 Green D. 1731 Greenberg E, 531 Greenberg PS, 493 Greenblatt DJ, 1183 Greene HL, 1264 Gregoratos G, 456 Grenadier E, 1280 Grenier RP, 1532 Griffith LSC, 108B Gross CM, 1164, 1203, 1478 Grover M, 228 Gruentzig AR, 10, 27C, 32C, 52C, 56C, 65C, 77C, 89C, 92C, 953

Gryfebecker B, 1292

Gulamhusein SS, 757

Guarnieri T, 365

Gutai JP, 1259

Guerrero JL, 1695

Gutgesell HP, 1652

Gerbaux A, 354

Gerber KH, 1547

German LD, 365, 967

Gersh BJ, 89C, 198

Guthrie GP Jr, 29A Gyotoku Y, 859

Habel C. 562

Haft Jl. 770

Hackel DB, 706

Hackney J, 1529

Haffajee Cl, 372

Hagan AD, 153, 579

Hakki A-H, 358, 483,

1239, 1529 Hale SL, 1397 Ham OE Jr, 1408 Hamada M, 981 Hammerman H, 604 Hammermeister KE, 444 Hammond EH, 1326 Hanrath P, 1173 Hanson P, 1524 Harrell FE Jr, 18, 265, 1489 Harris AA, 381 Harris KE, 116 Harrison DC, 248 Harter HR, 40A Hartman N, 148 Hartzler GO, 117C Hashimoto T, 1667 Hassel D, 967 Haudenschild CC, 72C Hauser AM, 1401 Hawkins EP, 1652 Hawkins ET, 1008 Hayashi RM, 340 Heath D, 1403 Hee TT, 265 Heger JJ, 912 Hegesh J, 896 Heggtveit HA, 990 Heidary DH, 1408 Heikkilä J, 1326 Heilpern RJ, 376 Heinsimer J. 967 Heitzman MR, 1013 Held P, 1169 Hellestrand KJ, 30B Henderson S, 1244 Henning H, 47 Henry WL, 1722 Henze E, 635 Herman RL, 972 Hess OM, 764 Higgins CB, 228, 282, 456, 929, 1547 Hill JA, 679 Hillis LD, 1159, 1207, 1593 Hindman MC, 68 Hindman NB, 706, 875 Hinohara T, 875 Hinrichs A, 1173 Hirata T, 164 Hirsch J-L., 1707 Hirzel HO, 764 Hiwada K, 981 Ho SY, 965 Hod H. 644 Hodges M, 66B, 77 Hodgson JM, 375 Hoffmann E. 1712 Hofmann M. 1505 Hofmann T, 902 Hollenberg M, 669, 1244 Hollman J, 10

Holmen JR, 579

198, 1496

Holtzman JL, 52B

Holmes DR Jr. 48C, 52C,

77C, 89C, 131C, 138C,

Holzschuh M, 614 Hood WB Jr, 1354 Hordof AJ, 202 Horowitz LN, 89B, 1199 Horowitz SF, 252 Horwitz LD, 908 Hoshino S, 1482 Howell RR, 980 Hsiung MC, 392, 973 Hu N. 324 Hudak JM, 17B Hulse S, 991 Hultgren HN, 23, 444 Hung J, 1221 Hunter RE, 370 Hussain M, 451 Hutchins GM, 706 Hutchison SJ, 1201 Hwang B, 392

Ideker RE, 619, 706, 875 Ikeda N. 95B Ikeda RM, 290 Iliceto S. 846 listrup DM, 429 Imamura Y, 981 Inouye IK, 24A, 120, 1244, 1583, 1588 Irvin JD, 116 Isaacs S, 1228 Ischinger T, 10 Ishida M, 1217 Iskandrian A, 359 Iskandrian AS, 358, 385, 483, 1239, 1529 Isner JM, 263, 351, 1620 Ito T. 981 Itzkoff JM, 1071 Izquierdo C. 1688

Jackson B, 1514 Jadraque LM, 1194 Jaffe AS, 856, 969 Jang GC, 48C, 52C Janke L, 17C Jannicelli AL, 1736 Jauernig R. 1022 Jennings RB Jr. 971 Johanan NE. 1207 Johnson A. 109 Johnson DH, 971 Johnson GL. 1476 Johnson MM, 481 Johnson WL. 745 Jones DL, 503 Jones M, 1388 Jones RH, 18, 879 Josephson MA, 95B Josephson ME, 738, 803, 1275, 1577 Joswig W, 47 Judkins MP, 138C Juster RP, 218

Kadota K, 1095, 1250 Kaindl F, 923 Kaiser GC, 112C Kalbfleisch JH, 55A Kaley G, 936 Kallman CH, 1135 Kaltenbach M, 666, 700 Kambara H, 1095, 1250 Kan G, 1511 Kanda K, 1480 Kane S, 483

Margulis G, 988

Kaplan NM, 1A, 2A, 1413 Karjalainen J, 1326 Karp RB, 552, 722 Kashima T, 320 Kasper W, 651, 902 Kates RE, 248, 544 Katoh T, 368 Katz A, 1467 Katz RJ, 35, 404 Kaul S, 823 Kawai C, 1095, 1250 Kawasaki H, 1480 Kawasaki T. 1288 Kawashima S, 1354 Kay H, 359 Kay JH, 651 Kayden DS, 985 Keefe DL, 544 Keidar S, 1280 Keller AM, 1662 Kelly BJ, 361 Kelsey SF, 7C, 12C, 17C, 22C, 27C, 32C, 48C, 56C, 77C, 82C, 89C Kemp SR, 557 Kempf FC Jr, 1577 Kennedy GT, 1000, 1051 Kennedy HL, 642, 1129 Kennedy JW, 689 Kent KM, 27C, 32C, 36C, 42C, 48C, 52C, 56C, 77C, 89C, 666 Kerber RE, 1374, 1380 Kereiakes DJ, 1403, 1412 Keren A, 414, 418, 528 Keren G, 1202 Kessler KM, 645, 985 Khaja F, 1008 Khan RG, 390 Khoury L, 1643 Khurmi NS. 684 Kim CH, 1472 Kimbiris D, 359 Kincaid-Smith P. 12A King SB III, 10 Kinney TB, 97C

Kinoshita N, 586 Kinoshita S. 1288, 1455, 1457 Kiok JP, 390 Kioschos JM, 55 Kirkorian G, 961 Kjekshus J, 72B Klein GJ, 503, 757 Klein J. 418 Klein MD, 1553 Klein RC, 1079 Klein S. 945 Klocke FJ, 101C Kloner RA, 604, 941, 1397 Knight JP, 370 Kobayashi K, 1360 Kobrin I, 105 Kochar MS, 55A Kochsiek K, 345, 614 Kocot SL. 84 Koeni, SH, 29A Koenigsberg DI, 99 Kokubu T. 981 Kolibash AJ, 567 Kondo S, 599 Konick D, 1731 Konstam MA, 1620 Koren G. 1208 Korhola O, 380 Korppi-Tommola T, 380 Kostis JB, 997

Kostuk WJ. 334

Kosturakis D, 1110

Kotchen TA, 29A

Kotler MM, 990 Kotler MN, 1475 Kowey PR, 651 Kraemer HC, 1221 Kramer BL. 1316 Kramer-Fox R, 148 Kraus WE, 1656 Kraut J. 37A Krayenbuehl HP, 764 Krebs W, 590 Krehbiel P, 1514 Kreidberg MB, 1429 Kremer P, 1173 Kriett JM, 1268 Krijne R. 964 Krone RJ, 1207 Krongrad E, 202, 215 Kuan P. 1413 Kübler W, 1022, 1505, 1712 Kudo T, 160 Kulik TJ, 1179 Kuller LH, 1259 Kumagai A, 290 Kutsche LM, 892

Kvarn DC, 22B Kwan OL, 1476

Lababidi Z, 194, 350 L'Abbate A, 1683 Labovitz AJ, 642 Labrid C, 1707 Laighold MG, 985 Laird WP, 342 Lajos TZ, 182 Lakier JB, 557 Laks H, 635 Laks MM, 805 Lam.I. 1 Lamb LE, 1736 Lambertz H. 356 Landry F, 562 Lange R, 1397 Langen H-J, 590 Laniado S, 1202, 1405 Laporte RE, 1259 Laragh JH, 797 Larca LJ, 35 Larson EW, 849 Latson LA, 1652 Lavergne A, 608 Lawrie GM. 265 Lawrie JS, 307 Lazzara R. 1B Leachman RD, 1488 Leatherman LL, 52C Leddy CL, 127 Lee AB Jr, 182 Lee F, 805 Lee G. 290 Lee H-B, 32A Lee KL, 18, 265, 1489 Lehman JS, 328 Lehmann MH, 71, 508 Leibo'i RH, 404 Leighninger DS, 1452 Leinbach RC, 122C Leinonen H. 380 Leitner E-RV, 902 Lemmon WM, 328 Lengfelder W, 1022 Lenox CC, 1433 Leon DF, 988 Leon-Portillo N, 1570 Lerman BB, 1406 Lesch M, 99 Lesperance J, 102C Levens DL. 983

Levenson JA, 781

Levine SR, 1553 Lew AS, 1209 Lew H, 1221 Lewin AN, 182 LeWinter M, 47 Lewis GP, 52B Lewis SE, 421, 1365 Lewis W, 971 Liang C-S, 1354 Lichtenstein S, 1412 Liebau G, 345, 614 Likoff W, 328 Lin J-C. 1662 Lindberg B, 1169 Lindemans FW, 537 Lindsay J, 718 Linsenmeyer GJ III, 954 Lipscomb KM, 1084, 1593 Lipskis DJ, 1284 Lipson LG, 46A Littleford PO, 1041 Littmann L, 631 Lloyd EA, 1228 Lo H-M, 976 Lock JE, 1179 Loebel H. 528 Loeber C. 1110 Loge D, 24A, 120, 1583, 1588 Lojeski EW, 1620

Longo DL, 983 Lopez LM, 787 Lopez-Sendon J, 1194 Lorente P, 608 Losert U, 923 Lough FC, 344 Love JC, 372 Lovenberg W, 1360 Lowenstein J, 21A Luck JC, 1075 Lutz JR, 522, 1326 Lynch JJ, 1478

Maarek BC, 781 Mabin TA, 1228 Macartney FJ, 1487, 1633 Macher AM, 983 MacPherson D, 1154 Maddahi J. 991, 1209 Madias JE, 956 Madigan NP, 350, 1034 Madsen EB, 47 Magder SA, 1412 Magilligan DJ Jr, 557, 945 Magorien DJ, 567 Magorien RD, 567 Magro SA, 1075 Mahler D, 1349 Mahmud R, 71, 508 Maierhofer WJ, 55A Maione S, 187 Majdan JF, 379 Malacoff RF, 1558 Malm JR, 202 Mancini GBJ, 228, 282, 456, 929 Manion CV, 918 Mann DE, 1075 Mann RH, 655 Manyari DE, 632, 1412 Maok J, 215 Maor N, 1280 Maouad J, 354 Maranhao V, 1199 Marchant E, 718 Marchlinski FE, 738, 1275 Marcus ML, 55 Margonato A, 1442 Margulies T, 1280

Maron BJ, 139, 187, 377, 1087, 1103, 1468, 1470 Marriott HJL, 628 Marshall HW, 833 Marshall LA, 662 Martin JL, 1308 Martin RH, 829 Martins de Oliveria J. 1199 Maseri A. 1442 Mason DT, 290 Mason JW, 263, 335, 516 Masoni A. 93 Masquet C, 608 Masse C, 1707 Massie BM, 24A, 120, 1244, 1316, 1583, 1588 Masuda Z, 1467 Mathews RA, 978 Mathis K, 1593 Matthay RA, 1349 Mattleman S, 385 Mattrey RF, 929 Maublant JC, 812 Maulik D, 572 Maurer AH, 655 Maurer G. 374 Mayr H. 923 Mazzucco A, 348, 1066 McAuley BJ, 94C Mccabe CH, 131C McCann WD, 655 McCarron DA, 9A McConahay DR, 117C McDaniel HG, 722 McFarland TM, 1496 McGoon DC, 198, 1648 McGovern B, 1558 McGregor CGA, 982 McGregor M, 225 McGuinness JB, 1201 McIntosh CL, 1599 McKay CR, 234, 1321, 1603 McKenzie FN, 334 McKinnis RA, 68, 1489 McLeod AA, 1656 McManus BM, 173 Meade J. 1140 Mechlin NJ, 829 Medina-Ravell V. 958 Meerhaum S. 599 Mehta AV. 989 1725

Mehta JL, 787 Meier B, 10, 65C, 92C Meinertz T, 651, 902, Mejias J, 1570 Mellino M, 265 Meltzer RS, 330, 1511 Meltzer VN, 40A Mena I, 805, 812, 1639 Menasche P. 608 Mendoza IJ, 958 Meng LC, 392 Menna J, 1458 Merkel T, 51A Merrill DG, 116 Messer JV, 774 Messerli FH, 105 Methe M, 1 Meyer J, 590, 902, 1725 Michels VV, 980 Mikami T, 160 Milanesi L, 1442 Milano A. 1066 Miller FA Jr, 429 Miller H, 1202 Mincernoyer RM, 36C Mintz GS, 1475

Mir MA, 487 Misson R, 51A Mitchell H, 7C, 56C Mitchell LB, 516, 632 Mitten S, 689 Miura DS, 329 Miyatake K, 586 Mock MB, 3C, 27C, 48C, 67C, 77C, 89C, 138C Moes CAF, 884 Mohiuddin SM, 169, 265 Mohl W. 923 Moisan A, 562 Moleur P, 961 Moller JH, 640 Montojo PM, 109 Moodie DS, 383, 1124, 1648 Morady F. 135, 639, 1403 Moreno FL, 579 Morganroth J, 89B, 359, 385 Morooka S, 859 Morris GC Jr, 265 Morris KG, 294 Morrow AG, 1451 Moser M, 630 Moses JW, 694 Moses RD, 1388 Motolese M, 1299 Motro M. 330, 896 Motulsky AG, 399 Moyer JH, 630 Mudge GH, 1500 Mueller KJ, 1034 Mukai T. 1095 Mukharji J, 1084 Muller JE, 941 Mullin SM, 3C, 6C, 17C, 56C Mulvihill JJ, 1087 Munoz S, 206 Munuswamy K, 829 Murakami T, 1095 Murphy ML, 444, 1140 Murphy TJ, 350, 1034 Myerburg RJ, 645, 985, 1570 Myers WO, 112C Myhre E, 1255 Myler RK, 7C, 27C, 52C,

Nagata M, 1480 Nair CK, 169, 265 Nakagawa K, 1455 Nakamura M, 164, 1117 Nakashima Y, 1044 Nakasone I, 586 Nakhjavan FK, 341 Nanda NC, 257, 572, 974, 1438 Nanna M. 234 Nappi JM, 522 Narahara KA, 29, 812 Nash E. 1221 Nathan AW, 30B Naumovich AD, 40A Neches WH, 1433 Nelson AD, 1699 Nelson GIC, 451 Nestico PF, 359, 385 Neufeld HN, 330, 644, 896 Newcomb EW III, 972 Newell JB, 823 Nhara R. 1250 Niarchos AP, 797 Nichol PM, 1292 Nichols JA, 1380 Nichols PF III, 1087

126C

Nicod L, 342 Nicod P. 342, 1593 Nielsen AP, 1075 Niemann JT, 269 Nieminen MS, 1326 Nimalasuriya A, 234 Nimura V. 586 Ninhi S. 320 Nishimura M, 368 Nishimura RA, 198, 429. Nistal F. 1061 Nohara R, 1095 Noller KL, 980 Nonaka Y. 859 Nordlicht SM, 1473 Norris RM, 408 Norris SL, 1547 Northcole BJ. 1201 Nuesch K, 764 Nunley SG, 340 Nygaard TW, 462

Ober RE, 41B O'Brien JT, 679 Ochi T. 981 O'Connor WH, 956 O'Fallon WM, 1124, 1648 O'Gara PT, 1695 Ogata C. 290 O'Hara MJ, 684 Oigman W, 105 Okada RD, 470, 823, 1678 Okamoto M, 586 Okimori K. 1288 Okun R. 37A Oliver MF, 307 Ofley PM, 884 Olson I.I. 980 Olsson SB, 1465 Oparil S. 722 Opie LH, 1228 Ord SE, 108B Orning OM, 72B Orszulak TA, 89C Osakada G, 1095 Osawa M. 1482 Osbakken MD, 1054 Ousyshcher IA, 988 Owa M. 586 Oyama C, 945 Oyama Y, 1480

Pachinger O, 923 Pack NB, 662 Pagano T, 265 Palacios IF, 122C Palant A, 1280 Pandian NG, 55, 1374, 1380 1620 Panidis IP, 990, 1475 Panzenbeck MJ, 936 Parisi AF, 23, 1003 Park J. 29 Park SC, 978, 1433 Parker C, 421 Parkey RW, 421 Parrillo JE, 983 Parsons T, 1403 Paspa P, 313 Passamani ER, 3C, 27C, B9C Pasternac A. 1 Patten GA, 347 Patterson RE, 252 Patterson RH, 1730 Patton JN, 674

Pauls JF, 35 Paulsen WJH, 396 Paylos J. 1018 Payne DD, 1429, 1620 Peck WW, 282, 929 Peduzzi P. 23, 444 Pelech A, 884 Pelleg A, 1405 Pellegrino PA, 348 Pellom GL, 243 Pepine CJ, 679, 1041, 1233 Pereira VG, 1467 Perez JE, 1473 Perioff JK, 388, 635, 1735 Perry JM, 476 Peshock RM, 1662 Peterson KL, 456 Petru MA. 42 Pettinger M, 138C Peyton RB, 243 Pfeiffer A, 764 Phillippe M, 1460 Phillips HR, 706 Pichard AD, 718 Pickle LW, 1087 Piehler JM, 89C Pierce WS, 1344 Pierpont ME, 731 Pirani R, 93 Pitt B, 211 Pitt W. 47 Piwnica A, 608 Platia EV, 108B, 1406 Plzak LF, 379 Pohost GM, 470, 823, 1678 Poole WK, 421 Pop T, 651, 902 Portillo B, 1570 Potter A, 1135 Prakash R, 838 Prato FS, 1292 Prause J. 599 Pressley JC, 68 Prisant LM, 1608 Pritchett ELC, 960 Pritzker MR 1268 Proulx G. 395 Pryor DB, 18, 265, 1489 Pryor TA, 579 Prystowsky EN, 912, 960 Puech P, 1707 Pulido C, 206 Puzio N. 182

Quinn TJ, 381

Raabe DS Jr. 421 Rabinovitch M, 211, 884 Rabinowitz B. 644 Raftery EB, 684 Rahimtoola SH, 234, 1321, 1603, 1719 Rakusan K, 1360 Ramos RG, 1401 Raney MP, 68 Rapaport E, 136C Rasor T, 1028 Rasul AM, 84 Rath S. 896 Baza ST. 182 Rechnitzer PA, 1292 Redd R: 642 Reddy CVR, 390 Reddy PS, 1071 Reeder GS, 48C, 429, 980, 1472

Ricciardelli B, 791, 818 Rice J. 967 Richards KL, 1051 Richenbacher W, 1344 Richeson JF, 1354 Riddle JM, 945 Riegger GAJ, 614 Riemersma RA, 307 Ritter CS, 856 Ritter DG, 1124, 1648 Ritzenhoff A, 1712 Rius J. 433 Rizos I, 1022 Rizzon P, 846 Roach RM, 640 Roark SF, 706 Roberts KB, 294 Roberts R, 421 Roberts WC, 42C, 139, 157, 173, 261, 328, 398, 649, 983, 987, 1198, 1410, 1451, 1468, 1483, 1599, 1737 Robertson D. 476 Robertson RM 476 Rocchini AP, 1614 Rochlani SP, 706 Roden DM, 59B Rodriguez I, 544 Rodriguez L, 991, 1209 Rodriguez-Salas L, 958 Roelandt J, 1511 Rogers FJ, 42C Rogers WJ, 706 Rohla M. 631 Rolfe SJ, 1028 Rollings HE, 1408 Rosati RA, 18, 1489 Rosborough JP, 269 Rosen KM, 1075 Rosenquist GC, 324 Rosenthal A, 211, 1614 Rosing DR, 36C, 1487 Ross AM, 404 Ross J. 385, 1475 Ross J Jr. 47, 282, 1451 Rossi L, 332 Roth A, 1202 Rothfeld B. 715 Rotman HH, 347 Rotmensch HH, 116 Rotstein Z. 644 Rousseau MF, 439 Rowe RD, 884, 1421, 1627 Rowland TW, 1729 Rozenman Y, 497 Rude RE, 421, 1688 Ruggie N, 774 Ruiz B. 178, 1061 Ruschhaupt DG, 1643 Ruskin JN, 26B, 1558 Russell DC, 307 Rustige J, 356 Ruth WK, 706 Rutherford BD, 117C Ryan JM, 462 Ryan TJ, 72C, 131C, 138C, 1339, 1553 Saal AK, 1264

Reichert CM, 983

Reid J. 1034

Reid PR, 108B Reid RL, 1725

Reimer KA, 706

Replogle RL, 1643

Requarth JA, 1369

Requena M, 1018

Retan JW, 1413

Reves JG, 722

Sacks LM, 988 Safar ME, 781 Saffitz JE. 969 Sagar KB, 396 Saini VD. 572 Saito K, 320 Saito Y, 859, 1217 Sakai K, 1482 Sakakibara H, 586 Sakamaki T. 599 Sakamoto S, 160 Saksena S. 531 Sakurai N, 160 Salcedo EE, 265 Salem DN, 1620 Salerno DM, 66B, 77 Sanborn TA, 72C Sanchez GR, 989 Sanders SP, 1154, 1460 Sanford M. 63 Sanitate PA, 1028 Santana L, 433 Santarelli P, 1519 Santinelli C, 1462 Santinelli V, 1462 Sasaki H, 662 Sassine A, 1707 Savage RM, 706 Scarfo S, 93 Schaff HV, 89C Schamroth L. 361 Schanzenbacher P. 345 Scharf SC, 32A Schatz RE. 352 Scheinman MM, 135, 639, 1403 Schelbert HR, 635 Scherlag BJ, 1B, 1412 Scheuer J, 1671 Schimert G, 182 Schlüter M, 1173 Schmid JR, 17B, 22B Schmidt DH, 1532 Schmidt W, 356 Schneeweiss A, 896 Schneider JF, 954 Schneider RM, 294 Schneider WU, 700 Schoen F.J. 604 Scholl J-M. 1 Schröder S, 1173 Schuchard GH, 1478 Schuler G. 1505 Schuster AH, 257 Schwartz A, 135 Schwartz DE, 127 Schwartz H, 404 Schwartz KM, 1041 Schwarz F, 1505 Schweiger MJ, 1729 Schweizer P. 590 Schwob VS, 969 Scoblionko DP, 689 Scott E. 679 Sealy WC, 365 Sears GK, 1264 Sedlis SP, 969 Sellers TD, 1558 Selvester RH, 706 Senges J, 1022, 1712 Senn M, 764 Serino W. 387 Serruys PW, 1727 Severance HW Jr. 68 Seward JB, 429, 1732 Seybold-Epting W, 1725 Shabetai R, 1412 Shaffer PA, 567, 1028

Sabbah HN, 557, 1008

Sabel K-G, 1465

Shah A, 84 Shah PK, 991, 1209 Shah PM, 599 Shanes JG, 1207 Shantha N, 93 Shapiro W. 29 Sharkey P. 77 Sharp J. 997 Shaver JA, 1071 Sheehan GA, 260 Shem-Tov A, 896 Shen EN. 135, 639 Sherez J, 1202 Sherry S, 655 Shieh SM, 973 Shimada R, 164, 1117 Shimoura K, 599 Shinebourne EA, 965 Shub C, 429 Shuck JW, 344 Shugoll G, 23 Siddoway LA, 59B Siderides LE, 1735 Siewers RD, 1433 Siglow V. 1173 Silke B. 451 Silver AM, 1735 Silver GM, 340 Silver MA, 983, 1468, 1599 Silverman ME, 1284 Silverman NH, 391 Silverstein D. 120 Silvestre J. 1194 Simon A. 781 Simpson JB, 27C, 94C, 666 Simpson P, 24A, 120, 1583, 1588 Simpson RJ Jr, 751 Singh BN, 95B Singh JB, 84, 376 Singh SN, 745 Sjolander SME, 52C Sketch MH, 169, 265 Skorton DJ, 357, 1374, 1380 Slagle S. 1671 Sloan T.J. 1084 Slutsky RA, 228, 282, 929, 1547 Smallhorn JF, 884, 1627 Smith D. 945 Smith HC, 77C, 138C, 1496 Smith LR, 722 Smith M, 68 Smith RM, 988 Smith SA, 731 Smith WM, 619 Snider AR, 218 Sobel BE, 421, 856 Sobolski JC, 15 Sochor H. 923 Sodums MT. 1051 Solow EB, 912 Somberg JC, 329 Somerville J, 387, 1487 Sorensen SG, 42 Sorino M. 846 Sorkin RP. 375 Spann JF, 35, 655 Spencer FC, 969 Spicer RL, 211, 1614 Spivack C, 329 Spodick DH, 264, 265, 376, 481, 629, 842, 951, 990, 1667 Spray TL, 243 Stahl B. 700

Stanfield JA, 294 Stark J. 1633 Steeg CN, 202 Stefadouros MA, 1608 Steffens TG, 153 Steilner H. 614 Stein PD, 557, 1008 Steingart RM, 1671 Sterba R. 383 Stern MP, 1000 Stern S. 414, 418, 528 Stertzer SH, 27C, 52C. 126C Stevens R, 1524 Stewart JR, 112B, 1401 Stickels KR, 1164 Stienen U. 902 Stobbe D, 290 Stokke K, 169 Stone PH, 421 Storstein L, 72B Straub KD, 1703 Strauss HW, 421, 823, 1678 Strauss WE, 1003 Strickland RD, 579 Stutzman FL, 340 Suarez LD, 1458 Subramanian VB, 684 Sugimoto T, 859 Sullivan JY, 101B Suzuki K, 1217 Suzuki Y, 1095, 1250 Swan HJC, 1209 Swanson BN, 116 Swedberg K, 1169 Swerdlow CD, 335, 516 Swinney R, 234

Tabak SW, 374
Tajik AH, 1648
Tajik AJ, 429, 1124, 1732
Takahashi K, 981, 1455
Takahashi M, 1217
Takaro T, 23, 444
Takeshita A, 164, 1117
Talenti E, 348, 1066
Tamaki N, 1095, 1250
Tamaki S, 1095, 1250
Tan LK, 1413
Tanabe Y, 160
Tanaka H, 320

Tandon R, 640 Tarazi RC, 1044, 1360 Taylor H, 1514 Taylor SH, 451 Tei C. 599 Teitel DF, 218 Temeck BK, 1730 Tenczer J, 631 ten Kate LP, 399 Testelli MR, 1200 Thaulow E. 1255 Theis JH, 290 Thenabadu PN, 1140 Thiene G, 332, 348, 1066 Thier W, 1173 Thilenius OG, 1643 Thind GS, 109 Thomas LJ, 421 Thomson W, 169 Tilton G, 1593 Timmis GC, 1401 Tindira CA, 40A Tirlapur VG, 487 To T, 7C, 32C Tobis J. 1722 Tokunaga K. 164 Tomasi AM, 93 Tommaso CL, 1731 Topic N, 24A, 120, 1316 Topol EJ, 1406 Torell JA, 370 Torizuka K, 1095, 1250 Torkan B, 1321 Tortoledo FA, 363 Toscano-Barboza E, 1735 Tötterman K-J. 380 Touboul P, 961 Treese N, 651, 902 Trimarco B, 791 Tronchini V Jr. 1467 Trusler GA, 884, 1421, 1627 Trusty JM, 198 Tseng C-D, 976 Tseng Y-Z, 976 Tsuji Y, 368 Tubau JF, 120, 1583

Uderman H, 476 Uebis R, 356

Tumas J. 941

Turkevich D, 997

Tzivoni D, 414, 418, 528

Uhl EW, 275 Umali SA, 838 Ung S, 269 Ungerleider RM, 619 Unverleith DV, 567 Uretsky BF, 1071 Uretz EF, 774, 1519 Urlochio JF, 328

Valente M, 1066 Valfrè C, 1066 Val-Mejias JE, 642 Vance WS, 42 Van Mierop LHS, 892 van Ommen V, 1538 Van Raden MJ, 7C, 12C, 17C, 22C, 27C, 36C, 48C, 77C, 82C, 89C, 131C Van Trigt P, 243 Varat MA, 1542 Varghese PJ, 404 Varner MW, 357 Vasilomanolakis E. 774 Vasko SD, 1369 Vassalle M. 313 Veniero A. 791 Ventura HO, 105 Verdecchia P, 1299 Vered Z, 330, 896 Vergesslich KA, 202 Verma SP, 451 Vetrovec GW, 48C, 52C, 77C, 122C Visser CA, 1511 Vlasses PH, 116 Vlay SC, 969 Vlietstra RE, 48C, 77C, 89C, 138C, 674, 1472 Vogel M, 1627 Volpe M, 791, 818 von Essen R, 356 von Olshausen K, 1505

Wagner GS, 68, 706, 875 Wagniart P, 1 Waickman LA, 357 Waksman R, 414 Waller BF, 42C, 139 Wallner RJ, 358 Walls JT, 194 Wang DJ, 392, 973 Wang SP, 392 Wann LS, 1164, 1203, 1478 Ward DE, 965 Ward RM, 706 Ward WG, 1725 Ware JA, 1075 Warner RA, 1207 Warren JE, 1736 Warshaw LJ, 630 Wasserman AG, 404 Watanabe Y, 368 Watkins LO, 1608 Watson DD, 462 Watts WJ. 347 Waxman HL, 738, 1275 Weber L, 1321, 1603 Weber S, 264 Webster EG, 334 Wechsler AS, 243 Weiner DA, 1553 Weiss AT, 497 Weiss JL, 706 Weiss JM, 951 Weiss T, 1209 Weliky I, 29 Wellens HJJ, 88, 537, 637, 1538

Westaby S, 552 Westveer DC, 1401 Wexler JP, 32A, 1671 White AVM, 632 White CW, 55 White RD, 706, 875 Whiting RB, 829 Whitlock RML, 408 Whitsett TL, 918 Whittle JL, 1140 Wiens RD, 642, 1129 Wild CJ, 408 Wilen M, 127 Wilkerson RD, 1699 Willerson JT, 421, 1365, 1688 William-Olsson G, 1465 Williams DO, 27C, 32C, 52C Williams GA, 642

Werner JA, 1264

Wessler I, 1725

1470

Wesley YE, 377, 1087,

Williams RS, 1656 Williams WG, 884, 1421. 1627 Willis WH Jr, 52C Willman VL, 1C, 116C, 146C Wilson BH, 68 Wilson JR, 1308 Winkle RA, 516, 544 Winniford MD, 1159, 1207, 1593 Wint RM, 1148 Wisenberg G, 1292 Wisneski JA, 1244 Witkowski D. 614 Woelfel A. 751 Wolf RA, 941 Wolfe CL, 1365 Wolner E, 923 Wood NE, 340 Wooley CF, 870 Woosley RL, 59B, 248 Wu J-R, 194, 350 Wu T-L. 976 Wyndham CRC, 1075 Wyngaarden MK, 377 Wyse DG. 632

Yabek SM, 899 Yasuda H, 160 Yasuno M, 1217 Yazdanfar S, 341 Yeager SB, 952 Yeatman LA, 635 Yee R, 503, 757 Yeh TJ, 1408 Yiannikas J, 383 Yoshida A, 1095

Zacca NM, 363
Zack PM, 1129
Zahavi I, 528
Zaman L, 1570
Zaret BL, 1349
Zawadowski AG, 1292
Zeiler RH, 303
Zimmerman HA, 1199
Zimmerman J, 328
Zimmerman R, 1505
Zipos DP, 912
Zuckerman BR, 238

Acebutolol

Effect of acebutolol on left ventricular hemodynamics and anatomy in systemic hyportension, 791

Acetylsalicylic acid See Aspirin

Acoustic reflectance

Altered acoustic reflectance on twodimensional echocardiography as an early predictor of myocardial infarct size, 1699

Acquired immune deficiency syndrome

Cardiac involvement by Kaposi's sarcoma in acquired immune deficiency syndrome (AIDS), 983

Adenosine triphosphate

Atrial fibrillation induced by adenosine triphosphate, 1405

Adiposity

Left-axis deviation and adiposity: the United States Health and Nutrition Examination Survey, 1129

Adrenoreceptor

Cardiorespiratory effects of isosorbide dinitrate and nifedipine in combination with nadoloi: a double-blind comparative study of beneficial and adverse antianginal drug interactions, 487

Adriamycin

Adriamycin cardiotoxicity (LE), 263

Aging

Augmentation of atrial contribution to left ventricular inflow with aging as assessed by intracardiac Doppler flowmetry, 586

Ajmaline

Intra-Hisian blocks of several degrees induced by the ajmaline test, 1458 Nonfatal ajmaline cardiotoxicity, 958

Alcoholism

Repolarization alternans associated with alcoholism and hypomagnesemia, 390

Aldosterone

Role of the renin-angiotensin system in the development of congestive heart failure in the dog as assessed by chronic converting-enzyme blockade, 614

Alpha-adrenergic blockade

Selective alpha₁-adrenergic antagonists: therapeutically relevant antihypertensive agents, 16A

Alpha-receptor hypersensitivity

Accelerated systemic hypertension after cardiac transplantation—possible vascular alpha-receptor hypersensitivity, 334

Ambulatory monitoring

See also Holter monitoring
Diagnostic efficacy of 24-hour
electrocardiographic monitoring for
syncope, 1013

Sudden death during ambulatory electricardiographic monitoring: importance of morphologic confirmation to establish cause of death, 1403

Amiodarone

Effects of amiodarone on serum quinidine and procainamide levels, 1264

Effects of amiodarone on supraventricular tachycardia involving bypass tracts, 93

Long-term clinical outcome of ventricular tachycardia or fibrillation treated with amiodarone, 1558 Magnesium therapy for torsades de pointes, 528

Multicenter controlled observation of a low-dose regimen of amiodarone for treatment of severe ventricular arrhythmias, 1564

Plasma and red blood cell concentrations of amiodarone during chronic therapy, 912

Ventricular tachyarrhythmias complicating amiodarone therapy in the presence of hypokalemia, 1462

Amvioldosi

Cardiac amyloidosis simulating hypertrophic cardiomyopathy, 969

Negative myocardial technetium-99m pyrophosphate scintigraphy in amyloid heart disease associated with type AA systemic amyloidosis, 380

Anesthetic agents

Myocardial depression by anesthetic agents (halothane, enflurane and nitrous oxide): quantitation based on endsystolic pressure-dimension relations, 243

Aneurysm

Acute and chronic complications of laser angioplasty: vascular wall damage and formation of aneurysms in the atherosclerotic rabbit, 290

Aneurysm of the atrial septum as diagnosed by echocardiography: analysis of 11 patients, 1401

Coronary artery aneurysm complicating bypass tract surgery for the Wolff-Parkinson-White syndrome, 344

Detection and quantitation of right ventricular outlet obstruction secondary to aneurysm of the membranous ventricular septum by combined twodimensional echocardiography: continuous-wave Doppler ultrasound, 1476

Intravenous digital subtraction angiography to assess aneurysms of the ventricular and atrial septum preand postoperatively, 383

Late sequelae of femoral artery catheterization, 1205

Pulmonary artery aneurysms: echocardiographic features in 5 patients, 1438

Angina pectoris

An evaluation of three revascularization procedures in the rehabilitation of the coronary patient, 328

Antianginal effects of corwin, a new bctaadrenoceptor partial agonist, 439

Arterial complications of attempted Swan-Ganz insertion, 340

Bepridil for chronic stable angina pectoris: results of a prospective multicenter, placebo-controlled, dose-ranging study in 77 patients. 35

Cardiorespiratory effects of isosorbide dinitrate and nifedipine in combination with naciotic a double-blind comparative study of beneficial and adverse antianginal drug interactions, 487

Characteristics and outcome of medical nonadherers in the Veterans Administration Cooperative Study of Coronary Artery Surgery, 23

Comparative value of 2-dimensional echocardiography and radionuclide angiography for quantitating changes in left ventricular performance during exercise limited by angina pectoris, 42 Coronary arteriographic findings in

symptomatic right bundle branch block, 770 Diffuse or segmental narrowing (spasm) of

the coronary arteries during smoking demonstrated on angiography, 354 Dose-response relation of antianginal

activity of isosorbide dinitrate, 700
Early right atrial pacing after myocardial infarction. II. Results in 77 patients with

infarction. II. Results in 77 patients with predischarge angina pectoris, congestive heart failure, or age older than 70 years, 418

Effects of bepridii on exercise tolerance in chronic stable angina: a double-blind, randomized, placebo-controlled, crossover trial, 679

Effects of prostacyclin on coronary hemodynamics at rest and in response to cold pressor testing in patients with angina pectoris, 1500

Evaluation of bepridil, a new antianginal agent: clinical and hemodynamic alterations during the treatment of stable angina pectoris, 29

Hemodynamic effects of nifedipine during upright exercise in stable angina pectoris and either normal or severely impaired left ventricular function, 451

Improved efficacy of high-dose versus medium- and low-dose diltiazem therapy for chronic stable angina pectoris, 669

Improved exercise tolerance after propranotol, diltiazem or nifedipine in angina pectoris: comparison at 1, 3 and 8 hours and correlation with plasma drug concentration, 1

Inhibition of platelet function by injectable isosorbide dinitrate, 1683

Left ventricular function in patients with coronary heart disease in the presence or absence of angina pectoris during exercise radionuclide ventriculography, 1239

Oral sustained-release nitroglycarin in chronic stable angina: a multicenter, double-blind, randomized crossover trial. 15

Paradoxical angina after nifedipine: angiographic documentation, 345

Percutaneous angioplasty of stenoses of bypass grafts or of bypass graft anastomotic sites, 666

Possible interactions of indomethacin and nitrates in angina pectoris, 225

Randomized double-blind comparison of gallopamil and propranolol in stable angina pectoris, 684

Randomized, placebo-controlled evaluation of lidoflazine in patients receiving beta-blocker therapy with propranolol: improvement in anginal symptoms and exercise tolerance with combined drug therapy, 1003

Recanalization of occluded left main coronary artery in unstable angina pectoris, 1725

Variant angina in siblings with mild coronary artery disease, 956

Ventricular arrhythmias during coronary angiography in patients with angina pectoris or chest pain syndromes, 1496 A new digital electronic caliper for measurement of coronary arterial stenosis: comparison with visual estimates and computer-assisted measurements, 689

A randomized, angiographically controlled trial of intracoronary streptokinase in acute myocardial infarction, 404

Comparison of the multivariate analysis and CADENZA systems for determination of the probability of coronary artery disease, 493 Coronary artery spasm superimposed on

coronary artery dissection, 363
Diffuse or segmental narrowing (spasm) of the coronary arteries during smoking

demonstrated on angiography, 354
Effects of age on radionuclide
angiographic detection and quantitation

of left-to-right shunts, 879
Effects on ventricular function of
disopyramide, procainamide and
quinidine as determined by radionuclide
angiography, 1292

Intravenous digital subtraction angiography to assess aneurysms of the ventricular and atrial septum preand postoperatively, 383

Limitations of qualitative angiographic grading in aortic or mitral regurgitation, 1593

Location of myocardial necrosis as an independent determinant of left ventricular performance: analysis of 96 patients, 483

Measurement of aortic root size by biplane angiography before cardiac valve replacement, 1084

Paradoxical angina after nifedipine: angiographic documentation, 345 Recanalization of occluded left main coronary artery in unstable angina

pectoris, 1725
Risk of side branch occlusion during coronary angioplasty, 10

coronary angioplasty, 10 The future of computerized cardiac

angiography, 1722 Uhl's anomaly (parchment right ventricle): clinical, echocardiographic, radionuclear, hemodynamic and angiocardiographic features in 2 patients, 635

Value of lead V₄R for recognition of the infarct coronary artery in acute inferior myocardial infarction, 1538

Ventricular arrhythmias during coronary angiography in patients with angina pectoris or chest pain syndromes, 1496

Angiography, radionuclide Abnormal left ventricular filling: an early finding in mild to moderate systemic hypertension, 120

Comparative value of 2-dimensional echocardiography and radionuclide angiography for quantitating changes in left ventricular performance during exercise limited by angina pectoris, 42

Noninvasive diagnosis of pulmonary arterial hypertension in chronic obstructive pulmonary disease: right ventricular ejection fraction at rest, 1349

Prognostic indicators from radionuclide angiography in medically treated patients with coronary artery disease,

Quantitative radionuclide angiography using gold-195m, 1442

Angioplasty

Acute and chronic complications of laser angioplasty: vascular wall damage and formation of aneurysms in the atherosclerotic rabbit, 290

Effect of dextran and aspirin in platelet adherence after transluminal angioplasty of normal canine coronary arteries, 1695

Angioplasty, percutaneous transluminal coronary

See Proceedings of the National Heart, Lung, and Blood Institute Workshop of the Outcome of Percutaneous Transluminal Coronary Angioplasty

Balloon coarctation angioplasty in an adult, 350

Distal embolization of a coronary artery bypass graft atheroma during percutaneous transluminal coronary angioplasty, 953

Effects of percutaneous transluminal coronary angioplasty: intracoronary thrombolysis with urokinase in acute myocardial infarction, 1217

Percutaneous angioplasty of stenoses of bypass grafts or of bypass graft anastomotic sites, 666

Percutaneous transluminal coronary angioplasty for stenosis of the ostium of the right coronary artery after irradiation for Hodgkin's disease, 341

Risk of side branch occlusion during coronary angioplasty, 10

Successful recanalization of a left main coronary artery occlusion, 356

Angiotensin-converting enzyme inhibitor Antihypertensive efficacy of once daily MK-521, a new nonsulfhydryl angiotensin-converting enzyme inhibitor, 116

Animal studies

See also Canine studies

Coronary blood flow in genetic cardiac hypertrophy, 1360

Histologic and ultrastructural studies on the myocardium in spontaneously diabetic KK mice: a new animal model of cardiomyopathy, 320

In vitro analysis of boundary identification techniques used in quantification of two-dimensional echocardiograms, 1374

Modification by the Hancock T6 process of calcification of bioprosthetic cardiac valves implanted in sheep, 1388

Antiarrhythmic therapy See also Arrhythmias

A controlled trial of propatenone for treatment of frequent and repetitive

ventricular premature complexes, 77
Antiarrhythmic and electrophysiologic
actions of bethanidine sulfate in primary
ventricular fibrillation or life-threatening
ventricular tachycardia, 1268

Antiarrhythmic treatment: an overview, 8B Clinical importance of metabolites of antiarrhythmic drugs, 248

Comparison of the canine tissue distribution of digoxin after acute and chronic administration: implication for digitalis therapy, 1703

Effect of moricizine hydrochloride in reducing chronic high-frequency ventricular arrhythmia: results of a prospective, controlled trial, 745

Electropharmacology of nonsustained ventricular tachycardia: effects of class I antiarrhythmic agents, verapamil and propranolol, 738 Flecainide: its proarrhythmic effect and expected changes on the surface electrocardiogram, 89B

Intra-Hisian blocks of several degrees induced by the ajmaline test, 1458

Management of recurrent ventricular tachycardia: economic impact of therapeutic alternatives, 531

Multicenter controlled observation of a low-dose regimen of amiodarone for treatment of severe ventricular arrhythmias, 1564

Nonfatal ajmaline cardiotoxicity, 958 Pharmacodynamics of the initiation of antiarrhythmic therapy with lorcainide, 544

Pirmenol for control of ventricular arrhythmias: oral dose-ranging and short-term maintenance study, 522

Prognostic factors in nonsustained ventricular tachycardia, 1275

Anticoagulant therapy

Evidence for the continued existence of the postmyocardial infarction (Dressler's) syndrome, 1201

Antihypertensive therapy See also Hypertension

Antihypertension

Antihypertensive efficacy of once daily
MK-521, a new nonsulfhydryl
angiotensin-converting enzyme
inhibitor, 116

Antihypertensive therapy with diltiazem: comparison with hydrochlorothiazide, 1588

Cardiovascular consequences of primary antihypertensive therapy with prazosin hydrochloride, 32A

Comparison of oral MK 421 and propranoiol in mild to moderate essential hypertension and their effects on arterial and venous vessels of the forearm, 781

Effect of acebutolol on left ventricular hemodynamics and anatomy in systemic hypertension, 791

Failure of antihypertensive therapy with diuretic, ! eta-blocking and calcium channe.! blocking drugs to consistently reverse offt ventricular diastolic filling abnormalities, 1583

Monotherapy in mild to moderate hypertension: comparison of hydrochlorothiazide, propranolol and prazosin, 24A

Prazosin as initial antihypertensive therapy: correlates of sympathetic function, 29A

Selective alpha₁-adrenergic antagonists: therapeutically relevant antihypertensive agents, 16A Therapy of mild hypertension: an

overview, 2A Anxiety

Lack of association between dermal arches and mitral valve prolapse: relation to anxiety, 148

Aorta

See also Aortic valve

Cervical origin of the right subclavian artery in aortic arch interruption: pathogenesis and significance, 892

Complete transposition of the great arteries and coarctation of the aorta, 1627

Morphologic features of an intact ventricular septum susceptible to subpulmonary obstruction in complete transposition, 1633

Two-dimensional echocardiographic determination of aortic and pulmonary artery sizes from infancy to adulthood in normal subjects, 218 Aortic arch

Bilateral ductus arteriosus (or remnant): an analysis of 27 patients, 884

Cervical origin of the right subclavian artery in aortic arch interruption: pathogenesis and significance, 892

Aortic dissection

Risk factors for aortic dissection: a necropsy study of 161 cases, 849

Antic occlusion

Influence of length of aortic occlusion with cold potassium cardioplegia on early and late mortality in cardiac valve replacement, 182

Aortic regurgitation

Amounts of coronary arterial narrowing by atherosclerotic plaques in clinically isolated, chronic, pure aortic regurgitation: analysis of 37 necropsy patients older than 30 years, 173

Bacterial associated porcine heterograft heart valve calcification, 370

Clinical features and course of aortitis syndrome in Japanese women older than 40 years, 859

Coronary artery disease and aortic regurgitation (LE), 990

Favorable effects of hydralazine on the hemodynamic response to isometric exercise in chronic severe aortic regurgitation, 1603

Limitations of qualitative angiographic grading in aortic or mitral regurgitation,

The surgical correction of aortic regurgitation: bicuspid conversion, 328 Use of left ventricular filling and ejection

patterns in assessing severity of chronic mitral and aortic regurgitation, 1054

Aortic stenosis

Bacterial associated porcine heterograft heart valve calcification, 370

Cardiac conduction defects in patients older than 60 years with aortic stenosis with and without mitral anular calcium,

Percutaneous balloon aortic valvuloplasty: results in 23 patients, 194

Aprilic valve

Effect of construccal constriction on aortic-mitral valve continuity in the stage 18, 21 and 24 chick embryo, 324

Influence of length of aortic occlusion with cold potassium cardioplegia on early and late mortality in cardiac valve replacement, 182

Measurement of aortic root size by biplane angiography before cardiac valve replacement, 1084

Prophylactic replacement of a Starr-Edwards model 1000 aortic valve prosthesis in place for 20 years, 969

Two-dimensional echocardiography diagnosis of quadricuspid aortic valve,

Ultrasonic recognition of aortic valve atresia in utero, 391

Ventricular arrhythmias in aortic valve disease: analysis of 102 patients, 1079

Vigorous physical training after aortic valve replacement: analysis of 10 patients, 562

Aortitis syndrome

Clinical features and course of aortitis syndrome in Japanese women older than 40 years, 859

Arrhythmias

See also Ventricular arrhythmias Antiarrhythmic treatment: an overview, 8B A proposal for the clinical use of flecainide, 112B

Arrhythmias and pericardial disease (LE), 265

Arrhythmia versus dysrhythmia, 628 Cardiac and skeletal myopathy associated with cardiac dysrhythmias, 731

Conduction system abnormalities in symptomatic mitral valve prolapse: an electrophysiologic analysis of 60 patients, 1075

Coronary heart disease III. Chronic arrhythmias as influenced by the Beck operation, 145?

Determinants of arrhythmogenic ventricular activity detected on the body surface QRS in patients with coronary

artery disease, 1519 Diagnostic efficacy of 24-hour electrocardiographic monitoring for syncope, 1013

Effects of amiodarone on serum quinidine and procainamide levels, 1264

Electrophysiologic basis for arrhythmias in ischemic heart disease, 1B

Frequency of arrhythmias in acute pericarditis determined by Holter monitoring, 842

Interaction of flecainide with digoxin and propranoloi, 52B

Management of recurrent ventricular tachycardia: economic impact of therapeutic alternatives, 531

Mechanism of caffeine-induced arrhythmias in canine cardiac Purkinje fibers, 313

Potentially lethal arrhythmias and their management in hypertrophic cardiomyopathy, 1608

Significance of ventricular arrhythmias in diopathic dilated cardiomyopathy, 902

The AJC in March 1959, 803 Transesophageal atrial pacing threshold: role of interelectrode spacing, pulse

width and catheter insertion depth, 63 Value of radiotelemetry in a community hospital, 1284

Visually provoked complete atrioventricular block: an unusual form of deglutition syncope, 1408

Arterial fistula

Recognition of coronary arterial fistula by Doppler 2-dimensional echocardiography, 392

Arterial vessels

Comparison of oral MK 421 and propranolol in mild to moderate essential hypertension and their effects on arterial and venous vessels of the forearm, 781

Arteriography

Association between leukocyte count and the presence and extent of coronary atherosclerosis as determined by coronary arteriography, 997

Comparative effects of ionic and nonionic contrast materials on indexen of isovolumic contraction and relaxation in humans, 228

Coronary arteriographic findings in symptomatic right bundle branch block,

Coronary thrombolysis by intravenous streptokinase in acute myocardial infarction: acute and follow-up studies,

Aspirin

Effect of dextran and aspirin in piatelet adherence after transluminal angioplasty of normal canine coronary arteries, 1695

Effects of a selective thromboxane synthetase inhibitor, dazoxiben, and of acetylsalicylic acid on myocardial ischemia in patients with coronary artery disease, 1255
Assortative mating

Increased frequency of coronary heart disease in relatives of wives of myocardial infarct survivors: assortative mating for lifestyle and risk factors? 399

Effects of beta₁-selective and nonselective beta-adrenoceptor blockade during exercise conditioning in healthy adults, 1656

Atherosclerosis

See also Coronary artery disease Acute and chronic complications of laser angioplasty: vascular wall damage and formation of aneurysms in the atherosclerotic rabbit, 290

Amounts of coronary arterial narrowing by atherosclerotic plaques in clinically isolated, chronic, pure aortic regurgitation: analysis of 37 necropsy patients older than 30 years, 173

Association between leukocyte count and the presence and extent of coronary atherosclerosis as determined by coronary arteriography, 997

Blood velocity in the right coronary artery: relation to the distribution of atherosclerotic lesions, 1008

Progression of atherosclerosis in coronary arteries and bypass grafts: Ten years later, 102C

Athletes

Electrocardiogram of the athlete: an amplysis of 289 professional football physics, 1339

Hyperprophic cardiomyopathy compatible with successful completion of the marathon, 1470

Plasma MB creatine kinase after vigorous exercise in professional athletes, 856

Atrial, right

Two-dimensional and pulsed Doppler echocardiographic diagnosis of an acquired left ventricular-right atrial communication, 396

Atrial contraction

Augmentation of atrial contribution to left ventricular inflow with aging as assessed by intracardiac Doppler flowmetry, 586

Atrial dimension

Assessment of electrocardiographic criteria for left atrial enlargement in childhood, 215

Sensitivity and specificity of commonly used electrocardiographic criteria for left atrial enlargement determined by M-mode echocardiography, 829

Atrial fibrillation

Atrial fibrillation induced by adenosine triphosphate, 1405

Influence of basic atrial rhythm of intraatrial conduction of extrastimuli, 1018

Intermittent mitral regurgitation due to Beall valve dysfunction: analysis of 13. patients with atrial fibrillation, 1071

Atrial parasystole

Influence of early nonparasystolic impulses on the atrial parasystolic rhythm, 1455

Atrial puncture

Transseptal left atrial puncture: new techniques for the measurement of left atrial pressure in man, 1451

Atrial septal defect

Aneurysm of the atrial septum as diagnosed by echocardiography: analysis of 11 patients, 1401

Combined contrast echocardiographic and radionuclide diagnosis of atrial septal defect: accuracy of the technique and analysis of erroneous diagnoses, 1639

Electrophysiologic abnormalities of children with ostium secundum atrial septal defect, 1643

Intravenous digital subtraction angiography to assess aneurysms of the ventricular and atrial septum preand postoperatively, 383

Noninvasive assessment of right ventricular systolic pressure in atrial septal defect: analysis of the endsystolic configuration of the ventricular septum by two-dimensional echocardiography, 1117

Ostium secundum atrial septal defect survival for 87 and 94 years, 388

Sinus node function and conduction system before and after surgery for secundum atrial septal defect: an electrophysiologic study, 1415

Transseptal left atrial puncture: new techniques for the measurement of left atrial pressure in man, 1451

Atrial shunt

Prevalence of right-to-left atrial shunting in a healthy population: detection by Valsalva maneuver contrast echocardiography, 1478

Atrial standstill

Familial atrial standstill and inexcitability in childhood, 965

Atrial stimulation

Atrioventricular junctional rhythm induced by atrial stimulation: a suspected clinical manifestation of "triggered" activity, 631

Influence of basic atrial rhythm of intraatrial conduction of extrastimuli, 1018

Atrial systole, mechanical

Evidence of remnant recipient atria producing mechanical atrial systole after heart transplantation, 642

Atrio-His bypass tract

Effects of amiodarone on supraventricular tachycardia involving bypass tracts, 93

Atrioventricular block

Atrioventricular block and preexcitation in hypertrophic cardiomyopathy, 961

Complete heart block in Reiter's syndrome, 967

Periodic variation in atrioventricular conduction time: mechanisms of initiation, maintenance and termination

cf periods of long PR intervals, 1288 Transient atrioventricular block after open-heart surgery for congenital heart disease, 198

Visually provoked complete atrioventricular block: an unusual form of deglutition syncope, 1408

Atrioventricular canal

Ebstein's anomaly of the tricuspid valve in persistent common atrioventricular canal, 640

Atrioventricular conduction

Electrophysiologic effects of flecainide acetate on sinus node function, anomalous atrioventricular connections, and pacemaker thresholds, 30B

Intra-Hisian blocks of several degrees induced by the aimaline test, 1458 Periodic variation in atrioventricular conduction time: mechanisms of initiation, maintenance and termination of periods of long PR intervals, 1288

Atrioventricular junctional rhythm

Atrioventricular junctional rhythm induced by atrial stimulation: a suspected clinical manifestation of "triggered" activity, 631

Atrioventricular node

Combined verapamil and propranolol for supraventricular tachycardia, 757

Effects of intravenous and oral disopyramide on paroxysmal atrioventricular nodal tachycardia, 88

Electrophysiologic abnormalities of children with ostium secundum atrial septal defect, 1643

Entrainment of atrioventricular nodal reentrant tachycardias during overdrive pacing from high right atrium and coronary sinus: With special reference to atrioventricular dissociation and 2:1 retrograde block during tachycardias, 1570

Further support or added evidence for A-V nodal rhythms (LE), 1412

Patterns of human atrioventricular nodal accommodation to a sudden acceleration of atrial rate, 71

Utilization of an accessory pathway as the anterograde limb during the permanent form of junctional reciprocating tachycardia, 365

Atrioventricular septal defect

Coarctation of the aorta or subaortic stenosis with atrioventricular septal defect, 1421

Left atrioventricular valve in atrioventricular septal defect (LE), 1411

Auscultation

Audibility of an artificial third heart sound in relation to its frequency, amplitude, delay from the second heart sound and the experience of the observer, 1169

Automated edge detection

Computer-assisted edge detection in twodimensional echocardiography: comparison with anatomic data, 1380 Autonomic tone

QT/QS₂ ratio as an index of autonomic tone changes, 818

Balloon atrial septostomy

Bedside balloon atrial septostomy using echocardiographic monitoring, 971

Balloon valvuloplasty

Percutaneous balloon aortic valvuloplasty: results in 23 patients, 194

Bayesian analysis

Comparison of the multivariate analysis and CADENZA systems for determination of the probability of corenary artery disease, 493

Bayes' theorem

Practical diagnosis of coronary artery disease: a Bayes' theorem nomogram to correlate clinical data with noninvasive exercise tests, 252

Bepridii

Bepridil for chronic stable angina pectoris: results of a prospective multicenter, placebo-controlled, dose-ranging study in 77 patients, 35

Effects of bepridil on exercise tolerance in chronic stable angina: a double-blind, randomized, placebo-controlled, crossover trial, 679

Electrophysiologic effects of bepridil in the anesthetized dog studied by endocardiac electrodes, 1707 Evaluation of bepridll, a new antianginal agent: clinical and hemodynamic alterations during the treatment of stable angina pectoris, 29

Beta-adrenergic blockade

Antianginal effects of corwin, a new betaadrenoceptor partial agonist, 439 Beta-adrenergic receptor blocking drugs in hypertension, 12A

Comparison of supervised and unsupervised exercise training after coronary bypass surgery, 1524

Differential effects of sotalol and metoprolol on induction of paroxysmal supraventricular tachycardia, 1022

Effects of beta₁-selective and nonselective beta-adrenoceptor blockade during exercise conditioning in healthy adults, 1656

Effects of prazosin on serum lipids in patients with essential hypertension: a review of the findings presented at the Satellite symposium on coronary heart disease: hypertension and other risk factors, Milan, 1983, 21A

Effects of timolol and propranolol on inducible sustained ventricular tachyarrhythmias in dogs with subacute myocardial infarction, 275

Failure of antihypertensive therapy with diuretic, beta-blocking and calcium channal-blocking drugs to consistently reverse left ventricular diastolic filling abnormalities, 1583

Potentially lethal arrhythmias and their management in hypertrophic cardiomyopathy, 1608

Randomized, placebo-controlled evaluation of lidoflazine in patients receiving beta-blocker therapy with propranolol: improvement in anginal symptoms and exercise tolerance with combined drug therapy, 1003

Reproducibility and treatment of exerciseinduced ventricular tachycardia, 751

Bethanidine sulfate

Antiarrhythmic and electrophysiologic actions of bethanidine sulfate in primary ventricular fibrillation or life-threatening ventricular tachycardia, 1268

Bicuspid aortic valve

Risk factors for aortic dissection: a necropsy study of 161 cases, 849

Bicuspid conversion

The surgical correction of aortic regurgitation: bicuspid conversion, 328

Bilateral ductus arteriosus

Bilateral ductus arteriosus (or remnant): an analysis of 27 patients, 884

Bioprostheses

See also Valve prosthesis

Bacterial associated porcine heterograft heart valve calcification, 370

Calcific degeneration as the main cause of porcine bioprosthetic valve failure, 1066

Degeneration in porcine bioprosthetic cardiac valves: incidence of primary tissue failures among 938 bioprostheses at risk, 1061

Frequency spectra of the first heart sound and of the aortic component of the second heart sound in patients with degenerated porcine bioprosthetic valves, 557

Isolated mitral valve replacement with the Hancock porcine bioprosthesis in rheumatic heart disease: analysis of 213 operative survivors followed up 4.5 to 8.5 years, 178 Measurement of aortic root size by biplane angiography before cardiac valve replacement, 1084

Modification by the Hancock T6 process of calcification of bioprosthetic cardiac valves implanted in sheep, 1388 Platelet adherence to bioprosthetic

cardiac valves, 945

Biopsy

Cardiac involvement in glycogen storage disease III: morphologic and blochemical characterization with endomyocardial biopsy, 980

The femoral venous approach to endomyocardial biopsy: comparison with internal jugular and transarterial approaches, 833

Blood flow

Coronary blood flow in genetic cardiac hypertrophy, 1360

Doppler echocardiographic measurement of cardiac output: comparison with a non-golden standard, 257

Effect of intravenous dipyridamole on regional coronary blood flow with 1vessel coronary artery disease: evidence against coronary steal, 716

Effect of tyramine on myocardial catecholamine release in coronary heart disease, 476

Identification of blood in the pericardial cavity in dogs by two-dimensional echocardiography, 1194

Impaired skeletal muscle nutritive flow during exercise in patients with congestive heart failure: role of cardiac pump dysfunction as determined by the effect of dobutamine, 1308

Intercoronary continuity: an anatomic basis for bidirectional coronary blood flow distinct from coronary collaterals, 351

Mechanisms of phase 1a and 1b early ventricular arrhythmias during acute myocardial ischemia in the dog, 307

Nitroglycerin and nitroprusside increase coronary blood flow in dogs by a mechanism independent of prostaglandin release, 936

Nitroprusside infusion in experimental acute myocardial infarction with systemic hyportension: effects on systemic hemodynamics and regional myocardial blood flows, 1354

Blood pressure

See also Hypertension Cardiovascular effects of coffee and caffeine, 918

Carotid sinus hypersensitivity: beneficial effects of dual-chamber pacing, 1034

Comparison of blood pressure, plasma lipid and cardiac performance responses to prazosin versus propranolol in thiazide-treated hypertensive patients, 51A

Coronary blood flow in genetic cardiac hypertrophy, 1360 Ettects of prazzesis and propranoici co.

Effects of prazosin and propranolol on blood pressure and plasma lipids in patients undergoing chronic hemodialysis, 40A

Step-down treatment of mild systemic hypertension, 1304

Blood velocity

Blood velocity in the right coronary artery: relation to the distribution of atherosclerotic lesions, 1008

Body surface mapping

Determinants of arrhythmogenic ventricular activity detected on the body surface QRS in patients with coronary artery disease, 1519

Bradyarrhythmias

A temporary external DDD pacing unit, 1041

Bronchial obstruction

Tetralogy of Fallot with absent pulmonic valve: analysis of 17 patients, 1433

Bundle branch block

Alteration of left ventricular performance by left bundle branch block simulated with atrioventricular sequential pacing, 99

Conduction system abnormalities in symptomatic mitral valve prolapse: an electrophysiologic analysis of 60 patients, 1075

Coronary arteriographic findings in symptomatic right bundle branch block, 770

Double His deflections caused by intra-Hislan conduction disturbance with longitudinal dissociation, 368

Intra-Hisian blocks of several degrees induced by the ajmaline test, 1458

Mechanism of tachycardia-dependent bundle branch block, 1457

Thallium-201 scintigraphy in complete left bundle branch block, 764 The AJC in April 1959, 1199

Ventricular endocardial leads in left bundle branch block and left ventricular hypertrophy correlation with the vectorcardiogram and electrocardiogram, 1199

CADENZ/

Comparison of the multivariate analysis and CADENZA systems for determination of the probability of coronary artery disease, 493

Caffeine

Cardiovascular effects of coffee and caffeine, 918

Mechanism of caffeine-induced arrhythmias in canine cardiac Purkinje fibers, 313

Calcium

Acquired left ventricular endocardial constriction from massive mural calcific deposits: a newly recognized cause of impairment to left ventricular filling, 1468

Bacterial associated porcine heterograft heart valve calcification, 370

Calcific degeneration as the main cause of porcine bioprosthetic valve failure, 1066

Cardiac conduction defects in patients older than 60 years with aortic stenosis with and without mitral anular calcium, 189

Comparison of late (62 to 140 months) degenerative changes in simultaneously implanted and explanted porcine (Hancock) bioprostheses in the tricuspid and mitral valve positions in six patients, 1599

Effects of nifedipine on triggered activity in 1-day-old myocardial infarction in

dogs, 303

Histologic and ultrastructural studies on the myocardium in spontaneously diabetic KK mice: a new animal model of cardiomyopathy, 320

Mitral anular calcium (LE), 265

Modification by the Hancock T6 process of calcification of bioprosthetic cardiac valves implanted in sheep, 1388 Relation of level of total serum cholesterol to amount of calcific deposits in operatively excised stenotic mitral valves: analysis of 155 cases, 157

Calcium antagonists

Antihypertensive therapy with diltiazem: comparison with hydrochlorothiazide, 1588

Bepridil for chronic stable angina pectoris: results of a prospective multicenter, placebo-controlled, dose-ranging study in 77 patients, 35

Effects of bepridil on exercise tolerance in chronic stable anglina: a double-blind, randomized, placebo-controlled, crossover trial, 679

Evaluation of bepridil, a new antianginal agent: clinical and hemodynamic alterations during the treatment of stable angina pectoris, 29

Failure of antihypertensive therapy with diuretic, beta-blocking and calcium channel-blocking drugs to consistently reverse left ventricular diastolic filling abnormalities, 1583

Hemodynamic effects of sublingual nifedipine in acute myocardial infarction, 1228

Nifedipine and the conditioning response, 908

Randomized double-blind comparison of gallopamil and propranolol in stable angina pectoris, 684

Canine studies

Actions of disopyramide on potential reentrant pathways and ventricular tachyarrhythmias in conscious dogs during the late post-myocardial infarction phase, 1712

Altered acoustic reflectance on twodimensional echocardiography as an early predictor of myocardial infarct size. 1699

Antiarrhythmic and electrophysiologic actions of flecainide in animal models, 22B

Comparison of the canine tissue distribution of digoxin after acute and chronic administration: implication for digitalis therapy, 1703

Correlates of reperfusion ventricular fibrillation in dogs, 1397

Effect of dextran and aspirin in platelet adherence after transluminal angioplasty of normal canine coronary arteries, 1695

Effects of inotropic and chronotropic stimuli on acute myocardial ischemic injury. III. Influence of basal heart rate, 1688

Effects of nifedipine on triggered activity in 1-day-old myocardial infarction in dogs, 303

Electrophysiologic basis for arrhythmias in ischemic heart disease, 1B

Electrophysiologic effects of bepridil in the anesthetized dog studied by endocardiac electrodes, 1707

Heparin inhibits bovine testicular hyaluronidase activity in myocardium of dogs with coronary artery occlusion, 941

Identification of blood in the pericardial cavity in dogs by two-dimensional echocardiography, 1194

Identification of reproducible ventricular tachycardia in a canine model, 619

In vivo assessment by computed tomography of the natural progression of infarct size, left ventricular muscle mass and function after acute myocardial infarction in the dog, 929 Laser myoplasty for hypertrophic cardiomyopathy: in vitro experience in human postmortem hearts and in vivo experience in a canine model (transarterial) and human patient (intraoperative), 1620

Left ventricular dimensions and function during exercise in dogs with chronic right ventricular pressure overload,

1187

Mechanism of caffeine-induced arrhythmias in canine cardiac Purkinje fibers, 313

Mechanisms of phase 1a and 1b early ventricular arrhythmias during acute myocardial ischemia in the dog, 307

Nitroglycerin and nitroprusside increase coronary blood flow in dogs by a mechanism independent of prostaglandin release, 936

Nitroprusside infusion in experimental acute myocardial infarction with systemic hypertension: effects on systemic hemodynamics and regional myocardial blood flows, 1354

Reduction of myocardial infarct size by a fluorocarbon-oxygenated reperfusate,

608

Regional differences in left ventricular response to atrial pacing in the dog: mapping of segmental function by twodimensional echocardiography, 599

Relation between radionuclide angiographic regional ejection fraction and left ventricular regional ischemia in awake dogs, 294

Role of the renin-angiotensin system in the development of congestive heart failure in the dog as assessed by chronic converting-enzyme blockade, 614

Thallium-201 scintigraphy in complete left bundle branch block, 764

Captopril

Long-term captopril therapy for chronic congestive heart failure, 1316

Role of the renin-angiotensin system in the development of congestive heart failure in the dog as assessed by chronic converting-enzyme blockade, 614

Carbon dioxide

Two-dimensional contrast echocardiography with carbon dioxide in the detection of congenital cardiac shunts, 206

Carcinoid syndrome

Eleven-year follow-up after tricuspid valve replacement and pulmonic valvulotomy in the carcinoid syndrome (LE), 651

Cardiac anatomy

Transesophageal two-dimensional echocardiography: comparison of ultrasonic and anatomic sections, 1173

Cardiac arrest

Antiarrhythmic and electrophysiologic actions of bethanidine sulfate in primary ventricular fibrillation or life-threatening ventricular tachycardia, 1268

Cardiac arrest recorded on ambulatory electrocardiograms, 1577

Hemodynamic effects of continuous abdominal binding during cardiac arrest and resuscitation, 269

High-dose intravenous nitroglycerin during cardiopulmonary resuscitation for refractory cardiac arrest, 1725

Out-of-hospital management of cardiac arrest by basic emergency medical technicians, 68

Cardiac borders

Computer-assisted edge detection in twodimensional echocardiography: comparison with anatomic data, 1380

Cardiac catheterization

Combined contrast echocardiographic and radionuclide diagnosis of atrial septal defect: accuracy of the technique and analysis of erroneous diagnoses, 1639 Coronary artery spasm superimposed on

coronary artery dissection, 363

Effects of age on radionuclide angiographic detection and quantitation of left-to-right shunts, 879

Intracardiac electrocardiography observations during left heart catheterization in man, 1200

Late sequelae of femoral artery catheterization, 1205

Significance of ventricular arrhythmias in idiopathic dilated cardiomyopathy, 902 The AJC in April 1959, 1199

Transseptal left atrial puncture: new techniques for the measurement of left atrial pressure in man, 1451

Tunnel subaortic stenosis in XO Turner's syndrome, 1731

Two-dimensional echocardiography in discrete subaortic stenosis, 896

Ventricular arrhythmias during coronary angiography in patients with angina pectoris or chest pain syndromes, 1496

Cardiac output

Determination of cardiac output by transcutaneous continuous-wave ultrasonic Doppler computer, 234

Doppler echocardiographic measurement of cardiac output: comparison with a non-golden standard, 257

Cardiac tamponade

Isolated right ventricular tamponade after pericarditis from acute myocardial infarction, 372

Pathophysiologic mechanisms of cardiac tamponade and pulsus alternans shown by echocardiography, 1662

Two-dimensional echocardiographic diagnosis of mediastinal hematoma causing cardiac tamponade, 974

Cardiokymography

Cardiokymography during exercise testing (LE), 1413

Cardiomyopathy

Atrioventricular block and preexcitation in hypertrophic cardiomyopathy, 961

Effects of heart rate changes on left ventricular volume and ejection fraction: a 2-dimensional echocardiographic study, 590

Histologic and ultrastructural studies on the myocardium in spontaneously diabetic KK mice: a new animal model of cardiomyopathy, 320

HLA A, B and DR typing in idiopathic dilated cardiomyopathy: a search for immune response factors, 1326

Incessant ectopic atrial tachycardia: successful surgical treatment with regression of dilated cardiomyopathy picture, 1465

Infantile cardiomyopathy with histiocytoid change in cardiac muscle cells: successful surgical intervention and prolonged survival, 982

Long-term captopril therapy for chronic congestive heart failure, 1316

Significance of ventricular arrhythmias in idiopathic dilated cardiomyopathy, 902

Cardiopulmonary bypass

Hemostatic abnormalities associated with prolonged ventricular assist pumping: analysis of 24 patients, 1344

Cardiotoxicity

Adriamycin cardiotoxicity (LE), 263

Carotid arteries

Cervical origin of the right subclavian artery in aortic arch interruption: pathogenesis and significance, 892

Carotid sinus

Carotid sinus hypersensitivity: beneficial effects of dual-chamber pacing, 1034

Catecholamines

Antihypertensive therapy with diltiazem: comparison with hydrochlorothiazide,

Diffuse or segmental narrowing (spasm) of the coronary arteries during smoking demonstrated on angiography, 354

Effect of tyramine on myocardial catecholamine release in coronary heart disease, 476

Elevated catecholamines during cardiac surgery: consequences of reperfusion of the postarrested heart, 722 Mechanism of caffeine-induced

arrhythmias in canine cardiac Purkinje fibers, 313

Nitroprusside infusion in experimental acute myocardial infarction with systemic hypertension: effects on systemic hemodynamics and regional

myocardial blood flows, 1354 Plasma norepinephrine and left ventricular hypertrophy, 1299

Catheters

Advances in guidewire technology, 94C Chronic percutaneous pericardial drainage with modified pigtail catheters in children, 1179

Current status of dilatation catheters and guiding systems, 92C, 97C

Pacing threshold changes after transvenous catheter countershock, 503

Chick embryo

Effect of constructal constriction on aortic-mitral valve continuity in the stage 18, 21 and 24 chick embryo, 324

Children

Assessment of electrocardiographic criteria for left atrial enlargement in childhood, 215

Atrioventricular valve anular diameter: two-dimensional echocardiographicautopsy correlation, 1652

Chronic percutaneous pericardial drainage with modified pigtail catheters in children, 1179

Combined discrete subaortic stenosis and ventricular septal defect in infants and children, 1429

Complete transposition of the great arteries and coarctation of the aorta, 1627

Detection and quantitation of right ventricular outlet obstruction secondary to aneurysm of the membranous ventricular septum by combined twodimensional echocardiography: continuous-wave Doppler ultrasound, 1476

Electrophysiologic abnormalities of children with ostium secundum atrial septal defect, 1643

Familial atrial standstill and inexcitability in childhood, 965

Incessant ectopic atrial tachycardia: successful surgical treatment with regression of dilated cardiomyopathy picture, 1465

Repetitive paroxysmal ventricular tachycardia and sudden death in a child, Right ventricular contractile function in children with congenital heart disease. 299

Sinus node function and conduction system before and after surgery for secundum atrial septal defect: an electrophysiologic study, 1415

Use of the indirect axillary pulse tracing for noninvasive determination of ejection time, upstroke time, and left ventricular wall stress throughout ejection in infants and young children, 1154

rothiazide

Chlorothiazide in hypertension, 630

Chiorthalidone

Step-down treatment of mild systemic hypertension, 1304

plesterol

Effects of prazosin and propranolol on blood pressure and plasma lipids in patients undergoing chronic hemodialysis, 40A

Low-dose colestipol plus probucol for hypercholesterolemia, 1514

Reducing the blood cholesterol level reduces the risk of heart attack, 649 Relation between plasma high-density lipoprotein cholesterol and sex

hormone concentrations in men, 1259 Relation of level of total serum cholesterol to amount of calcific deposits in operatively excised stenotic mitral valves: analysis of 155 cases, 157

Chordae tendineae

Role of chordae tendineae in mitral valve opening: two-dimensional echocardiographic evidence, 153

angiography

Effects of age on radionuclide angiographic detection and quantitation of left-to-right shunts, 879

Functional importance of coronary collateral vessels, 694

Left ventricular volumes by single-plane cineangiography: in vivo validation of the Kennedy regression equation, 1159

Prognosis after recovery from first acute myocardial infarction: determinants of reinfarction and sudden death, 408

Quantitative variability in regional wall motion during serial left ventricular cineangiography: guidelines for assessing changes in segmental function with intervention studies, 1148

Comparative efficacy and safety of lofexidine and clonidine in mild to moderately severe systemic hypertension, 787

Courctation

Balloon coarctation angioplasty in an adult, 350

Coarctation of the aorta or subaortic stenosis with atrioventricular septal defect, 1421

Complete transposition of the great arteries and coarctation of the aorta, 1627

Coffee

Cardiovascular effects of coffee and caffeine, 918

Cold potassium cardiopiegia

Influence of length of agrtic occlusion with cold potassium cardioplegia on early and late mortality in cardiac valve replacement, 182

Cold pressor testing

Effects of prostacyclin on coronary hemodynamics at rest and in response to cold pressor testing in patients with angina pectoris, 1500

Colestipol

Low-dose colestipol plus probucol for hypercholesterolemia, 1514

Collagen
Platelet adherence to bioprosthetic

Collateral circulation

Angiographically visible intercoronary collateral circulation in the absence of obstructive coronary artery disease, 954

Evaluation of coronary colleteral circulation in conscious humans, 1233

Functional importance of coronary collateral vessels, 694

Computer methods

A new digital electronic caliper for measurement of coronary arterial stenosis: comparison with visual estimates and computer-assisted measurements, 689

Computer-assisted edge detection in twodimensional echocardiography: comparison with anatomic data, 1380

The future of computerized cardiac angiography, 1722

Use of computerized tornography to assess myocardial infarct size and ventricular function in dogs during acute coronary occlusion and reperfusion, 282

Conduction

Cardiac conduction defects in patients older than 60 years with aortic stenosis with and without mitral anular calcium, 169

Concealed conduction preventing anterograde preexcitation in Wolff-Parkinson-White syndrome, 960

Conduction system abnormalities in symptomatic mitral valve prolapse: an electrophysiologic analysis of 60 patients, 1075

Double His deflections caused by intra-Hisian conduction disturbance with longitudinal dissociation, 368

Electrophysiologic abnormalities of children with ostium secundum atrial septal defect, 1643

Electrophysiologic effects of bepridil in the anesthetized dog studied by endocardiac electrodes, 1707 Influence of basic atrial rhythm of

intraatrial conduction of extrastimuli, 1018

Patterns of human atrioventricular nodal accommodation to a sudden acceleration of atrial rate, 71

Potentially lethal arrhythmias and their management in hypertrophic cardiomyopathy, 1608

Sinus node function and conduction system before and after surgery for secundum atrial septal defect: an electrophysiologic study, 1415

Congenital heart disease

Atrioventricular valve anular diameter: two-dimensional echocardiographicautopsy correlation, 1652

Bedside balloon atrial septostomy using echocardiographic monitoring, 971 Bilateral ductus arteriosus (or remnant): an analysis of 27 patients, 884

Chronic percutaneous pericardial drainage with modified pigtail catheters in children, 1179

Coarctation of the aorta or subaortic stenosis with atrioventricular septal defect, 1421

Combined discrete subaortic stenosis and ventricular septal defect in infants and children, 1429

Complete transposition of the great arteries and coarctation of the aorta. 1627

Doppler echocardiographic prediction of pulmonary arterial hypertension in congenital heart disease, 1110

Electrophysiologic abnormalities of children with ostium secundum atrial septal defect, 1643

Infantile cardiomyopathy with histiocytoid change in cardiac muscle cells: successful surgical intervention and prolonged survival, 982

Long-term follow-up after palliative operative for univentricular heart, 1648

Measurement of left ventricular ejection fraction in pediatric patients using the nuclear stethoscope, 211

Pulmonary artery compression by a bronchogenic cyst simulating congenital pulmonary artery stenosis,

Right ventricular contractile function in children with congenital heart disease,

Sinus node function and conduction system before and after surgery for secundum atrial septal defect: an electrophysiologic study, 1415

Tetralogy of Fallot with absent pulmonic valve: analysis of 17 patients, 1433

The 2 most common congenital heart diseases, 1198

The right precordial leads in congenital heart disease manifesting right ventricular preponderance, 1735

Transient atrioventricular block after open-heart surgery for congenital heart disease, 198

Two-dimensional echocardiographic determination of aortic and pulmonary artery sizes from infancy to adulthood in normal subjects, 218

Congestive heart failure

Audibility of an artificial third heart sound in relation to its frequency, amplitude, delay from the second heart sound and the experience of the observer, 1169 Chlorothiazide in congestive heart failure,

630 Comparison of hemodynamic responses to nifedipine and nitroprusside in severe

chronic congestive heart failure, 1321 Early right atrial pacing after myocardial infarction. II. Results in 77 patients with predischarge angina pectoris, congestive heart failure, or age older than 70 years, 418

Exercise testing in chronic congestive heart failure, 1447

Impaired skeletal muscle nutritive flow during exercise in patients with congestive heart failure: role of cardiac pump dysfunction as determined by the effect of dobutamine, 1308

Laterality of pleural effusions in chronic congestive heart failure, 951

Long-term captopril therapy for chronic congestive heart failure, 1316 Relation between hemodynamic and

ventilatory responses in determining exerccise capacity in severe congestive heart failure, 127

Role of the renin-angiotensin system in the development of congestive heart failure in the dog as assessed by chronic converting-enzyme blockade,

Verapamil in hypertrophic cardiomyopathy (LE), 1487

Construncal constriction

Effect of conotruncal constriction on aortic-mitral valve continuity in the stage 18, 21 and 24 chick embryo, 324

Contrast echocardiography
Combined contrast echocardiographic and radionuclide diagnosis of atrial septal defect: accuracy of the technique and analysis of erroneous diagnoses, 1639

Prevalence of right-to-left atrial shunting in a healthy population: detection by Valsalva maneuver contrast echocardiography, 1478

Contrast media

Comparative effects of ionic and nonionic contrast materials on indexes of isovolumic contraction and relaxation in humans, 228

Coronary anatomy

- In vitro analysis of boundary identification techniques used in quantification of two-dimensional echocardiograms. 1374
- "Left main equivalent" coronary artery disease: its clinical presentation and prognostic significance with nonsurgical therapy, 1489

Coronary arteries

- Blood velocity in the right coronary artery: relation to the distribution of atherosclerotic lesions, 1008
- Coronary artery spasm superimposed on coronary artery dissection, 363
- Diffuse or segmental narrowing (spasm) of the coronary arteries during smoking demonstrated on angiography, 354
- Early and late morphologic changes in major epicardial coronary arteries after percutaneous transluminal coronary angioplasty, 42C
- Intercoronary continuity: an anatomic basis for bidirectional coronary blood flow distinct from coronary collaterals, 351
- Left main equivalence is still an unproved hypothesis but proximal left anterior descending coronary artery disease is a "high-risk" lesion, 1719
- "Left main equivalent" coronary artery disease: its clinical presentation and prognostic significance with nonsurgical therapy, 1489
- Percutaneous transluminal coronary angioplasty for stenosis of the ostium of the right coronary artery after irradiation for Hodgkin's disease, 341
- Progression of atherosclerosis in coronary arteries and bypass grafts: Ten years later, 102C
- Recanalization of occluded left main coronary artery in unstable angina pectoris, 1725
- Reduction of myocardial infarct size by a fluorocarbon-oxygenated reperfusate, 608
- ST elevations in leads V1 to V5 may be caused by right coronary artery occlusion and acute right ventricular infarction, 991
- Thrombolysis of acute total occlusion of the left main coronary artery in evolving myocardial infarction, 1727

Coronary artery, right

Coronary artery spasm superimposed on coronary artery dissection, 363

Coronary artery bypass

See also Surgery Characteristics and outcome of medical nonadherers in the Veterans Administration Cooperative Study of Coronary Artery Surgery, 23

- Comparison of supervised and unsupervised exercise training after coronary bypass surgery, 1524
- Distal embolization of a coronary artery bypass graft atheroma during percutaneous transluminal coronary angioplasty, 953
- Elevated catecholamines during cardiac surgery: consequences of reperfusion of the postarrested heart, 722
- Emergency coronary bypass surgery after coronary angioplasty: the National Heart, Lung, and Blood Institute's Percutaneous Transluminal Coronary Angioplasty Registry experience, 22C
- Five-year effect of medical and surgical therapy on resting left ventricular function in stable angina: Veterans Administration Cooperative Study, 444
- Intracoronary thrombolysis for acute myocardial infarction late after bypass surgery: value of lead V₄R, 637
- Percutaneous angioplasty of stenoses of bypass grafts or of bypass graft anastomotic sites, 666
- Potential for percutaneous transluminal coronary angioplasty before initial and repeat coronary artery bypass grafting in the Coronary Artery Surgery Study (CASS) Registry Population, 112C

Progression of atherosclerosis in coronary arteries and bypass grafts: Ten years later, 102C

Ventricular arrhythmias during exercise testing: mechanism, response to coronary bypass surgery and prognostic significance, 1553

Coronary artery disease

See also Atherosclerosis Amounts of coronary arterial narrowing by atherosclerotic plaques in clinically isolated, chronic, pure aortic regurgitation: analysis of 37 necropsy patients older than 30 years, 173

An evaluation of three revascularization procedures in the rehabilitation of the coronary patient, 328

- Angiographically visible intercoronary collateral circulation in the absence of obstructive coronary artery disease,
- Antianginal effects of corwin, a new betaadrenoceptor partial agonist, 439
- Association between leukocyte count and the presence and extent of coronary atherosclerosis as determined by coronary arteriography, 997
- Characteristics and outcome of medical nonadherers in the Veterans Administration Cooperative Study of Coronary Artery Surgery, 23
- Comparison of echocardiographic and necropsy measurements of left ventricular wall thickness in patients with coronary artery disease, 838
- Comparison of the multivariate analysis and CADENZA systems for determination of the probability of coronary artery disease, 493
- Coronary artery disease and aortic regurgitation (LE), 990
- Coronary heart disease III. Chronic arrhythmias as influenced by the Beck operation, 1452
- Determinants of arrhythmogenic ventricular activity detected on the body surface QRS in patients with coronary artery disease, 1519
- Dose-response relation of antianginal activity of isosorbide dinitrate, 700 Effect of intravenous dipyridamole on

- regional coronary blood flow with 1vessel coronary artery disease: evidence against coronary steal, 718
- Effect of tyramine on myocardial catecholamine release in coronary heart disease, 476
- Effects of a selective thromboxane synthetase inhibitor, dazoxiben, and of acetylsalicylic acid on myocardial ischemia in patients with coronary artery disease, 1255
- Effects of atrial pacing on global and regional left ventricular function in coronary heart disease assessed by digital intravenous ventriculography,
- Effects of flecainide on ventricular function: clinical and experimental correlations, 95B
- Effects of heart rate changes on left ventricular volume and ejection fraction: a 2-dimensional echocardiographic study, 590
- Evaluation of coronary collateral circulation in conscious humans, 1233 From irritable heart to mitral valve
- prolapse: the Osler connection, 870 Increased frequency of coronary heart disease in relatives of wives of myocardial infarct survivors: assortative mating for lifestyle and risk factors? 399
- Intravenous streptokinase in evolving acute myocardial infarction, 1209
- Left main equivalence is still an unproved hypothesis but proximal left anterior descending coronary artery disease is a "high-risk" lesion, 1719
- "Left main equivalent" coronary artery disease: its clinical presentation and prognostic significance with nonsurgical therapy, 1489
- Left ventricular function in patients with coronary heart disease in the presence or absence of angina pectoris during exercise radionuclide ventriculography, 1239
- Left ventricular volumes and function during atrial pacing in coronary artery disease: a radionuclide angiographic study, 497
- Location of myocardial necrosis as an independent determinant of left ventricular performance: analysis of 96 patients, 483
- Miscoding of hospital discharges as acute myocardial infarction: implications for surveillance programs aimed at elucidating trends in coronary artery disease, 1000
- Peak exercise and immediate postexercise imaging for the detection of left ventricular functional abnormalities in coronary artery disease, 1532
- Practical diagnosis of coronary artery disease: a Bayes' theorem nomogram to correlate clinical data with noninvasive exercise tests, 252
- Prevalence of high-risk thallium-201 scintigraphic findings in left main coronary artery stenosis: comparison with patients with multiple- and singlevessel coronary artery disease, 462
- Prognostic indicators from radionuclide angiography in medically treated patients with coronary artery disease,
- Programmed electrical stimulation of the heart in coronary artery disease (LE), 651

Randomized, placebo-controlled study of the effect of verapamil on exercise hemodynamics in coronary artery disease, 674

Reducing the blood cholesterol level reduces the risk of heart attack, 649

Relation between electrocardiographic and scintigraphic location of myocardial ischemia during exercise in onc-vessel coronary artery disease, 1529

Relation of ventricular premature beats to underlying heart disease, 774 Sensitivity and specificity of nuclear

Sensitivity and specificity of nuclear phase analysis versus ejection fraction in coronary artery disease, 1547

Significance of increased lung thallium-201 activity on serial cardiac images after dipyridamole treatment in coronary heart disease, 470 Simultaneous maximal exercise

radionuclide angiography and thallium stress perfusion imaging, 812

Stress scintigraphy using single-photon emission-computed tomography in the evaluation of coronary artery disease, 1250

Survival in coronary artery disease compared with age- and sex-specific U.S. population (LE), 265

Variant angina in siblings with mild coronary artery disease, 956

Coronary artery spasm

Catheter-induced nonproximal coronary artery spasm, 352

Ergonovine provocation to assess efficacy of long-term therapy in Prinzmetal's variant angina (LE), 1207

High-dose infravenous nitroglycerin during cardiopulmonary resuscitation for refractory cardiac arrest, 1725 Plexectomy for coronary spasm: where

Plexectomy for coronary spasm: wi are the controls? (LE), 264

Cerenary occlusion

Heparin inhibits bovine testicular hyalurchidase activity in myocardium of dogs with coronary artery occlusion 941

Identification of reproducible ventricular tachycardia in a canine model, 619
Morphologic and functional effects of piroxicam on myocardial scar formation

after coronary occlusion in dogs, 604
Reduction of infarct size induced by
pressure-controlled intermittent
coronary sinus occlusion, 923
Risk of side branch occlusion during

coronary angioplasty, 10

ST elevations in leads V₁ to V₅ may be caused by right coronary artery occlusion and acute right ventricular infarction, 991

Use of computerized tomography to assess myocardial infarct size and ventricular function in dogs during acute coronary occlusion and reperfusion, 282

Coronary reperfusion

Correlates of reperfusion ventricular fibrillation in dogs, 1397 Intravenous streptokinase in evolving

acute myocardial infarction, 1209
Use of computerized tomography to
assess myocardial infarct size and
ventricular function in dogs during acute
coronary occlusion and reperfusion,

282 Coronary sinus

Reduction of infarct size induced by pressure-controlled intermittent coronary sinus occlusion, 923 Coronary steal

Effect of intravenous dipyridamole on regional coronary blood flow with 1vessel coronary artery disease: evidence against coronary steal, 718

Corticosteroid therapy

Steroid-responsive eosinophilic myocarditis: diagnosis by endomyocardial biopsy, 1472

Corwin

Antianginal effects of corwin, a new betaadrenoceptor partial agonist, 439

Creatine kinase MB

Plasma MB creatine kinase after vigorous exercise in professional athletes, 856

vanosis

Myocardial infarction as a manifestation of polycythemia in cyanotic heart disease, 952

Dazoxiben

Effects of a selective thromboxane synthetase inhibitor, dazoxiben, and of acetylsalicylic acid on myocardial ischemia in patients with coronary artery disease, 1255

Death, sudden

Cardiac arrest recorded on ambulatory electrocardiograms, 1577

Effects of timolol and propranolol on inducible sustained ventricular tachyarrhythmias in dogs with subacute myocardial infarction, 275

Evaluation of flecainide acetate in the management of patients at high risk of sudden cardiac death, 108B

Mild Ebstein's anomaly associated with supraventricular tachycardia and sudden death: clinicomorphologic features in 3 patients, 332

Prognosis after recovery from first acute myocardial infarction: determinants of reinfarction and sudden death, 408

Prognostic factors in nonsustained ventricular tachycardia, 1275

Repetitive paroxysmal ventricular tachycardia and sudden death in a child, 1729

Significance of ventricular arrhythmias in idiopathic dilated cardiomyopathy, 902

Sudden death during ambulatory electrocardiographic monitoring: importance of morphologic confirmation to establish cause of death, 1403

Dermal arches

Lack of association between dermal arches and mitral valve prolapse: relation to anxiety, 148

Dextran

Effect of dextran and aspirin in platelet adherence after transfurninal angioplasty of normal canine coronary arteries, 1695

Diabetes

Histologic and ultrastructural studies on the myocardium in spontaneously diabetic KK mice: a new animal model of cardiomyopathy, 320

Treatment of hypertension in diabetic men: problems with sexual dysfunction, 46A

Diastole

Abnormal left ventricular filling: an early finding in mild to moderate systemic hypertension, 120

Augmentation of atrial contribution to left ventricular inflow with aging as assessed by intracardiac Doppler flowmetry, 586 Diagnosis of tricuspid stenosis by M-mode and two-dimensional echocardiography, 164

Noninvasive assessment of right ventricular systolic pressure in atrial septal defect: analysis of the endsystolic configuration of the ventricular septum by two-dimensional echocardiography, 1117

Diastolic function

Pathophysiologic mechanisms of cardiac tamponade and pulsus alternars shown by echocardiography, 1662

Use of left ventricular filling and ejection patterns in assessing severity of chronic mitral and aortic regurgitation, 1054

Digitali

Comparison of the canine tissue distribution of digoxin after acute and chronic administration: implication for digitalis therapy, 1703

Digital studies

A new digital electronic caliper for measurement of coronary arterial stenosis: comparison with visual estimates and computer-assisted measurements, 689

Digital processing of contrast echocardiograms: a new technique for measuring right ventricular ejection fraction, 1164

Digoxin

Comparison of the canine tissue distribution of digoxin after acute and chronic administration: implication for digitalis therapy, 1703

Digoxin-diltiazem interaction, 1480
Interaction of flecainide with digoxin and

propranoloi, 52B

Dilliazem

Antihypertensive therapy with diltiazem: comparison with hydrochlorothiazide, 1588

Digoxin-diltiazem interaction, 1480 Improved efficacy of high-dose versus medium- and low-dose diltiazem therapy for chronic stable angina pectoris, 669

Improved exercise tolerance after propranolol, dilitiazem or nifedipline in angina pectoris: comparison at 1, 3 and 8 hours and correlation with plasma drug concentration, 1

Dipyridamole

Effect of intravenous dipyridamole on regional coronary blood flow with 1vessel coronary artery disease: evidence against coronary steal, 718

Significance of increased lung thallium-201 activity on serial cardiac images after dipyridamole treatment in coronary heart disease, 470

Disopyramide

Actions of disopyramide on potential reentrant pathways and ventricular tachyarrhythmias in conscious dogs during the late post-myocardial infarction phase, 1712

A double-blind, crossover comparison of flecainide acetate and disopyramide phosphate in the treatment of ventricular premature complexes, 72B

Effects of intravenous and oral disopyramide on paroxysmal atrioventricular nodal tachycardia, 88

Effects on ventricular function of disopyramide, procainamide and quintiline as determined by radionuclide angiography, 1292 Diuretic therapy

Antihypertensive therapy with diltlazem: comparison with hydrochlorothiazide, 1588

Diuretic therapy for mild hypertension: the "real" cost of treatment, 9A

Effects of diuretic therapy in low-, normaland high-renin isolated systolic systemic hypertension, 797

Failure of antihypertensive therapy with diuretic, beta-blocking and calcium channel-blocking drugs to consistently reverse left ventricular diastolic filling abnormalities, 1583

Prazosin versus propranolol plus prazosin: a comparison in diuretic-treated hypertensive patients, 55A

Therapy of mild hypertension: an overview, 2A

Diverticula

Congenital diverticula of the left and right ventricles: 3 cases, 342

Dobutamine

Effects of inotropic and chronotropic stimuli on acute myocardial ischemic injury. III. Influence of basal heart rate, 1688

Impaired skeletal muscle nutritive flow during exercise in patients with congestive heart failure: role of cardiac pump dysfunction as determined by the effect of dobutamine, 1308

Intermittent ambulatory dobutamine infusions for patients awaiting cardiac transplantation, 375

Doppler ultrasound

See also Echocardiography
Augmentation of atrial contribution to left
ventricular inflow with aging as
assessed by intracardiac Doppler
flowmetry, 586

Detection and quantitation of right ventricular outlet obstruction secondary to aneurysm of the membranous ventricular septum by combined twodimensional echocardiography: continuous-wave Doppler ultrasound, 1476

Detection by Doppler echocardiography of acquired pulmonic stenosis due to extrinsic tumor compression, 1475

Determination of cardiac output by transcutaneous continuous-wave ultrasonic Doppler computer, 234

Diagnosis of ventricular septal rupture from acute myocardial infarction by combined 2-dimensional and pulsed Doppler echocardiography, 1202

Doppler echocardiographic diagnosis of porcine bioprosthetic cardiac valve malfunction, 1203

Doppler echocardiographic measurement of cardiac output: comparison with a non-golden standard, 257

Doppler echocardiographic prediction of julmonary arterial hypertension in congenital heart disease, 1110

Fetal Doppler echocardiography: methods and characterization of normal and abnormal hemodynamics, 572

In vitro verification of Doppler prediction of transvalve pressure gradient and orifice area in stenosis, 1369

Mechanisms for development of functional tricuspid regurgitation determined by pulsed Doppler and two-dimensional echocardiography, 160

Patent ductus arteriosus in adults: diagnosis by suprasternal and parasternal pulsed Doppler echocardiography, 1473 Recognition of coronary arterial fistula by Doppler 2-dimensional echocardiography, 392

Two-dimensional and pulsed Doppler echocardiographic diagnosis of an acquired left ventricular—right atrial communication, 396

Double-outlet right ventricle

Effect of construncal constriction on aortic-mitral valve continuity in the stage 18, 21 and 24 chick embryo, 324 New views: double outlet right ventricle (LE), 1488

Dressler's syndrome

Evidence for the continued existence of the postmyocardial infarction (Dressler's) syndrome, 1201

Dyskinesia

Left ventricular dysfunction discriminated noninvasively beat by beat, 238 Pseudodyskinesia of the left ventricular free wall, 985

Dysplasia

Coexistent arrhythmogenic right ventricular dysplasia and Wolff-Parkinson-White syndrome, 632 Familial Uhl's anomaly in the adult, 1402 Unusual features of arrhythmogenic right ventricular dysplasia, 639

Ebstein's anomaly

Ebstein's anomaly and pregnancy, 357 Ebstein's anomaly of the tricuspid valve in persistent common atrioventricular canal, 640

Mild Ebstein's anomaly associated with supraventricular tachycardia and sudden death: clinicomorphologic features in 3 patients, 332

Echocardiography

See also Contrast echocardiography, Mmode echocardiography, Twodimensional echocardiography

Assessment of electrocardiographic criteria for left atrial enlargement in childhood, 215

Cardiac and skeletal myopathy associated with cardiac dysrhythmias, 731

Comparison of echocardiographic and necropsy measurements of left ventricular wall thickness in patients with coronary artery disease, 838

Echocardiographic analysis of ventricular septal dynamics in hypertrophic cardiomyopathy and other diseases, 187

Effect of acebutolol on left ventricular hemodynamics and anatomy in systemic hypertension, 791

Effect of moricizine hydrochloride in reducing chronic high-frequency ventricular arrhythmia: results of a prospective, controlled trial, 745

Infected cardiac myxoma, 381
Mechanisms for development of functional tricuspid regurgitation determined by pulsed Doppler and two-dimensional echocardiography, 160

Pathophysiologic mechanisms of cardiac tamponade and pulsus alternans shown by echocardiography, 1662

Prevalence and significance of false tendons in the left ventricle as determined by echocardiography, 250 Transesophageal two-dimensional

Fransesophageal two-dimenslocal echocardiography: comparison of ultrasonic and anatomic sections, 1173

Uhl's anomaly (parchment right ventricle): clinical, echocardiographic, radionuclear, hemodynamic and angiocardiographic features in 2 patients, 635

Vigorous physical training after aortic valve replacement: analysis of 10 patients, 562

Ectopic beats

Pharmacodynamics of the initiation of antiarrhythmic therapy with lorcainide,

Ejection fraction

Detection and quantification of previous myocardial infarction by exerciseredistribution tomographic thallium-201 scintigraphy, 1244

Digital processing of contrast echocardiograms: a new technique for measuring right ventricular ejection fraction, 1164

Discrepancy between the QRS scoring system and left ventricular ejection fraction after surgical or medical revascularization during acute myocardial infarction, 359

Effects of heart rate changes on left ventricular volume and ejection fraction: a 2-dimensional echocardiographic study, 590

Five-year effect of medical and surgical therapy on resting left ventricular function in stable angina: Veterans Administration Cooperative Study, 444

Left ventricular volumes by single-plane cineangiography: in vivo validation of the Kennedy regression equation, 1159

Measurement of left ventricular ejection fraction in pediatric patients using the nuclear stethoscope, 211

Noninvasive diagnosis of pulmonary arterial hypertension in chronic obstructive pulmonary disease: right ventricular ejection fraction at rest, 1349

Quantitative radionuclide angiography using gold-195m, 1442

Relation between radionuclide angiographic regional ejection fraction and left ventricular regional ischemia in awake dogs, 294

Sensitivity and specificity of nuclear phase analysis versus ejection fraction in coronary artery disease, 1547

Sources of variability in the radionuclide angiographic assessment of ejection fraction: a comparison of first-pass and gated equilibrium techniques, 823

Systolic time intervals reconsidered: reevaluation of the preejection period: absence of relation to heart rate, 1667

Use of left ventricular filling and ejection patterns in assessing severity of chronic mitral and sortic regurgitation, 1054

Ejection rate

Hemodynamic correlates for timing intervals, ejection rate and filling rate derived from the radionuclide angiographic volume curve, 567

Elderly patients

Clinical features and course of aortitis syndrome in Japanese women older than 40 years, 859

Early right atrial pacing after myocardial infarction. II. Results in 77 patients with predischarge angina pectoris, congestive heart failure, or age older than 70 years, 418

Percutaneous transluminal coronary angioplasty in the elderly patient: experience in the National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty Registry, 89C **Electrical stimulation**

Effects of intravenous and oral disopyramide on paroxysmal atrioventricular nodal tachycardia, 88

Facilitation of ventricular tachycardia induction with abrupt changes in ventricular cycle length, 508 Patterns of human atrioventricular nodal

accommodation to a sudden acceleration of atrial rate, 71

Programmed electrical stimulation of the heart in coronary artery disease (LE), 651

Electrocardiography
Angiographic evidence that reciprocal ST-segment depression during acute myocardial infarction does not indicate remote ischemia: analysis of 23 patients, 55

Assessment of electrocardiographic criteria for left atrial enlargement in childhood, 215

Auricular overloadings: electrocardiographic analysis of 193 cases, 1199

Cardiac arrest recorded on ambulatory electrocardiograms, 1577

Comparison of the multivariate analysis and CADENZA systems for determination of the probability of coronary artery disease, 493

Diagnostic efficacy of 24-hour electrocardiographic monitoring for syncope, 1013

Discrepancy between the QRS scoring system and left ventricular ejection fraction after surgical or medical revascularization during acute myocardial infarction, 359

Double His deflections caused by intra-Hisian conduction disturbance with longitudinal dissociation, 368

Echocardiography in acute infectious myocarditis: relation to clinical and electrocardiographic findings, 1326

Effect of moricizine hydrochloride in reducing chronic high-frequency ventricular arrhythmia: results of a prospective, controlled trial, 745

Electrocardiogram of the athlete: an analysis of 289 professional football players, 1339

Electrocardiographic criteria for diagnosis of combined inferior wall myocardial infarction and left anterior hemiblock (LE), 1207

Electrocardiographic diagnosis of transmural and nontransmural acute myocardial infarction (LE), 988

Evaluation of a QRS scoring system for estimating myocardial infarct size. IV. Correlation with quantitative anatomic findings for posterolateral infarcts, 706

Exercise, electrocardiographic and functional responses after percutaneous transluminal coronary angioplasty, 36C

Familial atrial standstill and inexcitability in childhood, 965

Flecainide: its proarrhythmic effect and expected changes on the surface electrocardiogram, 89B

Frequency of arrhythmias in acute pericarditis determined by Holter monitoring, 842

catheterization in man, 1200

Insensitivity of the electrocardiogram in apical myocardial infarction, 715 Intracardiac electrocardiography observations during left heart

Peri-infarction zone at risk during the first 5 days after an acute transmural myocardial infarction: electrocardiographic evidence, 433

Pharmacodynamics of the initiation of antiarrhythmic therapy with lorcainide,

Pseudomalfunction of pacemaker due to a defective electrocardiograph, 373 Quantitative QRS criteria for diagnosing

and sizing myocardial infarcts, 875 Reassessment of the electrocardiographic findings in isolated interventricular sental defect, 1736

Reevaluation of electrocardiographic criteria for left, right and combined cardiac ventricular hypertrophy, 1140

Relation between electrocardiographic and scintigraphic location of myocardial ischemia during exercise in one-vessel coronary artery disease, 1529

Sensitivity and specificity of commonly used electrocardiographic criteria for left atrial enlargement determined by M-mode echocardiography, 829

Significance of an apparent short return cycle in the mechanism of supraventricular tachycardia, 361 Significance of ventricular arrhythmias in

idiopathic dilated cardiomyopathy, 902 Successful recanalization of a left main coronary artery occlusion, 356

Sudden death during ambulatory electrocardiographic monitoring: importance of morphologic confirmation to establish cause of death, 1403

The AJC in April 1959, 1199 Value of lead V₄R for recognition of the infarct coronary artery in acute inferior myocardial infarction, 1538

Value of radiotelemetry in a community hospital, 1284

Ventricular endocardial leads in left bundle branch block and left ventricular hypertrophy correlation with the vectorcardiogram and electrocardiogram, 1199

Ventricular septal defect: correlation of electrocardiographic and hemodynamic findings in 60 proved cases, 1735

Electropharmacology

Electropharmacology of nonsustained ventricular tachycardia: effects of class I antiarrhythmic agents, verapamil and propranolol, 738

Electrophysiology

Antiarrhythmic and electrophysiologic actions of flecainide in animal models,

Cardiac and skeletal myopathy associated with cardiac dysrhythmias, 731

Clinical efficacy and electrophysiology of imipramine for ventricular tachycardia, 516

Combined verapamil and propranolol for supraventricular tachycardia, 757

Conduction system abnormalities in symptomatic mitral valve prolapse: an electrophysiologic analysis of 60 patients, 1075

Differential effects of sotalol and metoproloi on induction of paroxysmal supraventricular tachycardia, 1022 Effects of amiodarone on supraventricular

tachycardia involving bypass tracts, 93 Electrophysiologic abnormalities of children with ostium secundum atrial

septal defect, 1643 Electrophysiologic basis for arrhythmias in ischemic heart disease, 1B

Electrophysiologic effects of bepridil in the anesthetized dog studied by endocardiac electrodes, 1707

Electrophysiologic effects of flecainide acetate on sinus node function. anomalous atrioventricular connections, and pacemaker thresholds, 30B Electrophysiologic properties of flecainide

acetate, 26B

Experience with electrophysiologically guided therapy of ventricular tachycardia with flecainide: summary of long-term follow-up, 79B

Management of recurrent ventricular tachycardia: economic impact of therapeutic alternatives, 531

Orthostatic atriai tachycardia: autonomic influence on atrial pacemakers, 1406 Programmed ventricular stimulation in mitral valve prolapse: analysis of 36

patients, 135 Sinus node function and conduction system before and after surgery for secundum atrial septal defect: an

electrophysiologic study, 1415 Sustained ventricular tachycardia after repair of tetralogy of Fallot: new electrophysiologic findings (LE), 989

Embolization

Distal embolization of a coronary artery bypass graft atheroma during percutaneous transluminal coronary angioplasty, 953

Emission-computed tomography Determination of left ventricular mass by single-photon emission-computed tomography with thallium-201, 1365

Stress scintigraphy using single-photon emission-computed tomography in the evaluation of coronary artery disease, 1250

Enalapril

Enalapril improves systemic and renal hemodynamics and allows regression of left ventricular mass in essential hypertension, 105

Regression of left ventricular hypertrophy from systemic hypertension by enalapril, 1044

Clinical importance of metabolites of antiarrhythmic drugs, 248

Endocardial constriction

Acquired left ventricular endocardial constriction from massive mural calcific deposits: a newly recognized cause of impairment to left ventricular filling, 1468

Endocarditis

Bacterial associated porcine heterograft heart valve calcification, 370

Frequency and significance of M-mode echocardiographic evidence of mitral valve prolapse in clnically isolated pure mitral regurgitation: analyses of 65 patients having mitral valve replacement, 139

Infective endocarditis involving a presumably normal pulmonic valve, 385

Prophylactic replacement of a Starr-Edwards model 1000 aortic valve prosthesis in place for 20 years, 969

Endocardium

Computer-assisted edge detection in twodimensional echocardiography: comparison with anatomic data, 1380

Endomyocardial biopsy

Steroid-responsive eosinophilic myocarditis: diagnosis by endomyocardial biopsy, 1472

Endomyocardium

Cardiac involvement in glycogen storage disease III: morphologic and biochemical characterization with endomyocardial biopsy, 980

The femoral venous approach to endomyocardial biopsy: comparison with internal jugular and transarterial approaches, 833

End-systole

Myocardial depression by anesthetic agents (halothane, enflurane and nitrous oxide): quantitation based on endsystolic pressure-dimension relations, 243

Enflurane

Myocardial depression by anesthetic agents (halothane, enflurane and nitrous oxide): quantitation based on endsystolic pressure-dimension relations, 243

Epicardium

Computer-assisted edge detection in twodimensional echocardiography: comparison with anatomic data, 1380

Epinephrine

Effect of tyramine on myocardial catecholamine release in coronary heart disease, 476

Elevated catecholamines during cardiac surgery: consequences of reperfusion of the postarrested heart, 722

Estradio

Relation between plasma high-density lipoprotein cholesterol and sex hormone concentrations in men, 1259

Exercise

See also Exercise testing
An agent with lipid-lowering,
antihypertensive, positive inotropic,
negative chronotropic, vasodilating,
diuretic, anorexigenic, weight-reducing,
cathartic, hypoglycemic, tranquilizing,
hypnotic and antidepressive qualities,
261

Antianginal effects of corwin, a new betaadrenoceptor partial agonist, 439

Bepridil for chronic stable angina pectoris: results of a prospective multicenter, placebo-controlled, dose-ranging study in 77 patients, 35

Chronic verapamil therapy in pediatric and young adult patients with hypertrophic cardiomyopathy, 1614

Comparative value of 2-dimensional echocardiography and radionuclide angiography for quantitating changes in left veril icular performance during exercise limited by angina pectoris, 42

Comparison of left ventricular function and infarct size in patients with and without persistently positive technetium-99m pyrophosphate myocardial scintigrams after myocardial infarction: analysis of 357 patients, 421

Comparison of supervised and unsupervised exercise training after coronary bypass surgery, 1524

Detection and quantification of previous myocardial infarction by exerciseredistribution tomographic thallium-201 scintigraphy, 1244

Dose-response relation of antianginal activity of isosorbide dinitrate, 700

Effect of moricizine hydrochloride in reducing chronic high-frequency ventricular arrhythmia: results of a prospective, controlled trial, 745 Effects of beta₁-selective and nonselective beta-adrenoceptor blockade during exercise conditioning in healthy adults, 1656

Electrocardiogram of the athlete: an analysis of 289 professional football players, 1339

Evaluation of bepridil, a new antianginal agent: clinical and hemodynamic alterations during the treatment of stable angina pectoris, 29

Exercise, electrocardiographic and functional responses after percutaneous transluminal coronary angioplasty, 36C

Exercise subcostal two-dimensional echocardiography: a new method of segmental wall motion analysis, 805

Favorable effects of hydralazine on the hemodynamic response to isometric exercise in chronic severe aortic regurgitation, 1603

Functional importance of coronary collateral vessels, 694

Hemodynamic effects of nifedipine during upright exercise in stable angina pectoris and either normal or severely impaired left ventricular function, 451

Hypertrophic cardiomyopathy compatible with successful completion of the marathon, 1470

Impaired skeletal muscle nutritive flow during exercise in patients with congestive heart failure: role of cardiac pump dysfunction as determined by the effect of dobutamine, 1308

Improved exercise tolerance after propranolol, dilitiazem or nifedipine in angina pectoris: comparison at 1, 3 and 8 hours and correlation with plasma drug concentration, 1

Left ventricular dimensions and function during exercise in dogs with chronic right ventricular pressure overload, 1187

Left ventricular function in patients with coronary heart disease in the presence or absence of angina pectoris during exercise radionuclide ventriculography, 1239

Long-term captopril therapy for chronic congestive heart failure, 1316

Oral sustained-release nitroglycerin in chronic stable angina: a multicenter, double-blind, randomized crossover trial. 15

Peak exercise and immediate postexercise imaging for the detection of left ventricular functional abnormalities in coronary artery disease. 1532

Plasma MB creatine kinase after vigorous exercise in professional athletes, 856

Prognostic indicators from radionuclide angiography in medically treated patients with coronary artery disease, 18

Radionuclide ventriculographic responses to graded supine and upright exercise: critical role of the Frank-Starling mechanism at submaximal exercise, 1671

Randomized, placebo-controlled study of the effect of verapamil on exercise hemodynamics in coronary artery disease. 674

Relation between electrocardiographic and scintigraphic location of myocardial ischemia during exercise in one-vessel coronary artery disease, 1529 Relation between hernodynamic and ventilatory responses in determining exerccise capacity in severe congestive heart failure, 127

Reproducibility and treatment of exerciseinduced ventricular tachycardia, 751

Significance of increased lung thallium-201 activity on serial cardiac images after dipyridamole treatment in coronary heart disease, 470

Simultaneous maximal exercise radionuclide angiography and thallium stress perfusion imaging, 812

Stress scintigraphy using single-photon emission-computed tomography in the evaluation of coronary artery disease, 1250

The case for exercise, 260

Exercise testing

Cardiokymography during exercise testing (LE), 1413

Comparative value of maximal treadmill testing, exercise thallium myocardial perfusion scintigraphy and exercise radionuclide ventriculography for distinguishing high- and low-risk patients soon after acute myocardial infarction, 1221

Early right atrial pacing after myocardial infarction. I. Comparison with early treadmill testing, 414

Effects of bepridil on exercise tolerance in chronic stable angina: a double-blind, randomized, placebo-controlled, crossover trial, 679

Exercise testing in chronic congestive heart failure, 1447

Improved efficacy of high-dose versus medium- and low-dose diltiazem therapy for chronic stable angina pectoris, 669

Possible interactions of indomethacin and nitrates in angina pectoris, 225

Potentially lethal arrhythmias and their management in hypertrophic cardiomyopathy, 1608

Practical diagnosis of coronary artery disease: a Bayes' theorem nomogram to correlate clinical data with noninvasive exercise tests, 252

Prognosis after recovery from first acute myocardial infarction: determinants of reinfarction and sudden death, 408

QT/QS₂ ratio as an index of autonomic tone changes, 818

Quantification of pulmonary thailium-201 activity after upright exercise in normal persons: importance of peak heart rate and propranolol usage in defining normal values, 1678

Randomized double-blind comparison of gallopamil and propranolol in stable angina pectoris, 684

Randomized, placebo-controlled evaluation of lidoflazine in patients receiving beta-blocker therapy with propranolol: improvement in anginal symptoms and exercise tolerance with combined drug therapy, 1003

Ventricular arrhythmias during exercise testing: mechanism, response to coronary bypass surgery and prognostic significance, 1553

Vigorous physical training after acrtic valve replacement: analysis of 10 patients, 562

Faise tendons

Prevalence and significance of false tendons in the left ventricle as determined by echocardiography, 330 Femoral arteries

Late sequelae of femoral artery catheterization, 1205

noral vein

The femoral venous approach to endomyocardial biopsy: comparison with internal jugular and transarterial approaches, 833

Fetal studies

Fetal Doppler echocardiography: methods and characterization of normal and abnormal hemodynamics, 572

Procainamide cardioversion of fetal supraventricular tachyarrhythmia, 1460

Echocardiographic demonstration of an asymptomatic patient with left ventricular fibroma, 981

First heart sound

Frequency spectra of the first heart sound and of the acrtic component of the second heart sound in patients with degenerated porcine bioprosthetic valves, 557

A double-blind, crossover comparison of flecainide acetate and disopyramide phosphate in the treatment of ventricular premature complexes, 728

Antiarrhythmic and electrophysiologic actions of flecainide in animal models

A proposal for the clinical use of flecainide, 112B Discovery and development of flecainide,

17B Effects of flecainide on ventricular function: clinical and experimental

correlations, 95B Electrophysiologic effects of flecainide acetate on sinus node function,

anomalous atrioventricular connections, and pacemaker thresholds, 308 Electrophysiologic properties of flecalnide acetate, 268

Evaluation of flecainide acetate in the management of patients at high risk of sudden cardiac death, 108B

Experience with electrophysiologically guided therapy of ventricular tachycardia with flecainide: summary of long-term follow-up, 79B Extracardiac adverse effects of flecainide,

Flecainide dose-response relations in

stable ventricular arrhythmias, 59B Flecainide: its proarrhythmic effect and expected changes on the surface electrocardiogram, 89B

Flecainide toxicity, 329 Flecainide versus quinidine: results of a multicenter trial, 66B

Interaction of flecainide with digoxin and progranolol, 528

Metabolism of flecainide, 41B

Fluorocarbon-oxygenated reperfusate Effect of fluocarbon exchange transfusion on myocardial infarcts (LE), 1414 Reduction of myocardial infarct size by a

fluorocarbon-oxygenated reperfusate, 608

Frank-Starling mechanism

Radionuclide ventriculographic responses to graded supine and upright exercise: critical role of the Frank-Starling mechanism at submaximal exercise. 1671

From the Editor

An agent with lipid-lowering, antihypertensive, positive inotropic, negative chronotropic, vasodilating,

diuretic, anorexigenic, weight-reducing, cathartic, hypoglycemic, tranquilizing, hypnotic and antidepressive qualities,

Can rest and relaxation be obtained by combining a "vacation" with a medical meeting or a medical meeting with a "vacation"? 987

Forces changing America, 1737 Reducing the blood cholesterol level reduces the risk of heart attack, 649

Studying the "instructions to authors' before final typing of a manuscript for submission to a medical journal, 398 The AJC editorial board meeting-1984,

1483 The 2 most common congenital heart

diseases, 1198 When I have an acute myocardial infarction take me to the hospital that has a cardiac catheterization laboratory and open cardiac surgical facilities,

1410

Gallopamil
Randomized double-bilind comparison of gallopamil and propranolol in stable angina pectoris, 684

HLA A, B and DR typing in idiopathic dilated cardiomyopathy: a search for immune response factors, 1326

Patterns of inheritance in hypertrophic cardiomyopathy: assessment by Mmode and two-dimensional echocardiography, 1087

Golter, Intracardiac

Intracardiac goiter: a cause of right ventricular outflow obstruction and successful operative therapy, 976

Gold-195m Quantitative radionuclide angiography using gold-195m, 1442

Simultaneous maximal exercise radionuclide angiography and thallium stress perfusion imaging, 812

Halothane

Myocardial depression by anesthetic agents (halothane, enflurane and nitrous oxide): quantitation based on endsystolic pressure-dimension relations,

Heart rate

Cardiovascular effects of coffee and caffeine, 918

Effects of heart rate changes on left ventricular volume and ejection fraction: a 2-dimensional echocardiographic study, 590

Quantification of pulmonary thallium-201 activity after upright exercise in normal persons: importance of peak heart rate and propranolol usage in defining normal values, 1678

Heart sounds

Audibility of an artificial third heart sound in relation to its frequency, amplitude, delay from the second heart sound and the experience of the observer, 1169

Frequency spectra of the first heart sound and of the aortic component of the second heart sound in patients with degenerated porcine bioprosthetic valves, 557

Heari transplantation

Evidence of remnant recipient atria producing mechanical atrial systole after heart transplantation, 642

Hematoma, mediastinal

Two-dimensional echocardiographic diagnosis of mediastinal hematoma causing cardiac tamponade, 974

Hemodialysis

Effects of prazosin and propranolol on blood pressure and plasma lipids in patients undergoing chronic hemodialysis, 40A

Hemodynamics

Alteration of left ventricular performance by left bundle branch block simulated with atrioventricular sequential pacing,

Bepridil for chronic stable angina pectoris: results of a prospective multicenter, placebo-controlled, dose-ranging study in 77 patients, 35

Cardiac and skeletal myopathy associated with cardiac dysrhythmias, 731

Carotid sinus hypersensitivity: beneficial effects of dual-chamber pacing, 1034

Comparison of hemodynamic responses to nifedipine and nitroprusside in severe chronic congestive heart failure, 1321

Coronary blood flow in genetic cardiac hypertrophy, 1360

Effect of acebutolol on left ventricular hemodynamics and anatomy in systemic hypertension, 791

Effect of tyramine on myocardial catecholamine release in coronary heart disease, 476

Effects of negative pleural pressure on left ventricular hemodynamics (LE), 1412

Effects of prostacyclin on coronary hemodynamics at rest and in response to cold pressor testing in patients with angina pectoris, 1500

Enalapril improves systemic and renal hemodynamics and allows regression of left ventricular mass in essential hypertension, 105

Evaluation of bepridil, a new antianginal agent: clinical and hemodynamic alterations during the treatment of stable angina pectoris, 29

Evaluation of coronary collateral circulation in conscious humans, 1233

Favorable effects of hydralazine on the hemodynamic response to isometric exercise in chronic severe aortic regurgitation, 1603

Fetal Doppler echocardiography: methods and characterization of normal and abnormal hemodynamics, 572

Hemodynamic correlates for timing intervals, ejection rate and filling rate derived from the radionuclide angiographic volume curve, 567

Hemodynamic effects of continuous abdominal binding during cardiac arrest and resuscitation, 269

Hemodynamic effects of nifedipine during upright exercise in stable angina pectoris and either normal or severely impaired left ventricular function, 451

Hemodynamic effects of sublingual nifedipine in acute myocardial infarction, 1228

Improved efficacy of high-dose versus medium- and low-dose diltiazem therapy for chronic stable angina pectoris, 669

Percutaneous balloon aortic valvuloplasty: results in 23 patients, 194

Positive inotropic and vasodilator effects of MDL 17,043 in patients with reduced left ventricular performance, 1051

Radionuclide ventriculographic responses to graded supine and upright exercise:

- critical role of the Frank-Starling mechanism at submaximal exercise,
- Randomized, placebo-controlled study of the effect of verapamil on exercise hemodynamics in coronary artery disease, 674
- Reduction of infarct size induced by pressure-controlled intermittent coronary sinus occlusion, 923
- Relation between hemodynamic and ventilatory responses in determining exercise capacity in severe congestive heart failure, 127
- Relation between marked changes in left ventricular outflow tract gradient and disease progression in hypertrophic cardiomyopathy, 1103
- Relation of ventricular premature beats to underlying heart disease, 774
- Shoshin beriberi: report of two successfully treated patients with hemodynamic documentation, 1467
- Uhl's anomaly (parchment right ventricle): clinical, echocardiographic, radionuclear, hemodynamic and angiocardiographic features in 2 patients, 635
- Ventricular septal defect: correlation of electrocardiographic and hemodynamic findings in 60 proved cases, 1735
- Hemopericardium
- Identification of blood in the pericardial cavity in dogs by two-dimensional echocardiography, 1194
- Hemostasia
 - Hemostatic abnormalities associated with prolonged ventricular assist pamping: analysis of 24 patients, 1344
- Heparin
 - Heparin inhibits bovine testicular hyaluronidase activity in myocardium of dogs with coronary artery occlusion, 941
- High-density lipoproteins
- Relation between plasma high-density lipoprotein cholesterol and sex hormone concentrations in men, 1259
- - Double His deflections caused by intra-Hisian conduction disturbance with longitudinal dissociation, 368
 - Patterns of human atrioventricular nodal accommodation to a sudden acceleration of atrial rate, 71
- His-Purkinje system
- Facilitation of ventricular tachycardia induction with abrupt changes in ventricular cycle length, 508 HLA (histocompatibility antigen)
- HLA A, B and DR typing in idiopathic dilated cardiomyopathy: a search for immune response factors, 1326
- Hodgkin's disease
 - Percutaneous transluminal coronary angioplasty for stenosis of the ostium of the right coronary artery after irradiation for Hodgkin's disease, 341
- **Holter monitoring**
 - Cardiac arrest recorded on ambulatory electrocardiograms, 1577
 - Frequency of arrhythmias in acute pericarditis determined by Holter monitoring, 842
 - Potentially lethal arrhythmias and their
- management in hypertrophic cardiomyopathy, 1608 Relation of ventricular premature beats to underlying heart disease, 774
- Significance of ventricular arrhythmias in idiopathic dilated cardiomyopathy, 902

- Ventricular arrhythmias in aortic valve disease: analysis of 102 patients, 1079
- Hospital discharge coding
 Miscoding of hospital discharges as acute myocardial infarction: implications for surveillance programs aimed at elucidating trends in coronary artery disease, 1000
- Hyaluronidase
 - Heparin inhibits bovine testicular hyaluronidase activity in myocardium of dogs with coronary artery occlusion, 941
- Hydralazine
 - Enhancement of renal venous renin ratios by intravenous hydralazine in renovascular hypertension, 109
 - Favorable effects of hydralazine on the hemodynamic response to isometric exercise in chronic severe aortic regurgitation, 1603
- Hydrochiorothlazide
 - Antihypertensive therapy with diltiazem: comparison with hydrochlorothiazide, 1588
 - Monotherapy in mild to moderate hypertension: comparison of hydrochlorothiazide, propranolol and prazosin, 24A
- Hypercholesterolemia
- Low-dose colestipol plus probucol for hypercholesterolemia, 1514
- Hyperkinesia
 - Echocardiography in acute infectious myocarditis: relation to clinical and electrocardiographic findings, 1326
- Hypertension
 - Abnormal left ventricular filling: an early finding in mild to moderate systemic hypertension, 120
 - Accelerated systemic hypertension after cardiac transplantation-possible vascular alpha-receptor hypersensitivity, 334
 - A comparison of prazosin versus nadolol in combination with a diuretic, 37A
 - Antihypertensive efficacy of once daily MK-521, a new nonsulfhydryl angiotensin-converting enzyme inhibitor, 116
 - Antihypertensive therapy with diltiazem: comparison with hydrochlorothiazide,
 - Beta-adrenergic receptor blocking drugs in hypertension, 12A
 - Chlorothiazide in hypertension, 630 Comparative efficacy and safety of lofexidine and clonidine in mild to moderately severe systemic
 - hypertension, 787 Comparison of blood pressure, plasma lipid and cardiac performance responses to prazosin versus propranolol in thiazide-treated hypertensive patients, 51A
 - Comparison of oral MK 421 and propranolol in mild to moderate essential hypertension and their effects on arterial and venous vessels of the forearm, 781
 - Coronary blood flow in genetic cardiac hypertrophy, 1360
 - Diuretic therapy for mild hypertension: the "real" cost of treatment, 9A
 - Doppler echocardiographic prediction of pulmonary arterial hypertension in congenital heart disease, 1110
 - Effects of diuretic therapy in low-, normaland high-renin isolated systolic systemic hypertension, 797

- Effects of prazosin and propranolol on blood pressure and plasma lipids in patients undergoing chronic hemodialysis, 40A
- Effects of prazosin on serum lipids in patients with essential hypertension: a review of the findings presented at the Satellite symposium on coronary heart disease: hypertension and other risk factors, Milan, 1983, 21A
- Enalapril improves systemic and renal hemodynamics and allows regression of left ventricular mass in essential hypertension, 105
- Enhancement of renal venous renin ratios by intravenous hydralazine in renovascular hypertension, 109
- Failure of antihypertensive therapy with diuretic, beta-blocking and calcium channel-blocking drugs to consistently reverse left ventricular diastolic filling abnormalities, 1583
- Left ventricular dysfunction discriminated noninvasively beat by beat, 238 Monotherapy in mild to moderate
- hypertension: comparison of hydrochlorothiazide, propranolol and prazosin, 24A
- Nitroprusside infusion in experimental acute myocardial infarction with systemic hypertension: effects on systemic hemodynamics and regional myocardial blood flows, 1354
- Noninvasive assessment of right ventricular systolic pressure in atrial septal defect: analysis of the endsystolic configuration of the ventricular septum by two-dimensional echocardiography, 1117
- Noninvasive diagnosis of pulmonary arterial hypertension in chronic obstructive pulmonary disease: right ventricular ejection fraction at rest,
- Plasma norepinephrine and left ventricular hypertrophy, 1299
- Prazosin versus propranolol plus prazosin: a comparison in diuretic-treated hypertensive patients, 55A
- Regression of left ventricular hypertrophy from systemic hypertension by enalapril, 1044
- Risk factors for aortic dissection: a necropsy study of 161 cases, 849 Step-down treatment of mild systemic
- hypertension, 1304 Therapy for mild systemic hypertension (LE), 1413
- Therapy of mild hypertension: an overview, 2A
- Treatment of hypertension in diabetic men: problems with sexual dysfunction, 46A
- Hypertrophic cardiomyopathy
- Apical hypertrophic cardiomyopathy (LE), 1413
- Cardiac amyloidosis simulating hypertrophic cardiomyopathy, 969 Chronic verapamil therapy in pediatric and young adult patients with hypertrophic
- cardiomyopathy, 1614 Echocardiographic analysis of ventricular septal dynamics in hypertrophic cardiomyopathy and other diseases.
- Hypertrophic cardiomyopathy compatible with successful completion of the
- marathon, 1470 Laser myoplasty for hypertrophic cardiomyopathy: in vitro experience in human postmortem hearts and in vivo

experience in a canine model (transarterial) and human patient (intraoperative), 1620

Obstructive hypertrophic cardiomyopathy associated with minimal left ventricular hypertrophy, 377

Obstructive hypertrophic cardiomyopathy with left-sided cardiac failure: improvement after verapamil treatment, 644

Patterns of inheritance in hypertrophic cardiomyopathy: assessment by Mmode and two-dimensional echocardiography, 1087

Potentially lethal arrhythmias and their management in hypertrophic cardiomyopathy, 1608

Recognition of regional hypertrophy in hypertrophic cardiomyopathy using thallium-201 emission-computed tomography: comparison with twodimensional echocardiography, 1095

Relation between marked changes in left ventricular outflow tract gradient and disease progression in hypertrophic cardiomyopathy, 1103 Verapamil in hypertrophic cardiomyopathy

(LE), 1487

Hypertrophy

Coronary blood flow in genetic cardiac hypertrophy, 1360

Obstructive hypertrophic cardiomyopathy associated with minimal left ventricular hypertrophy, 377

Plasma norepinephrine and left ventricular hypertrophy, 1299

Recognition of regional hypertrophy in hypertrophic cardiomyopathy using thallium-201 emission-computed tomography: comparison with twodimensional echocardiography, 1095

Regression of left ventricular hypertrophy from systemic hypertension by enalapril, 1044

The work electrocardiogram, 1199
Ventricular endocardial leads in left bundle
branch block and left ventricular
hypertrophy correlation with the
vectorcardiogram and
electrocardiogram, 1199

Hypokalemia

Ventricular tachyarrhythmias complicating amiodarone therapy in the presence of hypokalemia, 1462

Hypomagnesemia

Repolarization alternans associated with alcoholism and hypomagnesemia, 390

Atrial level right-to-left shunt abolished by relief of pericardial tamponade, 646

ICDCM-410

Miscoding of hospital discharges as acute myocardial infarction: implications for surveillance programs aimed at elucidating trends in coronary artery disease, 1000

imipramine

Clinical efficacy and electrophysiology of imipramine for ventricular tachycardia, 516

Magnesium therapy for torsades de pointes, 528

Indomethacin

Possible interactions of indomethacin and nitrates in angina pectoris, 225

Infants

Bedside balloon atrial septostomy using echocardiographic monitoring, 971 Cervical origin of the right subclavian artery in aortic arch interruption: pathogenesis and significance, 892

Combined discrete subaortic stenosis and ventricular septal defect in infants and children, 1429

Diagnosis of intracardiac rhabdomyorna by two-dimensional echocardiography, 978

ice-water washcloth rather than facial immersion (diving reflex) for supraventricular tachycardia in infants (LE), 988

Tetralogy of Fallot with absent pulmonic valve: analysis of 17 patients, 1433

Two-dimensional echocardiographic determination of aortic and pulmonary artery sizes from infancy to adulthood in normal subjects, 218

Two-dimensional echocardiographic diagnosis of mediastinal hematoma causing cardiac tamponade, 974

Use of the indirect axillary pulse tracing for noninvasive determination of ejection time, upstroke time, and left ventricular wall stress throughout ejection in infants and young children, 1154

Infarct size

Comparison of left ventricular function and infarct size in patients with and without persistently positive technetium-99m pyrophosphate myocardial scintigrams after myocardial infarction: analysis of 357 patients, 421

In vivo assessment by computed tomography of the natural progression of infarct size, left ventricular muscle mass and function after acute myocardial infarction in the dog, 929

Isolated right ventricular tamponade after pericarditis from acute myocardial infarction, 372

Reduction of infarct size induced by pressure-controlled intermittent coronary sinus occlusion, 923

Reduction of myocardial infarct size by a fluorocarbon-oxygenated reperfusate, 508

Inotropic drugs

Positive inotropic and vasodilator effects of MDL 17,043 in patients with reduced left ventricular performance, 1051

Interventricular septal defect

Reassessment of the electrocardiographic findings in isolated interventricular septal defect, 1736

Intraortic balloon counterpulsation Identification of patients at high risk for complications of intraoortic balloon counterpulsation: a multivariate risk

factor analysis, 1135

Intra-Hisian blocks of several degrees induced by the ajmaline test, 1458

Invasive procedures

Two-dimensional echocardiographic recognition of complications of cardiac invasive procedures, 846

lohezol

Comparative effects of ionic and nonionic contrast materials on indexes of isovolumic contraction and retaxation in humans, 228

ischemia

Angiographic evidence that reciprocal ST-segment depression during acute myocardial infarction does not indicate remote ischemia: analysis of 23 patients, 55 Detection and quantification of previous myocardial infarction by exerciseredistribution tomographic thallium-201 scintigraphy, 1244

Effects of a selective thromboxane synthetase inhibitor, dazoxiben, and of acetylsalicylic acid on myocardial ischemia in patients with coronary artery disease, 1255

Effects of bepridil on exercise tolerance in chronic stable angina: a double-blind, randomized, placebo-controlled, crossover trial, 679

Electrophysiologic basis for arrhythmias in ischemic heart disease, 1B

Left ventricular function in patients with coronary heart disease in the presence or absence of angina pectoris during exercise radionuclide ventriculography, 1239

Relation between radionuclide angiographic regional ejection fraction and left ventricular regional ischemia in awake dogs, 294

osorbide dinitrate

Cardiorespiratory effects of isosorbide dinitrate and nifedipine in combination with nadolol: a double-blind comparative study of beneficial and adverse antianginal drug interactions, 487

Dose-response relation of antianginal activity of isosorbide dinitrate, 700 Inhibition of platelet function by injectable isosorbide dinitrate, 1683

Kaposi's sarcoma

Cardiac involvement by Kaposi's sarcoma in acquired immune deficiency syndrome (AIDS), 983

Lasers

Acute and chronic complications of laser angioplasty: vascular wall damage and formation of aneurysms in the atherosclerotic rabbit, 290

Laser myoplasty for hypertrophic cardiomyopathy: in vitro experience in human postmortem hearts and in vivo experience in a canine model (transarterial) and human patient (intraoperative), 1620

Lead V₄R

Intracoronary thrombolysis for acute myocardial infarction late after bypass surgery: value of had V₄R, 637

Value of lead V₄R for recognition of the infarct coronary artery in acute inferior myocardial infarction, 1538

Left anterior hemiblock

Electrocardiographic criteria for diagnosis of combined inferior wall myocardial infarction and left anterior hemiblock (LE), 1207

Left-axis deviation

Left-axis deviation and adiposity: the United States Health and Nutrition Examination Survey, 1129

Left main equivalent disease

Left main equivalence is still an unproved hypothesis but proximal left anterior descending coronary artery disease is a "high-risk" lesion, 1719

"Left main equivalent" coronary artery disease: its clinical presentation and prognostic significance with nonsurgical therapy, 1489 Left ventricular filling

Use of left ventricular filling and ejection patterns in assessing severity of chronic mitral and aortic regurgitation, 1054

Left ventricular function

Abnormal left ventricular filling: an early finding in mild to moderate systemic hypertension, 120

Acquired left ventricular endocardial constriction from massive mural calcific deposits: a newly recognized cause of impairment to left ventricular filling, 1468

Alteration of left ventricular performance by left bundle branch block simulated with atrioventricular sequential pacing,

Augmentation of atrial contribution to left ventricular inflow with aging as assessed by intracardiac Doppler flowmetry, 586

Comparative effects of ionic and nonionic contrast materials on indexes of isovolumic contraction and relaxation in humans, 228

Comparative value of 2-dimensional echocardiography and radionuclide angiography for quantitating changes in left ventricular performance during exercise limited by angina pectoris, 42

Comparison of left ventricular function and infarct size in patients with and without persistently positive technetium-99m pyrophosphate myocardial scintigrams after myocardial infarction: analysis of 357 patients, 421

Effect of acebutolol on left ventricular hemodynamics and anatomy in systemic hypertension, 791

Effects of atrial pacing on global and regional left ventricular function in coronary heart disease assessed by digital intravenous ventriculography, 456

Failure of antihypertensive therapy with diuretic, beta-blocking and calcium channel-blocking drugs to consistently reverse left ventricular diastolic filling abnormalities, 1583

Five-year effect of medical and surgical therapy on resting left ventricular function in stable angina: Veterans Administration Cooperative Study, 444

Functional importance of coronary collateral vessels, 694

Hemodynamic correlates for timing intervals, ejection rate and filling rate derived from the radionuclide angiographic volume curve, 567

Hemodynamic effects of nifedipine during upright exercise in stable angina pectoris and either normal or severely impaired left ventricular function, 451

Improvement in regional and global left ventricular function after intracoronary thrombolysis: assessment with twodimensional echocardiography, 662

In vivo assessment by computed tomography of the natural progression of infarct size, left ventricular muscle mass and function after acute myocardial infarction in the dog, 929

Left main equivalence is still an unproved hypothesis but proximal left anterior descending coronary artery disease is a "high-risk" lesion, 1719

Left ventricular dimensions and function during exercise in dogs with chronic right ventricular pressure overload, 1187

Left ventricular dysfunction discriminated noninvasively beat by beat, 238

Left ventricular function in patients with coronary heart disease in the presence or absence of angina pectoris during exercise radionuclide ventriculography,

Left ventricular volumes and function during atrial pacing in coronary artery disease: a radionuclide angiographic study, 497

Location of myocardial necrosis as an independent determinant of left ventricular performance: analysis of 96 patients, 483

Measurement of left ventricular ejection fraction in pediatric patients using the nuclear stethoscope, 211

Myocardial depression by anesthetic agents (halothane, enflurane and nitrous oxide): quantitation based on endsystolic pressure-dimension relations. 243

Obstructive hypertrophic cardiomyopathy with left-sided cardiac failure: improvement after verapamil treatment, **B44**

Peak exercise and immediate postexercise imaging for the detection of left ventricular functional abnormalities in coronary artery disease, 1532

Positive inotropic and vasodilator effects of MDL 17,043 in patients with reduced left ventricular performance, 1051

Quantitative radionuclide angiography using gold-195m, 1442

Regional differences in left ventricular response to atrial pacing in the dog: mapping of segmental function by twodimensional echocardiography, 599

Regression of left ventricular hypertrophy from systemic hypertension by enalapril, 1044

Relation between hemodynamic and ventilatory responses in determining exerccise capacity in severe congestive heart failure, 127

Relation between marked changes in left ventricular outflow tract gradient and disease progression in hypertrophic cardiomyopathy, 1103

Relation between premature ventricular contraction site of origin (defined by radionuclide phase analysis) and subsequent left ventricular function,

Relation between radionuclide angiographic regional ejection fraction and left ventricular regional ischemia in awake dogs, 294

Systolic time intervals reconsidered: reevaluation of the preejection period: absence of relation to heart rate, 1667

Tunnel subaortic stenosis in XO Turner's syndrome, 1731

Verapamil in hypertrophic cardiomyopathy (LE), 1487

Left ventricular mass

Enalapril improves systemic and renal hemodynamics and allows regression of left ventricular mass in essential hypertension, 105

Letters to the Editor

Additional comments on Q-wave versus non-Q-wave myocardial infarction, 990 Adriamycin cardiotoxicity, 263 An organ donation, information, and referral hotline for physicians, 988 Apical hypertrophic cardiomyopathy, 1413 Arrhythmias and pericardial disease, 265

Cardiokymography during exercise testing, 1413

Classification of site of ventricular septal defect by two-dimensional echocardiography, 1487

Coronary artery disease and aortic regurgitation, 990

Effect of fluocarbon exchange transfusion on myocardial infarcts, 1414

Effect of pericardiocentesis on ventricular function and volume in pericardial effusion, 1412

Effects of negative pleural pressure on left ventricular hemodynamics, 1412

Electrocardiographic criteria for diagnosis of combined inferior wall myocardial infarction and left anterior hemiblock. 1207

Electrocardiographic diagnosis of transmural and nontransmural acute myocardial infarction, 988

Eleven-year follow-up after tricuspid valve replacement and pulmonic valvulotomy in the carcinoid syndrome, 651

Ergonovine provocation to assess efficacy of long-term therapy in Prinzmetal's variant angina, 1207

Further support or added evidence for A-V nodal rhythms, 1412

Ice-water washcioth rather than facial immersion (diving reflex) for supraventricular tachycardia in infants,

Left atrioventricular valve in atrioventricular septal defect, 1411 Mitral anular calcium, 265

Mitral valve commissurotomy, 1488 Myocardial infarction classification, 651 New views: double outlet right ventricle, TARR

Origin of transient right atrial thrombus during acute myocardial infarction, 990 Plexectomy for coronary spasm: where

are the controls? 264 Precise scientific meanings advocated,

Programmed electrical stimulation of the heart in coronary artery disease, 651

Renal tubular interactions of digoxin, 1208 Survival in coronary artery disease compared with age- and sex-specific U.S. population, 265

Sustained ventricular tachycardia after repair of tetralogy of Fallot: new electrophysiologic findings, 989

Therapy for mild systemic hypertension,

Verapamil in hypertrophic cardiomyopathy, 1487

Leukocytes

Association between leukocyte count and the presence and extent of coronary atherosclerosis as determined by coronary arteriography, 997

Lidocuine

Lidocaine disposition in obesity, 1183

Lidoflazine

Randomized, placebo-controlled evaluation of lidoflazine in patients receiving beta-blocker therapy with propranolol: improvement in anginal symptoms and exercise tolerance with combined drug therapy, 1003

Lofexidine

Comparative efficacy and safety of lofexidine and clonidine in mild to moderately severe systemic hypertension, 787

Lorcainide

Clinical importance of metabolites of antiarrhythmic drugs, 248

Pharmacodynamics of the initiation of antiarrhythmic therapy with lorcainide, 544

ig activity

Effects of negative pieural pressure on left ventricular hemodynamics (LE), 1412 Quantification of pulmonary thallium-201 activity after upright exercise in normal persons: importance of peak heart rate and propranolol usage in defining normal values, 1678

pus erythernatosus Accelerated constrictive pericarditis in procainamide-induced systemic lupus erythematosus, 376

ium therapy

agnesium therapy for torsades de pointes, 528

apping, epicardial identification of reproducible ventricular tachycardia in a canine model, 619

apping, ventricular Regional differences in left ventricular response to atrial pacing in the dog: mapping of segmental function by twodimensional echocardiography, 599

The work electrocardiogram, 1199 Ventricular endocardial leads in left bundle branch block and left ventricular hypertrophy correlation with the vectorcardiogram and electrocardiogram, 1199

Marfan syndrome

Risk factors for aortic dissection: a necropsy study of 161 cases, 849

MDL 17,043

Positive inotropic and vasodilator effects of MDL 17,043 in patients with reduced left ventricular performance, 1051

Clinical importance of metabolites of antiarrhythmic drugs, 248 Metabolism of flecainide, 41B

preiol

Differential effects of sotalol and metoprolol on induction of paroxysmal supraventricular tachycardia, 1022

Efficacy of mexiletine in chronic ventricular arrhythmias compared with quinidine: a single-blind, randomized trial, 84

Mitral anular calcification Mitral anular calcium (LE), 265

Aitral regurgitation

Frequency and significance of M-mode echocardiographic evidence of mitral valve prolapse in clnically isolated pure mitral regurgitation: analyses of 65 patients having mitral valve replacement, 139

Intermittent mitral regurgitation due to Beall valve dysfunction: analysis of 13 patients with atrial fibrillation, 1071

Limitations of qualitative angiographic grading in acrtic or mitral regurgitation,

Use of left ventricular filling and ejection patterns in assessing severity of chronic mitral and aortic regurgitation, 1054

Mitral stenosis

Relation of level of total serum cholesterol to amount of calcific deposits in operatively excised stenotic mitral valves: analysis of 155 cases, 157

tral valve

Atrioventricular valve anular diameter: two-dimensional echocardiographicautopsy correlation, 1652

Cardiac ventriculography in the selection of patients for mitral valve surgery, 328

Comparison of late (62 to 140 months) degenerative changes in simultaneously implanted and explanted porcine (Hancock) bioprostheses in the tricuspid and mitral valve positions in six patients, 1599

Effect of conotruncal constriction on aortic-mitral valve continuity in the stage 18, 21 and 24 chick embryo, 324

Frequency and significance of M-mode echocardiographic evidence of mitral valve prolapse in clnically isolated pure mitral regurgitation: analyses of 65 patients having mitral valve replacement, 139

Frequency spectra of the first heart sound and of the aortic component of the second heart sound in patients with degenerated porcine bioprosthetic valves, 557

isolated mitral valve replacement with the Hancock porcine bioprosthesis in rheumatic heart disease: analysis of 213 operative survivors followed up 4.5 to 8.5 years, 178

Mitral valve commissurotomy (LE), 1488 Obstructive hypertrophic cardiomyopathy associated with minimal left ventricular hypertrophy, 377

Role of chordae tendineae in mitral valve opening: two-dimensional echocardiographic evidence, 153

Transient ("hole-in-one") occlusion of the mitral valve orifice by a free-floating left atrial ball thrombus: identification by two-dimensional echocardiography, 1730

Mitral valve prolapse Conduction system abnormalities in symptomatic mitral valve prolapse: an electrophysiologic analysis of 60 patients, 1075

Frequency and significance of M-mode echocardiographic evidence of mitral valve prolapse in clnically isolated pure mitral regurgitation: analyses of 65 patients having mitral valve replacement, 139

From irritable heart to mitral valve prolapse: the Osler connection, 870

Lack of association between dermal arches and mitral valve prolapse: relation to anxiety, 148

Programmed ventricular stimulation in mitral valve prolapse: analysis of 36 patients, 135

MK 421

Comparison of oral MK 421 and propranolol in mild to moderate essential hypertension and their effects on arterial and venous vessels of the forearm, 781

Regression of left ventricular hypertrophy from systemic hypertension by enalapril, 1044

MK-521

Antihypertensive efficacy of once daily MK-521, a new nonsulfhydryl angiotensin-converting enzyme inhibitor, 116

ode echocardiography

Cardiac arryloidosis simulating hypertrophic cardiomyopathy, 969 Diagnosis of tricuspid stenosis by M-mode and two-dimensional echocardiography,

Echocardiographic detection of freefloating left atrial thrombus, 374

Echocardiography in acute infectious myocarditis: relation to clinical and electrocardiographic findings, 1326

Evaluation of size and dynamics of the inferior vena cava as an index of rightsided cardiac function, 579

Frequency and significance of M-mode echocardiographic evidence of mitral valve prolapse in clnically isolated pure mitral regurgitation: analyses of 65 patients having mitral valve replacement, 139

Hemodynamic correlates for timing intervals, ejection rate and filling rate derived from the radionuclide angiographic volume curve, 567

Obstructive hypertrophic cardiomyopathy associated with minimal left ventricular hypertrophy, 377

Patterns of inheritance in hypertrophic cardiomyopathy: assessment by M-mode and two-dimensional echocardiography, 1087

Relation between marked changes in left ventricular outflow tract gradient and disease progression in hypertrophic cardiomyopathy, 1103

Sensitivity and specificity of commonly used electrocardiographic criteria for left atrial enlargement determined by M-mode echocardiography, 829

Systolic time intervals reconsidered: reevaluation of the preejection period: absence of relation to heart rate, 1667

Use of the indirect axillary pulse tracing for noninvasive determination of ejection time, upstroke time, and left ventricular wall stress throughout ejection in infants and young children, 1154

Ventricular arrhythmias in aortic valve disease: analysis of 102 patients, 1079

onotherapy

Monotherapy in mild to moderate hypertension: comparison of hydrochlorothiazide, propranolol and prazosin, 24A

ficizine hydrochloride

Effect of moricizine hydrochloride in reducing chronic high-frequency ventricular arrhythmia: results of a prospective, controlled trial, 745

Multivariate analysis

Comparison of the multivariate analysis and CADENZA systems for determination of the probability of coronary artery disease, 493

Laser myoplasty for hypertrophic cardiomyopathy: in vitro experience in human postmortem hearts and in vivo experience in a canine model (transarterial) and human patient (intraoperative), 1620

Myocardial Infarction

Actions of disopyramide on potential reentrant pathways and ventricular tachyarrhythmias in conscious dogs during the late post-myocardial infarction phase, 1712

Additional comments on Q-wave versus non-Q-wave myocardial infarction (LE),

Altered acoustic reflectance on twodimensional echocardiography as an early predictor of myocardial infarct size, 1699

Angiographic evidence that reciprocal ST-segment depression during acute myocardial infarction does not indicate remote ischemia: analysis of 23 patients, 55

- A randomized, angiographically controlled trial of intracoronary streptokinase in acute myocardial infarction, 404
- Association of acute respiratory symptoms with onset of acute myocardial infarction: prospective investigation of 150 consecutive patients and matched control patients, 481
- Combined intracoronary streptokinase and coronary angioplasty during acute myocardial infarction, 122C
- Comparative value of maximal treadmill testing, exercise thallium myocardial perfusion scintigraphy and exercise radionuclide ventriculography for distinguishing high- and low-risk patients soon after acute myocardial infarction, 1221
- Comparison of left ventricular function and infarct size in patients with and without persistently positive technetium-99m pyrophosphate myocardial scintigrams after myocardial infarction: analysis of 357 patients, 421
- Coronary arteriographic findings in symptomatic right bundle branch block, 770
- Coronary thrombolysis by intravenous streptokinase in acute myocardial infarction: acute and follow-up studies, 855
- Detection and quantification of previous myocardial infarction by exerciseredistribution tomographic thallium-201 scintigraphy, 1244
- Diagnosis of ventricular septal rupture from acute myocardial infarction by combined 2-dimensional and pulsed Doppler echocardiography, 1202
- Discrepancy between the QRS scoring system and left ventricular ejection fraction after surgical or medical revascularization during acute myocardial infarction, 359
- Early right atrial pacing after myocardial infarction. I. Comparison with early treadmill testing, 414
- Early right atrial pacing after myocardial infarction. II. Results in 77 patients with predischarge angina pectoris, congestive heart failure, or age older than 70 years, 418
- Effect of fluocarbon exchange transfusion on myocardial infarcts (LE), 1414
- Effects of nifedipine on triggered activity in 1-day-old myocardial infarction in dogs, 303
- Effects of percutaneous transluminal coronary angioplasty: intracoronary thrombolysis with urokinase in acute myocardial infarction, 1217
- Effects of timolol and propranolol on inducible sustained ventricular tachyarrhythmias in dogs with subacute myocardial infarction, 275
- Electrocardiographic criteria for diagnosis of combined inferior wall myocardial infarction and left anterior hemiblock (LE), 1207
- Electrocardiographic diagnosis of transmural and nontransmural acute myocardial infarction (LE), 988
- Evaluation of a QRS scoring system for estimating myocardial infarct size. IV. Correlation with quantitative anatomic findings for posterolateral infarcts, 706
- Evidence for the continued existence of the postmyocardial infarction (Dressler's) syndrome, 1201

- Hemodynamic effects of sublingual nifedipine in acute myocardial infarction, 1228
- Improvement in regional and global left ventricular function after intracoronary thrombolysis: assessment with twodimensional echocardiography, 662
- Increased frequency of coronary heart disease in relatives of wives of myocardial infarct survivors: assortative mating for lifestyle and risk factors? 399
- insensitivity of the electrocardiogram in apical myocardial infarction, 715
- Intracoronary thrombolysis for acute myocardial infarction late after bypass surgery: value of lead V₄R, 637
- Intravenous streptokinase in evolving acute myocardial infarction, 1209
- In vivo assessment by computed tomography of the natural progression of infarct size, left ventricular muscle mass and function after acute myocardial infarction in the dog, 929
- Isolated right ventricular tamponade after pericarditis from acute myocardial infarction, 372
- Left ventricular dysfunction discriminated noninvasively beat by beat, 238
- Location of myocardial necrosis as an independent determinant of left ventricular performance: analysis of 96 patients, 483
- Miscoding of hospital discharges as acute myocardial infarction: implications for surveillance programs aimed at elucidating trends in coronary artery disease, 1000
- Morphologic and functional effects of piroxicam on myocardial scar formation after coronary occlusion in dogs, 604
- Myocardial infarction as a manifestation of polycythemia in cyanotic heart disease, 952
- Myocardial infarction classification (LE),
- Nitroprusside infusion in experimental acute myocardial infarction with systemic hypertension: effects on systemic hemodynamics and regional myocardial blood flows, 1354
- Origin of transient right atrial thrombus during acute myocardial infarction (LE), 990
- Percutaneous transluminal coronary angioplasty: application to patients with acute myocardial infarction, 117C
- Peri-infarction zone at risk during the first 5 days after an acute transmural myocardial infarction:
- electrocardiographic evidence, 433
 Persistent ST-segment elevation and left ventricular wall abnormalities: a 2-dimensional echocardiographic study, 1542
- Polymorphous ventricular tachycardia in acute myocardial infarction, 1280
- Prediction of late mortality after myocardial infarction from variables measured at different times during hospitalization. 47
- Prognosis after recovery from first acute myocardial infarction: determinants of reinfarction and sudden death, 408
- Prognostic value of predischarge 2dimensional echocardiogram after acute myocardial infarction, 429
- Quantitative QRS criteria for diagnosing and sizing myocardial infarcts, 875
- Rate acceleration of ventricular tachycardia after a precordial chest thump, 964

- Recanalization of occluded left main coronary artery in unstable angina pectoris, 1725
- Reevaluation of electrocardiographic criteria for left, right and combined cardiac ventricular hypertrophy, 1140
- ST elevations in leads V₁ to V₅ may be caused by right coronary artery occlusion and acute right ventricular infarction, 991
- Thrombolysis in acute myocardial infarction: effect of intravenous followed by intracoronary streptokinase application on estimates on infarct size, 1505
- Thrombolysis of acute total occlusion of the left main coronary artery in evolving myocardial infarction, 1727
- Two-dimensional echocardiographic appearance of left ventricular thrombi with systemic emboli after myocardial infarction, 1511
- Use of computerized tomography to assess myocardial infarct size and ventricular function in dogs during acute coronary occlusion and reperfusion, 282
- Value of lead V₄R for recognition of the infarct coronary artery in acute inferior myocardial infarction, 1538
- When I have an acute myocardial infarction take me to the hospital that has a cardiac catheterization laboratory and open cardiac surgical facilities, 1410

Myocardial Ischemia

- Effects of inotropic and chronotropic stimuli on acute myocardial ischemic injury. III. Influence of basal heart rate, 1588
- Mechanisms of phase 1a and 1b early ventricular arrhythmias during acute myocardial ischemia in the dog, 307
- Relation between electrocardiographic and scintigraphic location of myocardial ischemia during exercise in one-vessel coronary artery disease, 1529

Myocardial oxygen consumption

Effects of inotropic and chronotropic stimuli on acute myocardial ischemic injury. III. Influence of basal heart rate, 1688

Myocardial scar

Morphologic and functional effects of piroxicam on myocardial scar formation after coronary occlusion in dogs, 604

Myocardial sinusoids

Identification of a rare congenital anomaly of the myocardium by two-dimensional echocardiography: persistence of isolated myocardial sinusoids, 1733

Myocarditis

- Echocardiography in acute infectious myocarditis: relation to clinical and electrocardiographic findings, 1326
- Steroid-responsive eosinophilic myocarditis: diagnosis by endomyocardial biopsy, 1472

Myocardium

- Effects of percutaneous transluminal coronary angioplasty: intracoronary thrombolysis with urokinase in acute myocardial infarction, 1217
- Heparin inhibits bovine testicular hyaluronidase activity in myocardium of dogs with coronary artery occlusion, 941
- Histologic and ultrastructural studies on the myocardium in spontaneously diabetic KK mice: a new animal model of cerdiomyopathy, 320

Identification of a rare congenital anomaly of the myocardium by two-dimensional echocardiography: persistence of isolated myocardial sinusoids, 1733

Reduction of infarct size induced by pressure-controlled intermittent coronary sinus occlusion, 923

Reduction of myocardial infarct size by a fluorocarbon-oxygenated reperfusate, 608

avopathy

Cardiac and skeletal myopathy associated with cardiac dysrhythmias, 731

Laser myoplasty for hypertrophic cardiomyopathy: in vitro experience in human postmortem hearts and in vivo experience in a canine model (transarterial) and human patient (intraoperative), 1620

Infected cardiac myxoma, 381 Two-dimensional echocardiographic diagnosis of separate myxomas of both the left atrium and left ventricle, 379

A comparison of prazosin versus nadolol in combination with a diuretic, 37A

Cardiorespiratory effects of isosorbide dinitrate and nifedipine in combination with nadolol: a double-blind comparative study of beneficial and adverse antianginal drug interactions, 487

Necropsy

Amounts of coronery arterial narrowing by atherosclerotic plaques in clinically isolated, chronic, pure aortic regurgitation: analysis of 37 necropsy patients older than 30 years, 173

Cardiac involvement by Kaposi's sarcoma in acquired immune deficiency syndrome (AIDS), 983

Comparison of echocardiographic and necropsy measurements of left ventricular wall thickness in patients with coronary artery disease, 838

Intercoronary continuity: an anatomic basis for bidirectional coronary blood flow distinct from coronary collaterals,

Quadricuspid pulmonic valve, 971 Reevaluation of electrocardiographic criteria for left, right and combined cardiac ventricular hypertrophy, 1140 Risk factors for aortic dissection: a

necropsy study of 161 cases, 849

urocirculatory asthenia From irritable heart to mitral valve prolapse: the Osler connection, 870

Cardiorespiratory effects of isosorbide dinitrate and nifedipine in combination with nadolok a double-blind comparative study of beneficial and adverse antianginal drug interactions,

Comparison of hemodynamic responses to nifedipine and nitroprusside in severe chronic congestive heart failure, 1321 Effects of nifedipine on triggered activity

in 1-day-old myocardial infarction in dogs, 303

Hemodynamic effects of nifedipine during upright exercise in stable angina pectoris and either normal or severely impaired left ventricular function, 451

Hemodynamic effects of sublingual nifedipine in acute myocardial infarction, 1228

Improved exercise tolerance after propranolol, diltiazem or nifedipine in angina pectoris: comparison at 1, 3 and 8 hours and correlation with plasma drug concentration, 1

Nifedipine and the conditioning response, 908

Paradoxical angina after nifedipine: angiographic documentation, 345 Nitroglycerin

A randomized, angiographically controlled trial of intracoronary streptokinase in acute myocardial infarction, 404

Bepridil for chronic stable angina pectoris: results of a prospective multicenter, placebo-controlled, dose-ranging study in 77 patients, 35

High-dose intravenous nitroglycerin during cardiopulmonary resuscitation for refractory cardiac arrest, 1725

Improved exercise tolerance after propranolol, diltiazem or nifedipine in angina pectoris: comparison at 1, 3 and 8 hours and correlation with plasma drug concentration, 1

Nitroglycerin and nitroprusside increase coronary blood flow in dogs by a mechanism independent of prostaglandin release, 936

Oral sustained-release nitroglycerin in chronic stable angina: a multicenter, double-blind, randomized crossover trial, 15

Nitroprusside

Comparison of hemodynamic responses to nifedipine and nitroprusside in severe chronic congestive heart failure, 1321

Nitroglycerin and nitroprusside increase coronary blood flow in dogs by a mechanism independent of prostaglandin release, 936

Nitroprusside infusion in experimental acute myocardial infarction with systemic hypertension: effects on systemic hemodynamics and regional myocardial blood flows, 1354

ous oxide

Myocardial depression by anesthetic agents (halothane, enflurane and nitrous oxide): quantitation based on endsystolic pressure-dimension relations, 243

Noninvasive techniques
A new nonsurgical technique for untying tight knots in flow-directed balloon catheters, 395

Noninvasive diagnosis of pulmonary arterial hypertension in chronic obstructive pulmonary disease: right ventricular ejection fraction at rest, 1349

Noninvasive techniques: sailing under false colors, 629

Use of the indirect axillary pulse tracing for noninvasive determination of ejection time, upstroke time, and left ventricular wall stress throughout ejection in infants and young children, 1154

Noonan's syndrome

Tunnel subaortic stenosis in XO Turner's syndrome, 1731

sinephrine

Effect of tyramine on myocardial catecholamine release in coronary heart disease, 476

Elevated catecholamines during cardiac surgery: consequences of reperfusion of the postarrested heart, 722 Mechanism of caffeine-induced arrhythmias in canine cardiac Purkinje fibers, 313

Plasma norepinephrine and left ventricular hypertrophy, 1299

Role of the renin-angiotensin system in the development of congestive heart failure in the dog as assessed by chronic converting-enzyme blockade. 614

Norlorcainide

Pharmacodynamics of the initiation of antiarrhythmic therapy with lorcainide,

North American Transplant Coordinators Organization (NATCO)

An organ donation, information, and referral hotline for physicians (LE), 988

uclear medicine

Sensitivity and specificity of nuclear phase analysis versus ejection fraction in coronary artery disease, 1547

Nutrition

Left-axis deviation and adiposity: the United States Health and Nutrition Examination Survey, 1129

Left-axis deviation and adiposity: the United States Health and Nutrition Examination Survey, 1129 Lidocaine disposition in obesity, 1183

Orifice

In vitro verification of Doppler prediction of transvalve pressure gradient and orifice area in stenosis, 1369

Out-of-hospital management

Out-of-hospital management of cardiac arrest by basic emergency medical technicians, 68

Effect of fluocarbon exchange transfusion on myocardial infarcts (LE), 1414

Pacemakers

Electrophysiologic effects of flecainide acetate on sinus node function, anomalous atrioventricular connections, and pacemaker thresholds, 30B Noninvasive evaluation of pacemaker

circus movement tachycardias, 537 Orthostatic atrial tachycardia: autonomic

influence on atrial pacemakers, 1406 Pseudomalfunction of pacemaker due to a defective electrocardiograph, 373

Significance of an apparent short return cycle in the mechanism of supraventricular tachycardia, 361

Two-dimensional echocardiographic recognition of complications of cardiac invasive procedures, 846

Pacing

A temporary external DDD pacing unit, 1041

Carotid sinus hypersensitivity: beneficial effects of dual-chamber pacing, 1034 Entrainment of ventricular tachycardia, 335

Pacing threshold changes after transvenous catheter countershock, 503

Systolic time intervals reconsidered: reevaluation of the preejection period: absence of relation to heart rate, 1667

Pacing, atrial

Atrial fibrillation induced by adenosine triphosphate, 1405

Early right atrial pacing after myocardial infarction. I. Comparison with early treadmill testing, 414

Early right atrial pacing after myocardial infarction. II. Results in 77 patients with predischarge angina pectoris, congestive heart failure, or age older than 70 years, 418

Effects of atrial pacing on global and regional left ventricular function in coronary heart disease assessed by digital intravenous ventriculography,

Effects of inotropic and chronotropic stimuli on acute myocardial ischemic injury. III. Influence of basal heart rate,

Entrainment of atrioventricular nodal reentrant tachycardias during overdrive pacing from high right atrium and coronary sinus: With special reference to atrioventricular dissociation and 2:1 retrograde block during tachycardias, 1570

Left ventricular volumes and function during atrial pacing in coronary artery disease: a radionuclide angiographic study, 497

Noninvasive evaluation of pacemaker circus movement tachycardias, 537

Regional differences in left ventricular response to atrial pacing in the dog: mapping of segmental function by twodimensional echocardiography, 599

Transesophageal atrial pacing threshold: role of interelectrode spacing, pulse width and catheter insertion depth, 63

Pacing, atrioventricular

Alteration of left ventricular performance by left bundle branch block simulated with atrioventricular sequential pacing, 99

Patent duclus arteriosus

Patent ductus arteriosus in adults: diagnosis by suprasternal and parasternal pulsed Doppler echocardiography, 1473

Pediatric cardiology
Assessment of electrocardiographic

criteria for left atrial enlargement in childhood, 215 Cervical origin of the right subclavian artery in aortic arch interruption:

pathogenesis and significance, 892 Chronic verapamil therapy in pediatric and young adult patients with hypertrophic

cardiomyopathy, 1614 Measurement of left ventricular ejection fraction in pediatric patients using the nuclear stethoscope, 211

Pericardial cavity

Identification of blood in the pericardial cavity in dogs by two-dimensional echocardiography, 1194

Pericardial effusion

Arrhythmias and pericardial disease (LE), 265

Effect of pericardiocentesis on ventricular function and volume in pericardial effusion (LE), 1412

Pathophysiologic mechanisms of cardiac tamponade and pulsus alternans shown by echocardiography, 1662

The femoral venous approach to endomyocardial biopsy: comparison with internal jugular and transarterial approaches, 833

Two-dimensional echocardiographic recognition of complications of cardiac invasive procedures, 846

Pericardial tamponade

Atrial level right-to-left shunt abolished by relief of pericardial tamponade, 646

Pericardiocentesis

Chronic percutaneous pericardial drainage with modified pigtail catheters in children, 1179

Effect of pericardiocentesis on ventricular function and volume in pericardial offusion (LE), 1412

Two-dimensional echocardiographic recognition of complications of cardiac invasive procedures, 846

Accelerated constrictive pericarditis in procainamide-induced systemic lupus erythematosus, 376

Echocardiography in acute infectious myocarditis: relation to clinical and electrocardiographic findings, 1326

Frequency of arrhythmias in acute pericarditis determined by Holter monitoring, 842

Isolated right ventricular tamponade after pericarditis from acute myocardial infarction, 372

Peri-Infarction zone

Peri-infarction zone at risk during the first 5 days after an acute transmural myocardial infarction: electrocardiographic evidence, 433

Pharmacodynamics

Pharmacodynamics of the initiation of antiarrhythmic therapy with lorcainide, 544

Pharmacokinetics

Flecainide dose-response relations in stable ventricular arrhythmias, 59B Interaction of flecainide with digoxin and propranolol, 52B

Metabolism of flecainide, 41B

Pharmacology

Antiarrhythmic and electrophysiologic actions of bethanidine sulfate in primary ventricular fibrillation or life-threatening ventricular tachycardia, 1268 A proposal for the clinical use of

flecainide, 112B

Effects of amiodarone on serum quinidine and procainamide levels, 1264

Plasma and red blood cell concentrations of amiodarone during chronic therapy. 912

Phenylephrine

QT/QS2 ratio as an index of autonomic tone changes, 818

Phonocardiography

Use of the indirect axillary pulse tracing for noninvasive determination of ejection time, upstroke time, and left ventricular wall stress throughout ejection in infants and young children, 1154

Pirmenci

Pirmenol for control of ventricular arrhythmias: oral dose-ranging and short-term maintenance study, 522

Piroxicam

Morphologic and functional effects of piroxicam on myocardial scar formation after coronary occlusion in dogs, 604

Effects of prazosin and propranolol on blood pressure and plasma lipids in patients undergoing chronic hemodialysis, 40A

Plasma and red blood cell concentrations of amiodarone during chronic therapy, 912

Relation between plasma high-density iipoprotein cholesterol and sex hormone concentrations in men, 1259 Plasma renin activity

Effects of diuretic therapy in low-, normaland high-renin isolated systolic systemic hypertension, 797

Platelets

Effect of dextran and aspirin in platelet adherence after transluminal angioplasty of normal canine coronary arteries, 1695

Inhibition of platelet function by injectable isosorbide dinitrate, 1683

Platelet adherence to bioprosthetic cardiac valves, 945

Pieural effusions

Laterality of pleural effusions in chronic congestive heart failure, 951

Plexectomy

Plexectomy for coronary spasm: where are the controls? (LE), 264

Polycythemia

Myocardial infarction as a manifestation of polycythemia in cyanotic heart disease 952

Polythiazide

A comparison of prazosin versus nadolol in combination with a diuretic, 37A

Postmyocardial infarction

Evidence for the continued existence of the postmyocardial infarction (Dressler's) syndrome, 1201

A comparison of prazosin versus nadolol in combination with a diuretic, 37A

Prazesin

A comparison of prazosin versus nadolol in combination with a diuretic, 37A

Cardiovascular consequences of primary antihypertensive therapy with prazosin hydrochloride, 32A

Comparison of blood pressure, plasma lipid and cardiac performance responses to prazosin versus propranolol in thiazide-treated hypertensive patients, 51A

Effects of prazosin and propranolol on blood pressure and plasma lipids in patients undergoing chronic hemodialysis, 40A

Effects of prazosin on serum lipids in patients with essential hypertension: a review of the findings presented at the Satellite symposium on coronary heart disease: hypertension and other risk factors, Milan, 1983, 21A

Monotherapy in mild to moderate hypertension: comparison of hydrochlorothiazide, propranolol and prazosin, 24A

Prazosin as initial antihypertensive therapy: correlates of sympathetic function, 29A

Prazosin versus propranolol plus prazosin: a comparison in diuretic-treated hypertensive patients, 55A

Selective alpha₁-adrenergic antagonists: therapeutically relevant antihypertensive agents, 16A

Preexcitation

Atrioventricular block and preexcitation in hypertrophic cardiomyopathy, 961

Ebstein's anomaly and pregnancy, 357 Fetal Doppler echocardiography: methods and characterization of normal and abnormal hemodynamics, 572

Ultrasonic recognition of aortic valve atresia in utero, 391

Pressure gradient

In vitro verification of Doppler prediction of transvalve pressure gradient and orifice area in stenosis, 1369

PR interval

Periodic variation in atrioventricular conduction time: mechanisms of initiation, maintenance and termination of periods of long PR intervals, 1288

Prinzmetal's variant angina Ergonovine provocation to assess efficacy of long-term therapy in Prinzmetal's variant angina (LE), 1207

Probucol

Low-dose colestipol plus probucol for hypercholesterolemia, 1514

amide

- Accelerated constrictive pericarditis in procainamide-induced systemic lupus erythematosus, 376
- Clinical importance of metabolites of antiarrhythmic drugs, 248
- Effects of amiodarone on serum quinidine and procainamide levels, 1264
- Effects on ventricular function of dispovramide, procainamide and quinidine as determined by radionuclide angiography, 1292
- Magnesium therapy for torsades de pointes, 528
- Procainamide cardioversion of fetal supraventricular tachyarrhythmia, 1460
- Proceedings of National Heart, Lung, and Blood Institute Workshop on Outcome of Percutaneous Translu **Coronary Angioplasty**
 - Acute coronary events associated with percutaneous transluminal coronary angioplasty, 12C
 - Advances in guidewire technology, 94C Baseline characteristics of patients in the National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty Registry, 7C
 - Combined intracoronary streptokinase and coronary angioplasty during acute myocardial infarction, 122C
 - Complex coronary angioplasty: multiple coronary dilatations, 126C
 - Current clinical topics: potential future uses for percutaneous transluminal coronary angioplasty, 136C
 - Current status of dilatation catheters and guiding systems, 92C, 97C
 - Design of comparative percutaneous transluminal coronary angioplasty clinical studies using estimates from the Coronary Artery Surgery Study (CASS), 138C
 - Early and late morphologic changes in major epicardial coronary arteries after percutaneous transluminal coronary angioplasty, 42C
 - Effect of antiplatelet therapy on restenosis after experimental angioplasty, 72C
 - Effect of investigator experience on percutaneous transluminal coronary angioplasty, 56C
 - Efficacy of repeat percutansous transluminal coronary angioplasty for coronary restenosis, 32C
 - Emergency coronary bypass surgery after coronary angioplasty: the National Heart, Lung, and Blood Institute's Percutaneous Transluminal Coronary Angioplasty Registry experience, 22C
 - Exercise, electrocardiographic and functional responses after percutaneous transluminal coronary angioplasty, 36C
 - Historical background of the National Heart, Lung, and Blood Institute Registry for Percutaneous Transfuminal Coronary Angioplasty, 3C

- In-hospital mortality rate in the National. Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty Registry, 17C
- Introduction: workshop on percutaneous transluminal coronary angioplasty, 1C Learning curve for percutaneous
- transluminal coronary angioplasty: skill, technology or patient selection, 65C
- Long-term efficacy of percutaneous transluminal coronary angioplasty (PTCA): report from the National Heart, Lung, and Blood Institute PTCA Registry, 27C
- Mechanism of transluminal angioplasty. 69C
- Percutaneous transluminal coronary angioplasty: application to patients with acute myocardial infarction, 117C
- Percutaneous transluminal coronary angioplasty in the elderly patient: experience in the National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioptasty Registry, 89C
- Percutaneous transluminal coronary angioplasty (PTCA) in patients with relative contraindications: results of the National Heart, Lung, and Blood Institute PTCA Registry, 82C
- Potential for percutaneous transluminal coronary angioplasty before initial and repeat coronary artery bypass grafting in the Coronary Artery Surgery Study (CASS) Registry Population, 112C
- Progression of atherosclerosis in coronary arteries and bypass grafts: Ten years later, 102C
- Relative cost of coronary angioplasty and bypass surgery in a one-vessel disease model, 52C
- Restenosis after percutaneous transluminal coronary angioplasty (PTCA): a report from the PTCA Registry of the National Heart, Lung, and Blood Institute, 77C
- Return to work after coronary angioplasty: a report from the National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty Registry, 48C
- Summary: acute and chronic outcome of percutaneous transluminal coronary angioplasty, 67C
- Summary: experimental studies, clinical investigations and technological considerations, 101C
- Summary: future research directions, 146C
- Summary: surgical considerations, 116C Surgical intervention for failed percutaneous transluminal coronary angioplasty, 108C
- The role of percutaneous transluminal coronary angioplasty in the treatment of patients with unstable angina: report from the National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty and Coronary Artery Surgery Study (CASS) registries, 131C

- Early right atrial pacing after myocardial infarction. I. Comparison with early treadmill testing, 414
- Early right atrial pacing after myocardial infarction. II. Results in 77 patients with predischarge angina pectoris, congestive heart failure, or age older than 70 years, 418

- Effects of diuretic therapy in low-, normaland high-renin isolated systolic systemic hypertension, 797
- "Left main equivalent" coronary artery disease: its clinical presentation and prognostic significance with nonsurgical therapy, 1489
- Prediction of late mortality after myocardial infarction from variables measured at different times during hospitalization, 47
- Prognosis after recovery from first acute myocardial infarction: determinants of reinfarction and sudden death, 408 Prognostic factors in nonsustained
- ventricular tachycardia, 1275 Prognostic indicators from radionuclide angiography in medically treated patients with coronary artery disease,
- Prognostic value of predischarge 2dimensional echocardiogram after acute myocardial infarction, 429
- Ventricular arrhythmias during exercise testing: mechanism, response to coronary bypass surgery and prognostic significance; 1553

A controlled trial of propatenone for treatment of frequent and repetitive ventricular premature complexes, 77

Propranoloi

- Combined verapamil and propranolol for supraventricular tachycardia, 757
- Comparison of blood pressure, plasma lipid and cardiac performance responses to prazosin versus propranolol in thiazide-treated hypertensive patients, 51A
- Comparison of oral MK 421 and propranolol in mild to moderate essential hypertension and their effects on arterial and venous vessels of the forearm, 781
- Effects of beta₁-selective and nonselective beta-adrenoceptor blockade during exercise conditioning in healthy adults, 1656
- Effects of prazosin and propranolol on blood pressure and plasma lipids in patients undergoing chronic hemodialysis, 40A
- Effects of timolol and propranolol on inducible sustained ventricular tachyarrhythmias in dogs with subacute myocardial infarction, 275
- Electropharmacology of nonsustained ventricular tachycardia: effects of class I antiarrhythmic agents, verapamil and propranolol, 738
- improved exercise tolerance after propranolol, diltiazem or nifedipine in angina pectoris: comparison at 1, 3 and 8 hours and correlation with plasma drug concentration, 1
- Interaction of flecainide with digoxin and propranolol, 52B
- Monotherapy in mild to moderate hypertension: comparison of hydrochlorothiazide, propranolol and prazosin, 24A
- Prazosin versus propranolol plus prazosin: a comparison in diuretic-treated hypertensive patients, 55A
- Quantification of pulmonary thallium-201 activity after upright exercise in normal persons: importance of peak heart rate and propranolol usage in defining normal values, 1678

Randomized double-blind comparison of gallopamil and propranolol in stable angina pectoris, 684

Randomized, placebo-controlled evaluation of lidoflazine in patients receiving beta-blocker therapy with propranolol: improvement in anginal symptoms and exercise tolerance with combined drug therapy, 1003

Prostacyclin

Effects of prostacyclin on coronary hemodynamics at rest and in response to cold pressor testing in patients with angina pectoris, 1500

Prostaglandins

Nitroglycerin and nitroprusside increase coronary blood flow in dogs by a mechanism independent of prostaglandin release, 936

Possible interactions of indomethacin and nitrates in angina pectoris, 225

udodyskinesia

Pseudodyskinesia of the left ventricular free wall, 985

ulmonary arteries

Bilateral ductus arteriosus (or remnant): an analysis of 27 patients, 884

Coexistence of ductal and systemic pulmonary arterial supply in pulmonary atresia with ventricular septal defect, 348

Doppler echocardiographic prediction of pulmonary arterial hypertension in congenital heart disease, 1110

Long-term follow-up after palliative operative for univentricular heart, 1648 Ostium secundum atrial septal defect-

survival for 87 and 94 years, 388 Pulmonary artery aneurysms: echocardiographic features in 5

patients, 1438 Two-dimensional echocardiographic determination of aortic and pulmonary artery sizes from infancy to adulthood in normal subjects, 218

Two-dimensional echocardiographic diagnosis of acquired right ventricular outflow obstruction due to external cardiac compression, 973

Pulmonary atresia

Coexistence of ductal and systemic pulmonary arterial supply in pulmonary atresia with ventricular septal defect, 348

Two-dimensional echocardiographic evaluation of tricuspid hypoplasia in pulmonary atresia, 387

Pulmonary disease

Extracardiac accumulation of thallium-201 in pulmonary carcinoma, 358

Noninvasive diagnosis of pulmonary arterial hypertension in chronic obstructive pulmonary disease: right ventricular ejection fraction at rest. 1349

Pulmonary regurgitation Infective endocarditis involving a presumably normal pulmonic valve, 385

Pulmonary valve, absent

Tetralogy of Fallot with absent pulmonic valve: analysis of 17 patients, 1433

Pulse tracing

Use of the indirect axillary pulse tracing for noninvasive determination of ejection time, upstroke time, and left ventricular wall stress throughout ejection in infants and young children, Pulsus alternans

Pathophysiologic mechanisms of cardiac tamponade and pulsus alternans shown by echocardiography, 1662

Purkinje fibers

Mechanism of caffeine-induced arrhythmias in canine cardiac Purkinje fibers, 313

P wave

Auricular overloadings: electrocardiographic analysis of 193 cases, 1199

Influence of early nonparasystolic impulses on the atrial parasystolic rhythm, 1455

Intracardiac electrocardiography observations during left heart catheterization in man, 1200

Periodic variation in atrioventricular conduction time: mechanisms of initiation, maintenance and termination of periods of long PR intervals, 1288

Determinants of arrhythmogenic ventricular activity detected on the body surface QRS in patients with coronary artery disease, 1519

Double His deflections caused by intra-Hisian conduction disturbance with longitudinal dissociation, 368

Electrocardiogram of the athlete: an analysis of 289 professional football players, 1339

QRS complex

Clinical efficacy and electrophysiology of imipramine for ventricular tachycardia,

Electrocardiographic criteria for diagnosis of combined inferior wall myocardial infarction and left anterior hemiblock (LE), 1207

Quantitative QRS criteria for diagnosing and sizing myocardial infarcts, 875

QRS scoring system

Discrepancy between the QRS scoring system and left ventricular ejection fraction after surgical or medical revascularization during acute myocardial infarction, 359

Evaluation of a QRS scoring system for estimating myocardial infarct size. IV. Correlation with quantitative anatomic findings for posterolateral infarcts, 706

Quantitative QRS criteria for diagnosing and sizing myocardial infarcts, 875

QT Interval

Magnesium therapy for torsades de pointes, 528

QT/QS₂ ratio

QT/QS2 ratio as an index of autonomic tone changes, 818

Quadricuspid valve

Diagnosis of incompetent quadricuspid aortic valve by two-dimensional echocardiography, 972 Quadricuspid pulmonic valve, 971

Effects of amiodarone on serum quinidine and procainamide levels, 1264

Effects on ventricular function of disopyramide, procainamide and quinidine as determined by radionuclide angiography, 1292

Efficacy of mexiletine in chronic ventricular arrhythmias compared with quinidine: a single-blind, randomized

Flecainide versus quinidine: results of a multicenter trial, 66B

Magnesium therapy for torsades de pointes, 528

Renal tubular interactions of digoxin (LE), 1208

Additional comments on Q-wave versus non-Q-wave myocardial infarction (LE),

Electrocardiographic diagnosis of transmural and nontransmural acute myocardial infarction (LE), 988 Insensitivity of the electrocardiogram in apical myocardial infarction, 715

Radionuclide imaging
Combined contrast echocardiographic and radionuclide diagnosis of atrial septal defect: accuracy of the technique and analysis of erroneous diagnoses, 1639

Comparative value of maximal treadmill testing, exercise thallium myocardial perfusion scintigraphy and exercise radionuclide ventriculography for distinguishing high- and low-risk patients soon after acute myocardial infarction, 1221

Effects of age on radionuclide angiographic detection and quantitation of left-to-right shunts, 879

Effects on ventricular function of disopyramide, procainamide and quinidine as determined by radionuclide angiography, 1292

Exercise subcostal two-dimensional echocardiography: a new method of segmental wall motion analysis, 805

Hemodynamic correlates for timing intervals, ejection rate and filling rate derived from the radionuclide angiographic volume curve, 567

Left ventricular function in patients with coronary heart disease in the presence or absence of angina pectoris during exercise radionuclide ventriculography, 1239

Left ventricular volumes and function during atrial pacing in coronary artery disease: a radionuclide angiographic study, 497

Measurement of left ventricular ejection fraction in pediatric patients using the nuclear stethoscope, 211

Peak exercise and immediate postexercise imaging for the detection of left ventricular functional abnormalities in coronary artery disease, 1532

Radionuclide ventriculographic responses to graded supine and upright exercise: critical role of the Frank-Starling mechanism at submaximal exercise,

Relation between premature ventricular contraction site of origin (defined by radionuclide phase analysis) and subsequent left ventricular function, 1028

Relation between radionuclide angiographic regional ejection fraction and left ventricular regional ischemia in awake dogs, 294

Sensitivity and specificity of nuclear phase analysis versus ejection fraction in coronary artery disease, 1547

Simultaneous maximal exercise radionuclide angiography and thallium stress perfusion imaging, 812

Sources of variability in the radionuclide angiographic assessment of ejection fraction: a comparison of first-pass and gated equilibrium techniques, 823

Uhi's anomaly (parchment right ventricle): clinical, echocardiographic, radionuclear, hemodynamic and angiccardiographic features in 2 patients, 635

Radiotelemetry

Value of radiotelemetry in a community hospital, 1284

Recipient atria

Evidence of remnant recipient atria producing mechanical atrial systole after heart transplantation, 642

Red blood cells

Association between leukocyte count and the presence and extent of coronary atherosclerosis as determined by coronary arteriography, 997

Regional wall motion

Thrombolysis in acute myocardial infarction: effect of intravenous followed by intracoronary streptokinase application on estimates on infarct size, 1505

Reiter's syndrome

Complete heart block in Reiter's syndrome, 967

Renal venous renin

Enhancement of renal venous renin ratios by intravenous hydralazine in renovascular hypertension, 109

Renin-anglotensin system

Role of the renin-angiotensin system in the development of congestive heart failure in the dog as assessed by chronic converting-enzyme blockade, 614

Renografin-76®

Comparative effects of ionic and nonionic contrast materials on indexes of isovolumic contraction and relaxation in humans, 228

Repertusion

Coronary thrombolysis by intravenous streptokinase in acute myocardial infarction: acute and follow-up studies, 655

Elevated catecholamines during cardiac surgery: consequences of reperfusion of the postarrested heart, 722

of the postarrested heart, 722 Identification of reproducible ventricular tachycardia in a canine model, 619

Improvement in regional and global left ventricular function after intracoronary thrombolysis: assessment with twodimensional echocardiography, 662

Reduction of myocardial infarct size by a fluorocarbon-oxygenated reperfusate, 608

Repolarization alternans

Repolarization alternans associated with alcoholism and hypomagnesemia, 390

Respiratory symptoms

Association of acute respiratory symptoms with onset of acute myocardial infarction: prospective investigation of 150 consecutive patients and matched control patients, 481

Cardiorespiratory effects of isosorbide dinitrate and nifedipine in combination with nadolot: a doubte-blind comparative study of beneficial and adverse antianginal drug interactions, 487

Tetralogy of Fallot with absent pulmonic valve: analysis of 17 patients, 1433

Restenos

Effect of antiplatelet therapy on restenosis after experimental angioplasty, 72C Restences after percutaneous transfurninal corunary angioplasty (PTCA): a report from the PTCA Registry of the National Heart, Lung, and Blood Institute, 77C

Resuscitation, pulmonary

Hemodynamic effects of continuous abdominal binding during cardiac arrest and resuscitation, 269

Rhabdomyoma

Diagnosis of intracardiac rhabdomyorna by two-dimensional echocardiography, 978 Rheumatic heart disease

Diagnosis of tricuspid stenosis by M-mode and two-dimensional echocardiography, 164

Isolated mitral valve replacement with the Hancock porcine bioprosthesis in rheumatic heart disease: analysis of 213 operative survivors followed up 4.5 to 8.5 years, 178

Right ventricular infarction

ST elevations in leads V₁ to V₅ may be caused by right coronary artery occlusion and acute right ventricular infarction, 991

Risk factors

Identification of patients at high risk for complications of intraaortic balloon counterpulsation: a multivariate risk factor analysis, 1135

Increased frequency of coronary heart disease in relatives of wives of myocardial infarct survivors: assortative mating for lifestyle and risk factors? 399

influence of length of aortic occlusion with cold potassium cardioplegia on early and late mortality in cardiac valve replacement , 182

Prediction of late mortality after myocardial infarction from variables measured at different times during hospitalization, 47

Risk factors for aortic dissection: a necropsy study of 161 cases, 849

Two-dimensional echocardiographic recognition of complications of cardiac invasive procedures, 846

R wave

Electrocardiographic criteria for diagnosis of combined inferior wall myocardial infarction and left anterior hemiblock (LE), 1207

Pacing threshold changes after transvenous catheter countershock, 503

Scintigraphy

Comparative value of maximal treadmill testing, exercise thallium myocardial perfusion scintigraphy and exercise radionuclide ventriculography for distinguishing high- and low-risk patients soon after acute myocardial infarction, 1221

Comparison of left ventricular function and infarct size in patients with and without persistently positive technetium-99m pyrophosphate myocardial scintigrams after myocardial infarction: analysis of 357 patients, 421

Detection and quantification of previous myocardial infarction by exerciseredistribution tomographic thallium-201 scintigraphy, 1244

Determination of left ventricular mass by single-photon emission-computed tomography with thallium-201, 1365 Evaluation of bepridil, a new antianginal agent: clinical and hemodynamic alterations during the treatment of stable angina pectoris, 29

Insensitivity of the electrocardiogram in apical myocardial infarction, 715

Left ventricular volumes by single-plane cineangiography: in vivo validation of the Kennedy regression equation, 1159

Location of myocardial necrosis as an independent determinant of left ventricular performance: analysis of 96 patients. 483

Long-term captopril therapy for chronic congestive heart failure, 1316

Negative myocardial technetium-99m pyrophosphate scintigraphy in amyloid heart disease associated with type AA systemic amyloidosis, 380

Prevalence of high-risk thallium-201 scintigraphic findings in left main coronary artery stenosis: comparison with patients with multiple- and singlevessel coronary artery disease, 462

Relation between electrocardiographic and scintigraphic location of myocardial ischemia during exercise in one-vessel coronary artery disease, 1529

Stress scintigraphy using single-photon emission-computed tomography in the evaluation of coronary artery disease, 1250

Thallium-201 scintigraphy in complete left bundle branch block, 764

Second heart sound

Frequency spectra of the first heart sound and of the aortic component of the second heart sound in patients with degenerated porcine bioprosthetic valves, 557

Seizure

Visually provoked complete atrioventricular block: an unusual form of deglutition syncope, 1408

Sex hormon

Relation between plasma high-density lipoprotein cholesterol and sex hormone concentrations in men, 1259

Sexual dysfunction

Treatment of hypertension in diabetic men: problems with sexual dysfunction, 46A

Shoshin beriberi

Shoshin beriberi: report of two successfully treated patients with hemodynamic documentation, 1467

Atrial level right-to-left shunt abolished by relief of pericardial tamponade, 646

Effects of age on radionuclide angiographic detection and quantitation of left-to-right shunts, 879

Two-dimensional contrast echocardiography with carbon dioxide in the detection of congenital cardiac shunts, 206

ilblings

Variant angina in siblings with mild coronary artery disease, 956

Sinus node

Clinical efficacy and electrophysiology of imipramine for ventricular tachycardia, 516

Electrophysiologic abnormalities of children with ostium secundum atrial septal defect, 1643

Electrophysiologic effects of flecainide acetate on sinus node function, anomalous atrioventricular connections, and pacemaker thresholds, 30B Evidence of remnant recipient atria producing mechanical atrial systole after heart transplantation, 642

Sinus node function and conduction system before and after surgery for secundum atrial septal defect: an electrophysiologic study, 1415

Unusual features of arrhythmogenic right ventricular dysplasia, 639

Skeletal muscle

Impaired skeletal muscle nutritive flow during exercise in patients with congestive heart failure: role of cardiac pump dysfunction as determined by the effect of dobutamine, 1308

Smoking

Association between leukocyte count and the presence and extent of coronary atherosclerosis as determined by coronary arteriography, 997

Cardiovascular effects of coffee and caffeine, 918

Diffuse or segmental narrowing (spasm) of the coronary arteries during smoking demonstrated on angiography, 354

Sotalol

Differential effects of sotalol and metoprolol on induction of paroxysmal supraventricular tachycardia, 1022

Starr-Edwards mitral prosthesis

Prophylactic replacement of a Starr-Edwards model 1000 aortic valve prosthesis in place for 20 years, 969

Stenosis

See also Aortic stenosis, Tricuspid stenosis

A new digital electronic caliper for measurement of coronary arterial stenosis: comparison with visual estimates and computer-assisted measurements, 689

Coarctation of the aorta or subaortic stenosis with atrioventricular septal

defect, 1421

Combined discrete subaortic stenosis and ventricular septal defect in infants and children, 1429

Detection by Doppler echocardiography of acquired pulmonic stenosis due to extrinsic tumor compression, 1475

Doppler echocardiographic diagnosis of porcine bioprosthetic cardiac valve malfunction, 1203

Enhancement of renal venous renin ratios by intravenous hydralazine in renovascular hypertension, 109

Functional importance of coronary collateral vessels, 694

Intravenous streptokinase in evolving acute myocardial infarction, 1209 In vitro verification of Doppler prediction

of transvalve pressure gradient and orifice area in stenosis, 1369 Percutaneous angioplasty of stenoses of

bypass grafts or of bypass graft anastomotic sites, 666 Percutaneous transluminal coronary angioplasty for stenosis of the ostium of

angioplasty for stenosis of the ostium of the right coronary artery after irradiation for Hodgkin's disease, 341 Prevalence of high-risk thallium-201 scintigraphic findings in left main

scintigraphic findings in left main coronary artery stenosis: comparison with patients with multiple- and singlevessel coronary artery disease, 462

Pulmonary artery compression by a bronchogenic cyst simulating congenital pulmonary artery stenosis, 347 Successful recanalization of a left main coronary artery occlusion, 356

Two-dimensional echocardiography in discrete subaortic stenosis, 896

Step-down therapy

Step-down treatment of mild systemic hypertension, 1304

Streptokinase

A randomized, angiographically controlled trial of intracoronary streptokinase in acute myocardial infarction, 404

Clinical value of intracoronary streptokinase, 626

Combined intracoronary streptokinase and coronary angioplasty during acute myocardial infarction, 122C

Coronary thrombolysis by intravenous streptokinase in acute myocardial infarction: acute and follow-up studies, 855

Intravenous streptokinase in evolving acute myocardial infarction, 1209

ST elevations in leads V₁ to V₅ may be caused by right coronary artery occlusion and acute right ventricular infarction, 991

Thrombolysis in acute myocardial infarction: effect of intravenous followed by intracoronary streptokinase application on estimates on infarct size, 1505

Thrombolysis of acute total occlusion of the left main coronary artery in evolving myocardial infarction, 1727

ST segment

Angiographic evidence that reciprocal ST-segment depression during acute myocardial infarction does not indicate remote ischemia: analysis of 23 patients, 55

Echocardiography in acute infectious myocarditis: relation to clinical and electrocardiographic findings, 1326

Electrocardiogram of the athlete: an analysis of 289 professional football players, 1339

Electrocardiographic diagnosis of transmural and nontransmural acute myocardial infarction (LE), 988

Ergonovine provocation to assess efficacy of long-term therapy in Prinzmetal's variant angina (LE), 1207

Persistent ST-segment elevation and left ventricular wall abnormalities: a 2dimensional echocardiographic study, 1542

ST elevations in leads V₁ to V₅ may be caused by right coronary artery occlusion and acute right ventricular infarction, 991

Ventricular arrhythmias during exercise testing: mechanism, response to coronary bypass surgery and prognostic significance, 1553

Subclavian arteries

Cervical origin of the right subclavian artery in aortic arch interruption: pathogenesis and significance, 892

Supraventricular tachycardia

Coexistent arrhythmogenic right ventricular dysplasia and Wolff-Parkinson-White syndrome, 632 Unusual features of arrhythmogenic right

ventricular dysplasia, 639

Surgery

See Proceedings of the National Heart, Lung, and Blood Institute Workshop of the Outcome of Percutaneous Transluminal Coronary Angioplasty

Adult human valve dimensions and their surgical significance, 552 An evaluation of three revascularization procedures in the rehabilitation of the coronary patient, 328

Arterial complications of attempted Swan-Ganz insertion, 340

Calcific degeneration as the main cause of porcine bioprosthetic valve failure,

Cardiac ventriculography in the selection of patients for mitral valve surgery, 328

Characteristics and outcome of medical nonadherers in the Veterans Administration Cooperative Study of Coronary Artery Surgery, 23

Coarctation of the aorta or subaortic stenosis with atrioventricular septal defect, 1421

Coronary artery aneurysm complicating bypass tract surgery for the Wolff-Parkinson-White syndrome, 344

Coronary heart disease III. Chronic arrhythmias as influenced by the Beck operation, 1452

Degeneration in porcine bioprosthetic cardiac valves: incidence of primary tissue failures among 938 bioprostheses at risk, 1061

Discrepancy between the QRS scoring system and left ventricular ejection fraction after surgical or medical revascularization during acute myocardial infarction, 359

Doppler echocardiographic diagnosis of porcine bioprosthetic cardiac valve malfunction, 1203

Elevated catecholamines during cardiac surgery: consequences of reperfusion of the postarrested heart, 722

Emergency coronary bypass surgery after coronary angioplasty: the National Heart, Lung, and Blood Institute's Percutaneous Transluminal Coronary Angioplasty Registry experience, 22C

Evidence of remnant recipient atria producing mechanical atrial systole after heart transplantation, 642

Five-year effect of medical and surgical therapy on resting left ventricular function in stable angina: Veterans Administration Cooperative Study, 444

Hemostatic abnormalities associated with prolonged ventricular assist pumping: analysis of 24 patients, 1344

Identification of patients at high risk for complications of intraacrtic balloon counterpulsation: a multivariate risk factor analysis, 1135

Incessant ectopic atrial tachycardia: successful surgical treatment with regression of dilated cardiomyopathy picture, 1465

Infantile cardiomyopathy with histiocytoid change in cardiac muscle cells: successful surgical intervention and prolonged survival, 982

Influence of length of aortic occlusion with cold potassium cardioplegia on early and late mortality in cardiac valve replacement, 182

Intermittent ambulatory dobutamine infusions for patients awaiting cardiac transplantation, 375

Intracardiac goiter: a cause of right ventricular outflow obstruction and successful operative therapy, 976

Intracoronary thrombolysis for acute myocardial infarction late after bypass surgery: value of lead V₄R, 637

Isolated mitral valve replacement with the Hancock porcine bioprosthesis in rheumatic heart disease: analysis of 213 operative survivors followed up 4.5 to 8.5 years, 178

'Left main equivalent' coronary artery disease: its clinical presentation and prognostic significance with nonsurgical therapy, 1489

Long-term follow-up after palliative operative for univentricular heart, 1648 Measurement of aortic root size by

biplane angiography before cardiac valve replacement, 1084 Mitral valve commissurotomy (LE), 1488

Needle in the heart: two-dimensional echocardiographic findings, 1482

Postoperative assessment of porcinevalved right ventricular-pulmonary artery conduits, 202

Relation of level of total serum cholesterol to amount of calcific deposits in operatively excised stenotic mitral valves: analysis of 155 cases, 157

Relative cost of coronary angioplasty and bypass surgery in a one-vessel disease

model, 52C

Sinus node function and conduction system before and after surgery for secundum atrial septal defect: an electrophysiologic study, 1415

Surgical intervention for failed percutaneous transluminal coronary angioplasty, 108C

Tetralogy of Fallot with absent pulmonic valve: analysis of 17 patients, 1433 The surgical correction of aortic

regurgitation: bicuspid conversion, 328 Thrombolysis of acute total occlusion of the left main coronary artery in evolving myocardial infarction, 1727

Transient atrioventricular block after open-heart surgery for congenital heart disease, 198

Two-dimensional echocardiographic diagnosis of mediastinal hematoma causing cardiac tamponade, 974

Utilization of an accessory pathway as the anterograde limb during the permanent form of junctional reciprocating tachycardia, 365

Ventricular arrhythmias during exercise testing: mechanism, response to coronary bypass surgery and prognostic significance, 1553

Vigorous physical training after aortic valve replacement: analysis of 10 patients, 562

n-Ganz catheter

A new nonsurgical technique for untying tight knots in flow-directed balloon catheters, 395

Arterial complications of attempted Swan-Ganz insertion, 340

dum on First-Line Therapy for **Hypertension: Changing Directions**

A comparison of prazosin versus nadolol in combination with a diuretic, 37A

Beta-adrenergic receptor blocking drugs in hypertension, 12A

Cardiovascular consequences of primary antihypertensive therapy with prazosin hydrochloride, 32A

Comparison of blood pressure, plasma lipid and cardiac performance responses to prazosin versus propranolol in thiazide-treated hypertensive patients, 51A

Diuretic therapy for mild hypertension: the 'real" cost of treatment, 9A

Effects of prazosin and propranolol on blood pressure and plasma lipids in patients undergoing chronic hemodialysis, 40A

Effects of prazosin on serum lipids in patients with essential hypertension: a review of the findings presented at the Satellite symposium on coronary heart disease: hypertension and other risk factors, Milan, 1983, 21A

Introduction, 1A Monotherapy in mild to moderate hypertension: comparison of hydrochlorothiazide, propranolol and prazosin, 24A

Prazosin as initial antihypertensive therapy: correlates of sympathetic function, 29A

Prazosin versus propranolol plus prazosin: a comparison in diuretic-treated hypertensive patients, 55A

Selective alpha 1-adrenergic antagonists: therapeutically relevant antihypertensive agents, 16A

Therapy of mild hypertension: an overview, 2A

Treatment of hypertension in diabetic men: problems with sexual dysfunction, 46A

osium on Flecainide Acetate

A double-blind, crossover comparison of flecainide acetate and disopyramide phosphate in the treatment of ventricular premature complexes, 72B

Antiarrhythmic and electrophysiologic actions of flecainide in animal models.

Antiarrhythmic treatment: an overview, 8B A proposal for the clinical use of flecainide, 112B

Discovery and development of flecainide, 17R

Effects of flecainide on ventricular function: clinical and experimental correlations, 95B

Electrophysiologic basis for arrhythmias in ischemic heart disease, 1B

Electrophysiologic effects of flecainide acetate on sinus node function, anomalous atrioventricular connections, and pacemaker thresholds, 30B

Electrophysiologic properties of flecainide acetate, 268

Evaluation of flecainide acetate in the management of patients at high risk of sudden cardiac death, 108B

Experience with electrophysiologically guided therapy of ventricular tachycardia with flecainide: summary of long-term follow-up, 79B

Extracardiac adverse effects of flecainide, 101B

Flecainide dose-response relations in stable ventricular arrhythmias, 59B

Flecainide: its proarrhythmic effect and expected changes on the surface electrocardiogram, 89B

Flecainide versus quinidine: results of a multicenter trial, 66B Interaction of flecainide with digoxin and

propranolol, 52B Metabolism of flecainide, 41B

Syncope

Diagnostic efficacy of 24-hour electrocardiographic monitoring for syncope, 1013

Visually provoked complete atrioventricular block; an unusual form of deglutition syncope, 1408

Systole

Noninvasive assessment of right ventricular systolic prosure in atrial septal defect: analy is in the endsystolic configuration of the ventricular septum by two-dimensional echocardiography, 1117

Use of left ventricular filling and ejection patterns in assessing severity of chronic mitral and aortic regurgitation. 1054

Systolic time intervals

Systolic time intervals reconsidered: reevaluation of the preejection period: absence of relation to heart rate, 1667

Tachyarrhythmias

A temporary external DDD pacing unit, 1041

Tachycardia

Combined verapamil and propranolol for supraventricular tachycardia, 757

Effects of amiodarone on supraventricular tachycardia involving bypass tracts, 93

Entrainment of atrioventricular nodal reentrant tachycardias during overdrive pacing from high right atrium and coronary sinus: With special reference to atrioventricular dissociation and 2:1 retrograde block during tachycardias,

Ice-water washcloth rather than facial immersion (diving reflex) for supraventricular tachycardia in Infants (LE), 988

Incessant ectopic atrial tachycardia: successful surgical treatment with regression of dilated cardiomyopathy picture, 1465

Mechanism of tachycardia-dependent bundle branch block, 1457

Mild Ebstein's anomaly associated with supraventricular tachycardia and sudden death: clinicomorphologic features in 3 patients, 332

Noninvasive evaluation of pacemaker circus movement tachycardias, 537

Orthostatic atrial tachycardia: autonomic influence on atrial pacemakers, 1406 Patterns of human atrioventricular nodal

accommodation to a sudden acceleration of atrial rate, 71 Procainamide cardioversion of fetal

supraventricular tachyarrhythmia, 1460 Rate acceleration of ventricular

tachycardia after a precordial chest thump, 964 Significance of an apparent short return

cycle in the mechanism of supraventricular tachycardia, 361

Sustained ventricular tachycardia after repair of tetralogy of Fallot: new electrophysiologic findings (LE), 989

Utilization of an accessory pathway as the anterograde limb during the permanent form of junctional reciprocating tachycardia, 365 Ventricular tachyarrhythmias complicating

amiodarone therapy in the presence of hypokalemia, 1462

Tachycardia, paroxysmal

Differential effects of sotalol and metoprolol on induction of paroxysmal supraventricular tachycardia, 1022

Effects of intravenous and oral disopyramide on paroxysmal atrioventricular nodal tachycardia, 88

Technetium-99m

Comparison of left ventricular function and infarct size in patients with and without persistently positive technetium-99m pyrophosphate myocardial scintigrams after myocardial infarction: analysis of 357 patients, 421

Negative myocardial technetium-99m pyrophosphate scintigraphy in amyloid heart disease associated with type AA systemic amyloidosis, 380

Tetralogy of Failot

Direct operations in Tetralogy of Fallot, 328

Sustained ventricular tachycardia after repair of tetralogy of Fallot: nev electrophysiologic findings (LE), 989

Tetralogy of Fallot with absent pulmonic valve: analysis of 17 patients, 1433

Thaffium-201

Detection and quantification of previous myocardial infarction by exerciseredistribution tomographic thallium-201 scintigraphy, 1244

Determination of left ventricular mass by single-photon emission-computed tomography with thallium-201, 1365 Extracardiac accumulation of thallium-201

in pulmonary carcinoma, 358 Prevalence of high-risk thallium-201 scintigraphic findings in left main coronary artery stenosis: comparison with patients with multiple- and single

vessel coronary artery disease, 462 Quantification of pulmonary thallium-201 activity after upright exercise in normal persons: importance of peak heart rate and propranolol usage in defining normal values, 1678

Recognition of regional hypertrophy in hypertrophic cardiomyopathy using thallium-201 emission-computed tomography: comparison with twodimensional echocardiography, 1095

Relation between electrocardiographic and scintigraphic location of myocardial ischemia during exercise in one-vessel coronary artery disease, 1529

Significance of increased lung thallium-201 activity on serial cardiac images after dipyridamole treatment in coronary heart disease, 470

Simultaneous maximal exercise radionuclide angiography and thallium stress perfusion imaging, 812

Stress scintigraphy using single-photon emission-computed tomography in the evaluation of coronary artery disease, 1250

Thallium-201 scintigraphy in complete left bundle branch block, 764

Thrombolysis in acute myocardial infarction: effect of intravenous followed by intracoronary streptokinase application on estimates on infarct size, 1505

Thermodilution

Left ventricular volumes by single-plane cineangiography: in vivo validation of the Kennedy regression equation, 1159

Thiazides

Comparison of blood pressure, plasma lipid and cardiac performance responses to prazosin versus propranolol in thiazide-treated hypertensive patients, 51A **Thrombolysis**

Coronary thrombolysis by intravenous streptokinase in acute myocardial infarction: acute and follow-up studies,

Effects of percutaneous transluminal coronary angioplasty: intracoronary thrombolysis with urokinase in acute myocardial infarction, 1217

Improvement in regional and global left ventricular function after intracoronary thrombolysis: assessment with twodimensional echocardiography, 662

Intracoronary thrombolysis for acute myocardial infarction late after bypass surgery: value of lead V₄R, 637

Thrombolysis in acute myocardial infarction: effect of intravenous followed by intracoronary streptokinase application on estimates on infarct size. 1505

Thrombolysis of acute total occlusion of the left main coronary artery in evolving myocardial infarction, 1727

Thromboxane

Effects of a selective thromboxane synthetase inhibitor, dazoxiben, and of acetylsalicylic acid on myocardial ischemia in patients with coronary artery disease, 1255

Comparison of late (62 to 140 months) degenerative changes in simultaneously implanted and explanted porcine (Hancock) bioprostheses in the tricuspid and mitral valve positions in six patients, 1599

Echocardiographic detection of freefloating left atrial thrombus, 374

Identification of blood in the pericardial cavity in dogs by two-dimensional echocardiography, 1194

Narrow-based left ventricular thrombus, 645

Origin of transient right atrial thrombus during acute myocardial infarction (LE), 990

Transient ("hole-in-one") occlusion of the mitral valve orifice by a free-floating left atrial ball thrombus: identification by two-dimensional echocardiography, 1730

Two-dimensional echocardiographic appearance of left ventricular thrombi with systemic emboli after myocardial infarction, 1511

Timolol

Effects of timolol and propranolol on inducible sustained ventricular tachyarrhythmias in dogs with subacute myocardial infarction, 275

Tomography

See also Computer methods In vivo assessment by computed tomography of the natural progression

of infarct size, left ventricular muscle mass and function after acute myocardial infarction in the dog, 929

Recognition of regional hypertrophy in hypertrophic cardiomyopathy using thallium-201 emission-computed tomography: comparison with twodimensional echocardiography, 1095

Use of computerized tomography to assess myocardial infarct size and ventricular function in dogs during acute coronary occlusion and reperfusion, 282

Torsades de pointes

Magnesium therapy for torsades de pointes, 528

Polymorphous ventricular tachycardia in acute myocardial infarction, 1280 Precise scientific meanings advocated

(LE), 1413 Transposition of the great arteries

Complete transposition of the great arteries and coarctation of the aorta, 1627

Morphologic features of an intact ventricular septum susceptible to subpulmonary obstruction in complete transposition, 1633

Treadmill testing

Comparative value of maximal treadmill testing, exercise thallium myocardial perfusion scintigraphy and exercise

radionuclide ventriculography for distinguishing high- and low-risk patients soon after acute myocardial infarction, 1221

Tricuspid hypoplasia
Two-dimensional echocardiographic evaluation of tricuspid hypoplasia in pulmonary atresia, 387

Tricuspid regurgitation

Mechanisms for development of functional tricuspid regurgitation determined by pulsed Doppler and two-dimensional echocardiography, 160

Tricuspid stenosis

Diagnosis of tricuspid stenosis by M-mode and two-dimensional echocardiography. 164

Tricuspid valve

Atrioventricular valve anular diameter: two-dimensional echocardiographicautopsy correlation, 1652

Comparison of late (62 to 140 months) degenerative changes in simultaneously implanted and explanted porcine (Hancock) bioprostheses in the tricuspid and mitral valve positions in six patients, 1599

Ebstein's anomaly of the tricuspid valve in persistent common atrioventricular canal, 640

Eleven-year follow-up after tricuspid valve replacement and pulmonic valvulotomy in the carcinoid syndrome (LE), 651

Detection by Doppler echocardiography of acquired pulmonic stenosis due to extrinsic tumor compression, 1475

Diagnosis of intracardiac rhabdomyoma by two-dimensional echocardiography, 978

Turner's syndrome

Tunnel subaortic stenosis in XO Turner's syndrome, 1731

T waves

Repolarization alternans associated with alcoholism and hypomagnesemia, 390 Two-dimensional echocardiography

Altered acoustic reflectance on twodimensional echocardiography as an early predictor of myocardial infarct size, 1699

Aneurysm of the atrial septum as diagnosed by echocardiography: analysis of 11 patients, 1401

Atrial level right-to-left shunt abolished by relief of pericardial tamponade, 646

Atrioventricular valve anular diameter: two-dimensional echocardiographicautopsy correlation, 1652

Augmentation of atrial contribution to left ventricular inflow with aging as assessed by intracardiac Doppler flowmetry, 586

Bedside balloon atrial septostomy using echocardiographic monitoring, 971 Classification of site of ventricular septal

defect by two-dimensional echocardiography (LE), 1487

Combined contrast echocardiographic and radionuclide diagnosis of atrial septal defect: accuracy of the technique and analysis of erroneous diagnoses, 1639

Combined discrete subaortic stenosis and ventricular septal defect in infants and children, 1429

Comparative value of 2-dimensional echocardiography and radionuclide angiography for quantitating changes in left ventricular performance during exercise limited by angina pectoris, 42

Computer-assisted edge detection in twodimensional echocardiography: comparison with anatomic data, 1380

Detection and quantitation of right ventricular outlet obstruction secondary to aneurysm of the membranous ventricular septum by combined twodimensional echocardiography: continuous-wave Doppler ultrasound, 1476

Diagnosis of incompetent quadricuspid acrtic valve by two-dimensional echocardiography, 972

Diagnosis of intracardiac rhabdomyoma by two-dimensional echocardiography, 978 Diagnosis of tricuspid stenosis by M-mode and two-dimensional echocardiography, 164

Diagnosis of ventricular septal rupture from acute myocardial infarction by combined 2-dimensional and pulsed Doppler echocardiography, 1202

Digital processing of contrast echocardiograms: a new technique for measuring right ventricular ejection fraction, 1164

Echocardiographic demonstration of an asymptomatic patient with left ventricular fibroma, 981

Echocardiographic detection of freefloating left atrial thrombus, 374

Effects of heart rate changes on left ventricular volume and ejection fraction: a 2-dimensional echocardiographic study, 590

Evaluation of size and dynamics of the inferior vena cava as an index of rightsided cardiac function, 579

Exercise subcostal two-dimensional echocardiography: a new method of segmental wall motion analysis, 805 Fetal Doppler echocardiography: methods

Fetal Doppler echocardiography: methods and characterization of normal and abnormal hemodynamics, 572

Identification of a rare congenital anomaly of the myocardium by two-dimensional echocardiography: persistence of isolated myocardial sinusoids, 1733

identification of blood in the pericardial cavity in dogs by two-dimensional echocardiography, 1194

Improvement in regional and global left ventricular function after intracoronary thrombolysis: assessment with two-dimensional echocardiography, 662

In vitro analysis of boundary identification techniques used in quantification of two-dimensional echocardiograms, 1374

Mechanisms for development of functional tricuspid regurgitation determined by pulsed Doppler and two-dimensional echocardiography, 160

Morphologic and functional effects of piroxicam on myocardial scar formation after coronary occlusion in dogs, 604

Needle in the heart: two-dimensional echocardiographic findings, 1482

Noninvasive assessment of right ventricular systolic pressure in atrial septal defect: analysis of the endsystolic configuration of the ventricular septum by two-dimensional echocardiography, 1117

Obstructive hypertrophic cardiomyopathy associated with minimal left ventricular hypertrophy, 377

Patterns of Percritance in hypertrophic cardiomycpathy: assessment by M-mode and two-dimensional echocardiography, 1087

Persistent ST-segment elevation and left wentricular wall abnormalities: a 2dimensional echocardiographic study, 1542 Prognostic value of predischarge 2dimensional echocardiogram after acute myocardial infarction, 429

Pulmonary artery aneurysms: echocardiographic features in 5 patients, 1438

Recognition of coronary arterial fistula by Doppler 2-dimensional echocardiography, 392

Recognition of regional hypertrophy in hypertrophic cardiomyopathy using thallium-201 emission-computed tomography: comparison with twodimensional echocardiography, 1095

Regional differences in left ventricular response to atrial pacing in the dog: mapping of segmental function by twodimensional echocardiography, 599

Regression of left ventricular hypertrophy from systemic hypertension by enalapril, 1044

Role of chordae tendineae in mitral valve opening: two-dimensional echocardiographic evidence, 153

Transesophageal two-dimensional echocardiography: comparison of ultrasonic and anatomic sections, 1173

Transient ("hole-in-one") occlusion of the mitral valve orifice by a free-floating left atrial ball thrombus: identification by two-dimensional echocardiography, 1730

Two-dimensional and pulsed Doppler echocardiographic diagnosis of an acquired left ventricular-right atrial communication, 396

Two-dimensional contrast echocardiography with carbon dioxide in the detection of congenital cardiac shunts, 206

Two-dimensional echocardiographic appearance of left ventricular thrombi with systemic emboli after myocardial infarction, 1511

Two-dimensional echocardiographic determination of aortic and pulmonary artery sizes from infancy to adulthood in normal subjects, 218

Two-dimensional echoca diographic diagnosis of acquired right ventricular outflow obstruction due to external cardiac compression, 973

Two-dimensional echocardiographic diagnosis of mediastinal hematoma causing cardiac tamponade, 974

Two-dimensional echocardiographic diagnosis of separate myxomas of both the left atrium and left ventricle, 379

Two-dimensional echocardiographic evaluation of tricuspid hypoplasia in pulmonary atresia, 387

Two-dimensional echocardiographic recognition of complications of cardiac invasive procedures, 846

Two-dimensional echocardiography diagnosis of quadricuspid aortic valve, 1732

Two-dimensional echocardiography in discrete subaortic stenosis, 896

Type III glycogen storage disease Cardiac involvement in glycogen storage disease III: morphologic and biochemical characterization with endomyocardial biopsy, 980

Tyramine

Effect of tyramine on myocardial catecholamine release in coronary heart disease, 476

Uhl's anomaly

Familial Uhl's anomaly in the adult, 1402

Uhl's anomaly (parchment right ventricle): clinical, echocardiographic, radionuclear, hemodynamic and angiocardiographic features in 2 patients, 635

United States Health and Nutrition Examination Survey

Left-axis deviation and adiposity: the United States Health and Nutrition Examination Survey, 1129

Univentricular heart

Long-term follow-up after palliative operative for univentricular heart, 1648 Long-term follow-up in the unoperated univentricular heart, 1124

Urokinase

Effects of percutaneous transluminal coronary angioplasty: intracoronary thrombolysis with urokinase in acute myocardial infarction, 1217

In utero studies

Ultrasonic recognition of aortic valve atresia in utero, 391

Valsalva maneuver

Prevalence of right-to-left atrial shunting in a healthy population: detection by Valsalva maneuver contrast echocardiography, 1478

Valve dimensions

Adult human valve dimensions and their surgical significance, 552

Valve disease

Calcific degeneration as the main cause of porcine bioprosthetic valve failure, 1066

Degeneration in porcine bioprosthetic cardiac valves: incidence of primary tissue failures among 938 bioprostheses at risk, 1061

Intermittent mitral regurgitation due to Beall valve dysfunction: analysis of 13 patients with atrial fibrillation, 1071

Ventricular arrhythmias in aortic valve disease: analysis of 102 patients, 1079

Valve prostheses

Adult human valve dimensions and their surgical significance, 552

Calcific degeneration as the main cause of porcine bioprosthetic valve failure, 1066

Comparison of late (62 to 140 months) degenerative changes in simultaneo(isly implanted and explanted porcine (Hancock) bioprostheses in the tricuspid and mitral valve positions in six patients, 1599

Degeneration in porcine bioprosthetic cardiac valves: incidence of primary tissue failures among 938 bioprostheses at risk, 1061

Doppler echocardiographic diagnosis of porcine bioprosthetic cardiac valve malfunction, 1203

Frequency spectra of the first heart sound and of the aortic component of the second heart sound in patients with degenerated porcine bioprosthetic valves, 557

Intermittent mitral regurgitation due to Beall valve dysfunction: analysis of 13 patients with atrial fibrillation, 1071

Isolated mitral valve replacement with the Hancock porcine bioprosthesis in rheumatic heart disease: analysis of 213 operative survivors followed up 4.5 to 8.5 years, 178

Measurement of aortic root size by biplane angiography before cardiac valve replacement, 1084 Modification by the Hancock T6 process of calcification of bioprosthetic cardiac valves implanted in sheep, 1388

Postoperative assessment of porcinevalved right ventricular-pulmonary artery conduits, 202

Prophylactic replacement of a Starr-Edwards model 1000 aortic valve prosthesis in place for 20 years, 969

Vigorous physical training after aortic valve replacement: analysis of 10 patients, 562

Valvulotomy

Eleven-year follow-up after tricuspid valve replacement and pulmonic valvulotomy in the carcinoid syndrome (LE), 651

Vasodilators

Positive inotropic and vasodilator effects of MDL 17,043 in patients with reduced left ventricular performance, 1051

Vasopressin

Role of the renin-angiotensin system in the development of congestive heart failure in the dog as assessed by chronic converting-enzyme blockade, 614

Vectorcardiography

The linear vectorcardiogram, 1736 The work electrocardiogram, 1199 Ventricular endocardial leads in left bundle branch block and left ventricular hypertrophy correlation with the vectorcardiogram and electrocardiogram, 1199

Venae cayae

Evaluation of size and dynamics of the inferior vena cava as an index of rightsided cardiac function, 579

Venous vessels

Comparison of oral MK 421 and propranolol in mild to moderate essential hypertension and their effects on arterial and venous vessels of the forearm, 781

Ventricular arrhythmias

Effect of moricizine hydrochloride in reducing chronic high-frequency ventricular arrhythmia: results of a prospective, controlled trial, 745

Efficacy of mexiletine in chronic ventricular arrhythmias compared with quinidine: a single-blind, randomized trial, 84

Flecainide dose-response relations in stable ventricular arrhythmias, 59B Long-term clinical outcome of ventricular

tachycardia or fibrillation treated with amiodarone, 1558

Mechanisms of phase 1a and 1b early ventricular arrhythmias during acute myocardial ischemia in the dog, 307

Multicenter controlled observation of a low-dose regimen of amiodarone for treatment of severe ventricular arrhythmias, 1564

Pirmenol for control of ventricular arrhythmias: oral dose-ranging and short-term maintenance study, 522

Ventricular arrhythmias during coronary angiography in patients with angina pectoris or chest pain syndromes, 1496

Ventricular arrhythmias during exercise testing: mechanism, response to coronary bypass surgery and prognostic significance, 1553

Ventricular arrhythmias in aortic valve disease: analysis of 102 patients, 1079

Ventricular assist pumping
Hemostatic abnormalities associated with prolonged ventricular assist pumping: analysis of 24 patients, 1344

Ventricular contraction

Relation between premature ventricular contraction site of origin (defined by radionuclide phase analysis) and subsequent left ventricular function, 1028

Ventricular cycle length

Facilitation of ventricular tachycardia induction with abrupt changes in ventricular cycle length, 508

Ventricular dimensions

Left ventricular dimensions and function during exercise in dogs with chronic right ventricular pressure overload, 1187

Ventricular tibrillation

Correlates of reportusion ventricular fibrillation in draps, 1397

Long-term clinical outcome of ventricular tachycardia or fibrillation treated with amiodarone, 1558

Programmed ventricular stimulation in mitral valve prolapse: analysis of 36 patients, 135

Ventricular function

Effect of pericardiocentesis on ventricular function and volume in pericardial effusion (LE), 1412

Effects of flecainide on ventricular function: clinical and experimental correlations, 95B

Effects on ventricular function of disopyramide, procainamide and quinidine as determined by radionuclide angiography, 1292

Relation of ventricular premature beats to underlying heart disease, 774 Right ventricular contractile function in

children with congenital heart disease.

Use of computerized tomography to assess myocardial infarct size and ventricular function in dogs during acute coronary occlusion and reperfusion, 282

Ventricular hypertrophy

Echocardiographic analysis of ventricular septal dynamics in hypertrophic cardiomyopathy and other diseases,

Enalapril improves systemic and renal hemodynamics and allows regression of left ventricular mass in essential hypertension, 105

Patterns of inheritance in hypertrophic cardiomyopathy: assessment by Mmode and two-dimensional echocardiography, 1087

Plasma norepinephrine and left ventricular hypertrophy, 1299

Reevaluation of electrocardiographic criteria for left, right and combined cardiac ventricular hypertrophy, 1140

Ventricular mass

Determination of left ventricular mass by single-photon emission-computed tomography with thallium-201, 1365

Echocardiographic demonstration of an asymptomatic patient with left ventricular fibroma, 981

Intracardiac goiter: a cause of right ventricular outflow obstruction and successful operative therapy, 976

Regression of left ventricular hypertrophy from systemic hypertension by enalapril, 1044

Two-dimensional echocardiographic diagnosis of acquired right ventricular outflow obstruction due to external cardiac compression, 973

Ventricular outflow

Detection and quantitation of right ventricular outlet obstruction secondary to aneurysm of the membranous ventricular septum by combined twodimensional echocardiography: continuous-wave Doppler ultrasound,

Identification of a rare congenital anomaly of the myocardium by two-dimensional echocardiography: persistence of isolated myocardial sinusoids, 1733

Relation between marked changes in left ventricular outflow tract gradient and disease progression in hypertrophic cardiomyopathy, 1103

Ventricular premature beats

A controlled trial of propafenone for treatment of frequent and repetitive ventricular premature complexes, 77

A double-blind, crossover comparison of flecainide acetate and disopyramide phosphate in the treatment of ventricular premature complexes, 72B

Flecainide versus quinidine: results of a multicenter trial, 66B

Metabolism of flecainide, 41B

Relation of ventricular premature beats to underlying heart disease, 774

Ventricular pressure

Left ventricular dimensions and function during exercise in dogs with chronic right ventricular pressure overload, 1187

Ventricular septal defect

Classification of site of ventricular septal defect by two-dimensional echocardiography (LE), 1487

Coexistence of ductal and systemic pulmonary arterial supply in pulmonary atresia with ventricular septal defect, 348

Combined discrete subaortic stenosis and ventricular septal defect in infants and children, 1429

Ventricular septum

Detection and quantitation of right ventricular outlet obstruction secondary to aneurysm of the membranous ventricular septum by combined twodimensional echocardiography: continuous-wave Doppler ultrasound, 1476

Diagnosis of ventricular septal rupture from acute myocardial infarction by combined 2-dimensional and pulsed Doppler echocardiography, 1202

Intravenous digital subtraction angiography to assess aneurysms of the ventricular and atrial septum preand postoperatively, 383

Morphologic features of an intact ventricular septum susceptible to subpulmonary obstruction in complete transposition, 1633

Noninvasive assessment of right ventricular systolic pressure in atrial septal defect: analysis of the endsystolic configuration of the ventricular septum by two-dimensional echocardiography, 1117

Ventricular stimulation

Prognostic factors in nonsustained ventricular tachycardia, 1275

Programmed ventricular stimulation in mitral valve prolapse: analysis of 36 patients, 135

Ventricular tachycardia

Actions of disopyramide on potential reentrant pathways and ventricular tachyarrhythmias in conscious dogs during the late post-myocardial infarction phase, 1712

Antiarrhythmic and electrophysiologic actions of bethanidine suifate in primary ventricular fibrillation or life-threatening ventricular tachycardia, 1268

Clinical efficacy and electrophysiology of imipramine for ventricular tachycardia, 516

Coexistent arrhythmogenic right ventricular dysplasia and Wolff-Parkinson-White syndrome, 632

Determinants of arrhythmogenic ventricular activity detected on the body surface QRS in patients with coronary artery disease, 1519

Effects of timolol and propranolol on inducible sustained ventricular tachyarrhythmias in dogs with subacute myocardial infarction, 275

Electropharmacology of nonsustained ventricular tachycardia: effects of class I antiarrhythmic agents, verapamil and propranolol, 738

Entrainment of ventricular tachycardia, 335

Experience with electrophysiologically guided therapy of ventricula tachycardia with flecainide: summary of long-term follow-up, 79B

Facilitation of ventricular tachycardia induction with abrupt changes in ventricular cycle length, 508

Identification of reproducible ventricular tachycardia in a canine model, 619 Management of recurrent ventricular

tachycardia: economic impact of therapeutic alternatives, 531 Polymorphous ventricular tachycardia in

acute myocardial infarction, 1280 Precise scientific meanings advocated (LE), 1413

Prognostic factors in nonsustained ventricular tachycardia, 1275 Programmed ventricular stimulation in

mitral valve prolapse: analysis of 36 patients, 135 Repetitive paroxysmal ventricular

tachycardia and sudden death in a child, 1729 Reproducibility and treatment of exerciseinduced ventricular tachycardia, 751

Unusual features of arrhythmogenic right ventricular dysplasia, 639

Ventricular volume Effects of heart rate changes on left ventricular volume and ejection fraction: a 2-dimensional echocardiographic study, 590

Left ventricular volumes and function during atrial pacing in coronary artery ase: a radionuclide angiographic study, 497

Left ventricular volumes by single-plane cineangiography: in vivo validation of the Kennedy regression equation, 1159

Quantitative variability in regional wall motion during serial left ventricular cineangiography: guidelines for assessing changes in segmental function with intervention studies, 1148

Ventricular wall

Comparison of echocardiographic and necropsy measurements of left ventricular wall thickness in patients with coronary artery disease, 838

Echocardiography in acute infectious myocarditis: relation to clinical and electrocardiographic findings, 1326

Exercise subcostal two-dimensional echocardiography: a new method of segmental wall motion analysis, 805

In vivo assessment by computed tomography of the natural progression of infarct size, left ventricular muscle mass and function after acute myocardial infarction in the dog, 929

Persistent ST-segment elevation and left ventricular wall abnormalities: a 2dimensional echocardiographic study,

Prognostic value of predischarge 2dimensional echocardiogram after acute myocardial infarction, 429

Pseudodyskinesia of the left ventricular free wall, 985

Quantitative variability in regional wall motion during serial left ventricular cineangiography: guidelines for assessing changes in segmental function with intervention studies, 1148

Relation between premature ventricular contraction site of origin (defined by radionuclide phase analysis) and subsequent left ventricular function. 1028

Use of the indirect axillary pulse tracing for noninvasive determination of ejection time, upstroke time, and left ventricular wall stress throughout ejection in infants and young children,

Ventriculoatrial conduction

infarction, 1221

Noninvasive evaluation of pacemaker circus movement tachycardias, 537

Ventriculography

Cardiac ventriculography in the selection of patients for mitral valve surgery, 328 Comparative value of maximal treadmill testing, exercise thallium myocardial perfusion scintigraphy and exercise radionuclide ventriculography for distinguishing high- and low-risk patients soon after acute myocardial

Effects of atrial pacing on global and regional left ventricular function in coronary heart disease assessed by digital intravenous ventriculography,

Effects of flecainide on ventricular function: clinical and experimental correlations, 95B

Left ventricular function in patients with coronary heart disease in the presence or absence of angina pectoris during exercise radionuclide ventriculography,

Verapamii

Chronic verapamil therapy in pediatric and young adult patients with hypertrophic cardiomyopathy, 1614

Combined verapamil and propranolol for supraventricular tachycardia, 757

Electropharmacology of nonsustained ventricular tachycardia: effects of class I antiarrhythmic agents, verapamil and propranolol, 738

Obstructive hypertrophic cardiomyopathy with left-sided cardiac failure: improvement after verapamil treatment,

Polymorphous ventricular tachycardia in acute myocardial infarction, 1280

Randomized, placebo-controlled study of the effect of verapamil on exercise hemodynamics in coronary artery disease, 674

Verapamil in hypertrophic cardiomyopathy (LE), 1487

Veterans Administration Cooperative Study of Coronary Artery Surgery

Characteristics and outcome of medical nonadherers in the Veterans Administration Cooperative Study of Coronary Artery Surgery, 23

Veterans Administration Cooperative Study on 5-Year Effect of Medical and Surgical Therapy on Resting Left Ventricular Function

Five-year effect of medical and surgical therapy on resting left ventricular function in stable angina: Veterans Administration Cooperative Study, 444


Wolff-Parkinson-White syndrome

Coexistent arrhythmogenic right ventricular dysplasia and Wolff-Parkinson-White syndrome, 632

Concealed conduction preventing anterograde preexcitation in Wolff-Parkinson-White syndrome, 960

Coronary artery aneurysm complicating bypass tract surgery for the Wolff-Parkinson-White syndrome, 344





The American Journal of CARDIOLOGY.



VOLUME 53: JANUARY 1 to JUNE 15, 1984

Editor-in-Chief WILLIAM C. ROBERTS, MD Bethesda, Maryland

Assistant to the Editor ANN K. BRADLEY Bethesda, Maryland Publisher ROBERT T. BRAWN New York, New York

Editorial Assistants
PATRICIA E. VASSALLO
New York, New York

Managing Editor
MARGARET ANN INMAN
New York, New York

Assistant Managing Editor
JUDY WAGNER
New York, New York

MEDICAL AND SURGICAL EDITORIAL BOARD

CARDIOVASCULAR MEDICINE

Adults

ROBERT J. ADOLPH LEWIS C. BECKER GEORGE A. BELLER J. THOMAS BIGGER HENRY BLACKBURN ROBERT O. BONOW JEFFREY S. BORER **EUGENE BRAUNWALD** H. BRYAN BREWER, Jr. B. GREG BROWN WILLIAM P. CASTELLI LAWRENCE S. COHEN C. RICHARD CONTI MICHAEL H. CRAWFORD J. MICHAEL CRILEY ROBERT F. DEBUSK HAROLD T. DODGE STEPHEN E. EPSTEIN FRANK A. FINNERTY, Jr. BRIAN G. FIRTH NICHOLAS J. FORTUIN JOSEPH A. FRANCIOSA **EDWARD D. FREIS VALENTIN FUSTER** JOHN J. GALLAGHER WILLIAM GANZ **EDWARD GENTON** D. LUKE GLANCY ANTONIO M. GOTTO, Jr. JOSEPH C. GREENFIELD, Jr. ANDREAS R. GRUENTZIG W. PROCTOR HARVEY FREDERICK A. HEUPLER, Jr. L. DAVID HILLIS J. O'NEAL HUMPHRIES J. WILLIS HURST JEFFREY M. ISNER MARK E. JOSEPHSON NORMAN M KAPLAN JOHN A. KASTOR KENNETH M. KENT ROBERT A. KLONER JOHN H. LARAGH JOSEPH LINDSAY, Jr. DEAN T. MASON JAY W. MASON JAWAHAR MEHTA JERE H. MITCHELL JOEL MORGANROTH ROBERT J. MYERBURG NAVIN C. NANDA ROBERT A. O'ROURKE ALAN S. PEARLMAN CARL J. PEPINE JOSEPH K. PERLOFF BERTRAM PITT RICHARD L. POPP CHARLES E. RACKLEY SHAHBUDIN H. RAHIMTOOLA NATHANIEL REICHEK ROBERT ROBERTS DOUGLAS R. ROSING ALLAN M. ROSS JOHN ROSS, Jr.

PRAVIN M. SHAH
L. THOMAS SHEFFIELD
RICHARD S. SHULMAN
JOHN A. SPITTELL, Jr.
DAVID H. SPODICK
ABDUL J. TAJIK
GALEN S. WAGNER
ANDREW G. WALLACE
JAMES L. WEISS
JAMES T. WILLERSON
ROGER A. WINKLE
BARRY L. ZARET
ROBERT F. ZELIS

CARDIOVASCULAR MEDICINE

Infants and Children

LIONEL M. BARGERON
MICHAEL A. BERMAN
ROBERT M. FREEDOM
WILLIAM F. FRIEDMAN
THOMAS P. GRAHAM
FREDERICK W. JAMES
BARRY J. MARON
L.H.S. VAN MIEROP
BERNARDO NADAL-GINARD
AMNON ROSENTHAL
RICHARD D. ROWE
DAVID J. SAHN
ROBERTA G. WILLIAMS
GRACE S. WOLFF
J. R. ZUBERBUHLER

CARDIOVASCULAR SURGERY

HARVEY W. BENDER, Jr. LAWRENCE I. BONCHEK ALDO R. CASTANEDA LAWRENCE H. COHN WILLIAM A. GAY, Jr. CHARLES R. HATCHER, Jr. ROBERT B. KARP HILLEL LAKS SIDNEY LEVITSKY FLOYD D. LOOP H. NEWLAND OLDHAM, Jr. ALBERT D. PACIFICO ALBERT STARR **EDWARD B. STINSON** ROBERT B. WALLACE ANDREW S. WECHSLER

RELATED SPECIALISTS

L. MAXIMILIAN BUJA LARRY P. ELLIOTT KENNETH E. FELLOWS VICTOR J. FERRANS MICHAEL C. FISHBEIN CHARLES B. HIGGINS BRIAN F. HOFFMAN DAVID C. LEVIN H. WILLIAM STRAUSS RICHARD VAN PRAAGH

CORONARY HEART DISEASE

- Improved Exercise Tolerance After Propranolol, Dilitazem or Nifedipine in Angina Pectoris: Comparison at 1, 3 and 8 Hours and Correlation with Plasma Drug Concentration. Bernard R. Chaitman, Fierre Wagniart, Andre Pasternac, Genevieve Brevers, Jean-Marie Scholl, Jules Lam, Margot Methe, Ronald J. Ferguson, and Martial G. Bourassa.
- 10 Riek of Side Branch Occlusion During Coronary Angioplasty. Bernhard Meier, Andreas R. Gruentzig, Spencer B. King III, John S. Douglas, Jr., Jay Hollman, Thomas Ischinger, Fred Aueron, and Kathy Galan
- 15 Oral Sustained-Release Nitroglycerin in Chronic Stable Angina: A Multicenter, Double-Blind, Randomized Crossover Trial. Guy M. Berkenboom, John C. Sobolski, and Serge G. Degre
- 18 Prognostic Indicators from Radionuclide Anglography In Medically Treated Patients with Coronary Artery Disease. David B. Pryor, Frank E. Harrell, Jr., Kerry L. Lee, Robert A. Rosati, R. Edward Coleman, Frederick R. Cobb, Robert M. Califf, and Robert H. Jiones
- 23 Characteristics and Outcome of Medical Nonadherers in the Veterans Administration Cooperative Study of Coronary Artery Surgery, Prepared by Alfrod F. Parisi, Peter Peduzzi, Katherine Detre, Gerald Shugoll, Herbert N. Hultgren, and Timothy Takaro
- 29 Evaluation of Bepridil, a New Antianginal Agent: Clinical and Hemodynamic Alterations During the Treatment of Stable Angina Pectoris. Kenneth A Narahara, William Shapiro, Irving Weliky, and Janet Park
- 35 Bepridil for Chronic Stable Angina Pectoris: Results of a Prospective Multicenter, Pfacebo-Controlled, Dose-Ranging Study in 77 Patients. Robert DiBianco, Joseph Alpert, Richard J. Katz, James Spann, Elliott Chesler, Donald P. Ferri, Louis J. Larca, Rebecca Bortz Costello, Joel M. Gore, and Myron J. Eisenman, With the statistical assistance of James L. Cockrell and John F. Pauls
- 42 Comparative Value of 2-Dimensional Echocardiography and Radionuclide Angiography for Quantitating Changes in Left Ventricular Performance During Exercise Limited by Angina Pectoris. Michael H. Crawford, Michael A. Petru, K. Wray Amon, Sherman G. Sorensen, and William S. Vance
- 47 Prediction of Late Mortality After Myocardial Infarction from Variables Measured at Different Times During Hospitalization. Eriing Birk Madsen, Elizabeth Gilpin, Staffan Ahnve, Hartmut Henning, Martin LeWinter, William Ceretto, William Joswig, Daniel Collins, William Pitt, and John Ross, Jr.
- 55 Angiographic Evidence That Reciprocal ST-Segment Depression During Acute Myocardial Infarction Does Not Indicate Remote Ischemia: Analysis of 23 Patients. David W. Ferguson, Natesa Pandian, J. Michael Kioschos, Melvin L. Marcus, and Carl W. White

ARRHYTHMIAS AND CONDUCTION DISTURBANCES

- 63 Transesophageal Atrial Pacing Threshold: Role of Interelectrode Spacing, Pulse Width and Catheter Insertion Depth. D. Woodrow Benson, Jr., Martha Sanford, Ann Dunnigan, and David G. Benditt
- 68 Out-of-Hospital Management of Cardiac Arrest by Basic Emergency Medical Technicians. B. Hadley Wilson, Harry W. Severance, Jr., Mary P. Raney, Joyce C. Pressley, Ray A. McKinnis, Michael C. Hindman, Michael Smith, and Galen S. Wagner

- 71 Patterns of Human Atrioventricular Nodal Accommodation to a Sudden Acceleration of Atrial Rate. Michael H. Lehmann, Stephen Denker, Rehan Mahmud, and Masood Akhtar
- 77 A Controlled Trial of Propafenone for Treatment of Frequent and Repetitive Ventricular Premature Complexes. David M. Salerno, Gregory Granrud, Patricia Sharkey, Richard Asinger, and Morrison Hodges
- 84 Efficacy of Mexiletine in Chronic Ventricular Arrhythmias Compared with Quinidine: A Single-Blind, Randomized Trial. Jang B. Singh, Amjad M. Rasul, Arvind Shah, Elleen Adams, Athan Flessas, and Stanley L. Kocot
- 88 Effects of Intravenous and Oral Disopyramide on Paroxysmal Atrioventricular Nodal Tachycardia. Pedro Brugada and Hein J. J. Wellens
- 93 Effects of Amiodarone on Supraventricular Tachycardia involving Bypass Tracts. Paolo Alboni, Narasimhan Shantha, Roberto Pirani, Franco Baggioni, Salvatore Scarfo', Anna Maria Tomasi, and Antonio Masoni
- 99 Alteration of Left Ventricular Performance by Left Bundle Branch Block Simulated with Atrioventricular Sequential Pacing. Joseph Askenazi, Jay H. Alexander, David I. Koenigsberg, Nenad Belic, and Michael Lesch

SYSTEMIC HYPERTENSION

- 105 Enalapril Improves Systemic and Renal Hemodynamics and Allows Regression of Left Ventricular Mass in Essential Hypertension. Francis G. Dunn, Wille Oigman, Hector O. Ventura, Franz H. Messerli, Isaac Kobrin, and Edward D. Frohlich
- 109 Enhancement of Renal Venous Renin Ratios by Intravenous Hydralazine in Renovascular Hypertension. Gurdarshan S. Thind, Pedro M. Montojo, Abbie Johnson, and Elizabeth Amin
- 116 Antihypertensive Efficacy of Once Daily MK-521, A New Nonsulfhydryl Angiotensin-Converting Enzyme Inhibitor. Heschi H. Rotmensch, Peter H. Vlasses, Brian N. Swanson, John D. Irvin, Katherine E. Harris, Deborah G. Merrill, and Roger K. Ferguson
- 120 Abnormal Left Ventricular Filling: An Early Finding in Mild to Mcderate Systemic Hypertension. Isao Inouye, Barry Massie, Debra Loge, Nina Topic, Daniel Silverstein, Paul Simpson, and Initia Tubau.

CONGESTIVE HEART FAILURE

127 Relation Between Hemodynamic and Ventilatory Responses in Determining Exercise Capacity in Severe Congestive Heart Failure. Joseph A. Franciosa, Cheryl L. Leddy, Mary Wilen, and David E. Schwartz

VALVULAR HEART DISEASE

- 135 Programmed Ventricular Stimulation in Mitral Valve Prolapse: Analysis of 36 Patients. Fred Morady, Edward Shen, Anil Bhandari, Alan Schwartz, and Melvin M. Scheinman
- 139 Frequency and Significance of M-Mode Echocardiographic Evidence of Mitral Valve Prolapse in Clinically Isolated Pure Mitral Regurgitation: Analysis of 65 Patients Having Mitral Valve Replacement. Bruce F. Waller, Barry J. Maron, Albert A. Del Negro, John S. Gottdiener, and William C. Roberts

- 148 Lack of Association Between Dermal Arches and Mitral Valve Prolapse: Relation to Anxiety. Randi Kramer-Fox, Richard B. Devereux, W. Ted Brown, Neil Hartman, and Robert C. Eiston
- 153 Role of Chordae Tendineae in Mitral Valve Opening: Two-Dimensional Echocardiographic Evidence. Thomas G. Steffens and Arthur D. Hagan
- 157 Relation of Level of Total Serum Cholesterol to Amount of Calcific Deposits in Operatively Excised Stenotic Mitral Valves: Analysis of 155 Cases. Paul J. Day and William C. Roberts
- 160 Mechanism for Development of Functional Tricuspid Regurgitation Determined by Pulsed Doppler and Two-Dimensional Echocardiography. Taisei Mikami, Toshihiko Kudo, Nobuko Sakurai, Sanya Sakamoto, Yoshinori Tanabe, and Hisakazu Yasuda
- 164 Diagnosis of Tricuspid Stenosis by M-Mode and Two-Dimensional Echocardiography. Rihei Shimada, Akira Takeshita, Motoomi Nakamura. Kouichi Tokunaga, and Tsuneo Hirata
- 169 Cardiac Conduction Defects in Patients Older than 60 Years with Aortic Stenosis With and Without Milral Anular Calcium. Chandra i. Nair, Wilbert S. Aronow, Kevin Stokke, Syed M. Mohiuddin, Wade Thomson, and Michael H. Sketch
- 173 Amounts of Coronary Arterial Narrowing by Atheroscierotic Plaques in Clinically Isolated, Chronic, Pure Aortic Regurgitation: Analysis of 37 Necropsy Patients Older than 30 Years. Paul J. Day, Bruce M. McManus, and William C. Roberts
- 178 Isolated Mitral Valve Replacement with the Hancock Porcine Bioprosthesis in Rheumatic Heart Disease: Analysis of 213 Operative Survivors Followed Up 4.5 to 8.5 Years. Ignacio Gallo, Blanca Ruiz, and Carlos G. Durán
- 182 Influence of Length of Aortic Occlusion with Cold Potassium Cardioplegia on Early and Late Mortality in Cardiac Valve Replacement. Syed T. Raza, Thomas Z. Lajos, Joginder Bhayana, Arthur B. Lee, Jr., A. Norman Lewin, Betsy Gehring, Norma Puzio, and George Schimert

CARDIOMYOPATHY

187 Echocardiographic Analysis of Ventricular Septal Dynamics in Hypertrophic Cardiomyopathy and Other Diseases. Elisabetta Ciró, Stefania Maione, Anna Giunta, and Barry J. Maron

CONGENITAL HEART DISEASE

- 194 Percutaneous Balloon Aortic Valvuloplasty: Results in 23 Patients, Zuhdi Lababidi, Jiunn-Ren Wu, and Joseph T. Walls
- 198 Transient Atrioventricular Block After Open-Heart Surgery for Congenital Heart Disease. Rick A. Nishimura, Mark J. Callahan, David R. Holmes, Jr., Bernard J. Gersh, David J. Driscoll, Jane M. Trusty, Gordon K. Danielson, and Dwight C. McGoon
- 202 Postoperative Assessment of Porcine-Valved Right Ventricular-Pulmonary Artery Conduits. Klara A. Vergesslich, Welton M. Gersony, Carl N. Steeg, Allan J. Hordof, Frederick O. Bowman, Jr., James R. Malm, and Ehud Krongrad
- 206 Two-Dimensional Contrast Echocardiography with Carbon Dioxide in the Detection of Congenital Cardiac Shunts. Simón Muñoz, Carmen Berti, Cecilia Pulido, and Pablo Blanco
- 211 Measurement of Left Ventricular Ejection Fraction in Pediatric Patients Using the Nuclear Stethoscope. Robert L. Spicer, Mark Rabinovitch, Amnon Rosenthal, and Bertram Pitt

215 Assessment of Electrocardiographic Criteria for Left Atrial Enlargement in Childhood. Jeffrey Mack and Ehud Krongrad

MISCELLANEOUS TOPICS

218 Two-Dimensional Echocardiographic Determination of Aortic and Pulmonary Artery Sizes from Infancy to Adulthood in Normal Subjects. A. Rebecca Snider, Marlene A. Enderlein, David F. Teitel, and Richard P. Juster

THERAPY

225 Possible Interactions of Indomethacin and Nitrates in Angina Pectoris. Maurice McGregor and Gordon L. Crelinsten

METHODS

- 228 Comparative Effects of Ionic and Nonionic Contrast Materials on Indexes of Isovolumic Contraction and Relaxation in Humans. G. B. John Mancini, J. Edwin Atwood, Valmik Bhargava, Robert A. Slutsky, Maleah Grover, and Charles B. Higgins
- 234 Determination of Cardiac Output by Transcutaneous Continuous-Wave Ultrasonic Doppler Computer. P. Anthony Chandraratna, Michele Nanna, Charles McKay, Ananda Nirnalasuriya, Robert Swinney, Uri Elkayam, and Shahbudin H. Rahimtoola
- 238 Left Ventricular Dysfunction Discriminated Noninvasively Beat by Beat. Aaron G. Dinaburg and Barry R. Zuckerman

CARDIOVASCULAR PHARMACOLOGY

243 Myocardial Depression by Anesthetic Agents (Halothane, Enflurane and Nitrous Oxide): Quantitation Based on End-Systolic Pressure-Dimension Relations. Peter Van Trigt, Charles C. Christian, Lennart Fagraeus, Thomas L. Spray, Robert B. Peyton, Gary L. Pellom, and Andrew S. Wechster

EDITORIALS

- 248 Clinical Importance of Metabolites of Antiarrhythmic Drugs. Robert E. Kates, Raymond L. Woosley, and Donald C. Harrison
- 252 Practical Diagnosis of Coronary Artery Disease: A Bayes' Theorem Nomogram to Correlate Clinical Data with Noninvasive Exercise Tests. Randolph E. Patterson, Calvin Eng, and Steven F. Horowitz
- 257 Doppler Echocardiography Measurement of Cardiac Output: Comparison with a Non-Golden Standard. Allan H. Schuster and Navin C. Nanda

POINT OF VIEW

- 260 The Case for Exercise. George A. Sheehan
- 261 FROM THE EDITOR
- 263 LETTERS

CME test on page 267

INSTRUCTIONS TO AUTHORS on page 268
INDEX TO ADVERTISERS on page A141

EXPERIMENTAL STUDIES

- 269 Hemodynamic Effects of Continuous Abdominal Binding During Cardiac Arrest and Resuscitation. James T. Niemann, John P. Rosborough, Steven Ung, and J. Michael Criley
- 275 Effects of Timolol and Propranolol on Inducible Sustained Ventricular Techyarrhythmias in Dogs with Subacute Myocardial Infarction. Ell S. Gang, J. Thomas Bigger, Jr., and Elizabeth W. Uhl
- 282 Use of Computerized Tomography to Assess Myocardial Infarct Size and Ventricular Function in Dogs During Acute Coronary Occlusion and Reperfusion. G. B. John Mancini, Wallace W. Peck, Robert A. Slutsky, John Ross, Jr., and Charles B. Higgins
- 290 Acute and Chronic Complications of Laser Angioplasty: Vascular Wall Damage and Formation of Aneurysms in the Atherosclerotic Rabbit. Garrett Lee, Richard M. Ikeda, Jerold H. Theis, Ming C. Chan, Daniel Stobbe, Claire Ogata, Arnold Kumagai, and Dean T. Mason
- 294 Relation Between Radionuclide Angiographic Regional Ejection Fraction and Left Ventricular Regional Ischemia in Awake Dogs. Ricky M. Schneider, Kenneth B. Roberts, Kenneth G. Morris, James A. Stanfield, and Frederick R. Cobb
- 303 Effects of Nifedipine on Triggered Activity in 1-Day-Old Myocardial Infarction Dogs. William B. Gough, Robert H. Zeiler, and Nabil Fl-Sharif
- 307 Mechanism of Phase 1a and 1b Early Ventricular Arrhythmias During Acute Myocardial Ischemia in the Dog. Douglas C. Russell, Jan S. Lawrie, Rudolph A. Riemersma, and Michael F. Ofiver
- 313 Mechanism of Caffeine-Induced Arrhythmias in Canine Cardiac Purkinje Fibers. Philip Paspa and Mario Vassalle
- 320 Histologic and Ultrastructural Studies on the Myocardium in Spontaneously Diabetic KK Mice: A New Animal Model of Cardiomyopathy. Kazuto Saito, Seiji Nishi, Tomoyoshi Kashima, and Hiromitsu Tanaka
- 324 Effect of Constructal Constriction on Aortic-Mitral Valve Continuity in the Stage 18, 21 and 24 Chick Embryo. Edward B. Clark, Norman Hu, and Glenn C. Rosenquist

THE AJC 25 YEARS AGO

329 The AJC in January 1959. William C. Roberts

BRIEF REPORTS

- 329 Flecalnide Toxicity. Carl Spivack, Sheryl Gottlieb, Dennis S. Miura, and John C. Somberg
- 330 Prevalence and Significance of False Tendons in the Left Ventricle as Determined by Echocardiography. Zvi Vered, Richard S. Meltzer, Patricia Benjamin, Michael Motro, and Henry N. Neufeld
- 332 Mild Ebstein's Anomaly Associated with Supraventricular Tachycardia and Sudden Death: Clinicomorphologic Features in 3 Patients. Lino Rossi and Gaetano Theirie
- 334 Accelerated Systemic Hypertension After Cardiac Transplantation—Possible Vascular Alpha-Receptor Hypersensitivity. S. George Carruthers, Edward G. Webster, William J. Kostuk, and F. Neil McKenzie
- 335 Entrainment of Ventricular Tachycardia. Kelley P. Anderson, Charles D. Swerdiow, and Jay W. Mason
- 340 Arterial Complications of Attempted Swan-Ganz Insertion. Gary M. Silver, Sharon A. Bogerty, Roger M. Hayashi, Newell E. Wood, Francis L. Stutzman, and Steven G. Nunley

- 341 Percutaneous Transluminal Coronary Angioplasty for Stenosis of the Ostium of the Right Coronary Artery After Irradiation for Hodgkin's Disease. Fred K. Nekhajavan, Shahriar Yazdanfar, and Andrew Friedman
- 342 Congenital Diverticula of the Left and Right Ventricles: 3 Cases. Pascal Nicod, W. Pennock Laird, Brian G. Firth, Laurent Nicod, and David Fixler
- 344 Coronary Artery Aneurysm Complicating Bypass Tract Surgery for the Wolff-Parkinson-White Syndrome. John W. Shuck, Ira S. Cohen, David J. Cohen, and Frederick C. Lough
- 345 Paradoxical Angina After Nifedipine: Angiographic Documentation. Peter Schanzenbächer, Peter Deeg, Gerhart Liebau, and Kurt Kochsiek
- 347 Pulmonary Artery Compression by a Bronchogenic Cyst Simulating Congenital Pulmonary Artery Stenosis. William J. Watts, Harold H. Rotman, and Gregg A. Patten
- 348 Coexistence of Ductal and Systemic Pulmonary Arterial Supply In Pulmonary Atresia with Ventricular Septal Defect. Carla Frescura, Enrico Talenti, Piero A. Pellegrino, Alessandro Mazzucco, Giuseppe Faggian, and Gaetano Thiene
- 350 Balloon Coarctation Angioplasty In an Adult. Zuhdi Lababidi, Niall Madigan, Jiunn-Ren Wu, and Thomas J. Murphy
- 351 Intercoronary Continuity: An Anatomic Basis for Bidirectional Coronary Blood Flow Distinct from Coronary Collaterals. Roberta Fortin Donaldson and Jeffrey M. Isner
- 352 Catheter-Induced Nonproximal Coronary Artery Spasm. Robert E. Schatz and Samuel Butman
- 354 Diffuse or Segmental Narrowing (Spasm) of the Coronary Arteries During Smoking Demonstrated on Angiography. Joseph Maouad, Francisco Fernandez, Andre Barrillon, Alain Gerbaux, and Jean Gay
- 356 Successful Recanalization of a Left Main Coronary Artery Occlusion. Rainer von Essen, Heinz Lambertz, Wolfgang Schmidt, Jörg Rustige, Rainer Uebis, and Sven Effert
- 357 Ebstein's Anomaly and Pregnancy. L. Anthony Waickman, David J. Skorton, Michael W. Varner, Dorothy A. Ehmke, and Clifford P. Goolerud
- 358 Extracardiac Accumulation of Thallium-201 in Pulmonary Carcinoma. Bruno E. Basara, Robert J. Wallner, A-Hamid Hakki, and Abdulmassih S. Iskandrian
- 359 Discrepancy Between the QRS Scoring System and Left Ventricular Ejection Fraction After Surgical or Medical Revascularization During Acute Myocardial Infarction. Pasquale F. Nestico, Nicholas L. DePace, Joel Morganroth, Demetrios Kimbiris, Ami Iskandrian, Harold Kay, and Charles Bomis
- 361 Significance of an Apparent Short Return Cycle in the Mechanism of Supraventricular Tachycardia. Peter A. Barrett, Leo Schamroth, and Brian J. Keily
- 363 Coronary Artery Spasm Superimposed on Coronary Artery Dissection. Francisco A. Tortoledo, Nadirn M. Zacca, and Robert A. Chahine
- 365 Utilization of an Accessory Pathway as the Anterograde Limb During the Permanent Form of Junctional Reciprocating Tachycardia. Thomas Guarnieri, Will C. Sealy, Lawrence D. German, and John J. Gallagher
- 368 Double His Deflections Caused by Intra-Hisian Conduction Disturbance with Longitudinal Dissociation. Takakazu Katoh, Masao Nishimura, Yasuhiro Tsuji, and Yoshio Watanabe
- 370 Bacterial Associated Porcine Heterograft Heart Valve Calcification. James P. Knight, Jacqueline A. Torell, and Robin E. Hunter

- 372 Isolated Right Ventricular Tamponade After Pericarditis from Acute Myocardial Infarction. Joel M. Gore, Charles I. Haffajee, John C. Love, and James E. Dalen
- 373 Pseudomalfunction of Pacemaker due to a Defective Electrocardiograph. Nayab Ali and Satish Bhatia
- 374 Echocardiographic Detection of Free-Floating Left Atrial Thrombus, Steven W. Tabak and Gerald Maurer
- 375 Intermittent Ambulatory Dobutamine Infusions for Patients Awalting Cardiac Transplantation. John McB. Hodgson, Michael Aja, and Richard P. Sorkin
- 376 Accelerated Constrictive Pericarditis in Procainamide-Induced Systemic Lupus Erythematosus. Clifford A. Browning, Richard L. Bishop, R. Jeffrey Heilpern, Jang B. Singh, and David H. Spodick
- 377 Obstructive Hypertrophic Cardiomyopathy Associated with Minimal Left Ventricular Hypertrophy. Barry J. Maron, Stephen E. Epstein, Robert O. Bonow, Martin K. Wyngsarden, and Yvonne E. Wesley
- 379 Two-Dimensional Echocardiographic Diagnosis of Separate Myxomas of Both the Left Atrium and Left Ventricle. Richard Abramowitz, Joseph F. Majdan, Louis F. Plzak, and Bruce C. Berger
- 380 Negative Myocardial Technetium-99m Pyrophosphate Scintigraphy in Amyloid Heart Disease Associated with Type AA Systemic Amyloidosis. Hannu Leinonen, Karl-Johan Tötterman, Tapen! Korppi-Tommola, and Ossi Korhola
- 381 Infected Cardiac Myxoma. Thomas J. Quinn, Michele A. Codini, and Alan A. Harris
- 383 Intravenous Digital Subtraction Angiography to Assess Aneurysms of the Ventricular and Atrial Septum Pre- and Postoperatively. John Yiannikas, Douglas S. Moodie, Richard Sterba, and Carl C. Gill

- 385 Infective Endocarditis Involving a Presumably Normal Pulmonic Valve. Nicholas L. DePace, Abdulmassih S. Iskandrian, Joel Morganorth, John Ross, Steven Mattleman, and Pasquale F. Nestico
- 387 Two-Dimensional Echocardiographic Evaluation of Tricuspid Hypoplasia in Pulmonary Atresia. Jose L. Andrade, Walter Serino, Marc de Leval, and Jane Somerville
- 388 Octium Secundum Atrial Septal Defect-Survival for 87 and 94
 Years, Joseph K. Perloff
- 390 Repolarization Alternans Associated with Alcoholism and Hypomagnesemia. C. V. R. Reddy, Joshua P. Kiok, Rahman G. Khan, and Nabil El-Sherif
- 391 Ultrasonic Recognition of Aortic Valve Atresia in Utero. Norman H. Silverman, Marlene A. Enderlein, and Mitchell S. Golbus
- 392 Recognition of Coronary Arterial Fistula by Doppter 2-Dimensional Echocardiography. Chin C. Chen, Betau Hwang, Ming C. Hslung, Benjamin N. Chiang, Laura C. Meng, Dan J. Wang, and Shih P. Wang
- 395 A New Nonsurgical Technique for Untying Tight Knots in Flow-Directed Balloon Catheters. Jean G. Durnesnil and Guy Proulx
- 396 Two-Dimensional and Pulsed Doppler Echocardiographic Diagnosis of an Acquired Left Ventricular-Right Atrial Communication. Steven W. Cross, Kirban B. Sagar, and Walter J. H. Paulson
- 398 FROM THE EDITOR

INSTRUCTIONS TO AUTHORS on page 302

CONTENTS: VOLUME 53 • NUMBER 3

JANUARY 27, 1984

SYMPOSIUM ON FIRST-LINE THERAPY FOR HYPERTENSION: CHANGING DIRECTIONS

Norman M. Kaplan, MD, Guest Editor

- 1A Introduction. Norman Kaplan
- 2A Therapy of Mild Hypertension: An Overview. Norman Kaplan
- 9A Diuretic Therapy for Mild Hypertension: The "Real" Cost of Treatment, David A. McCarron
- 13A Beta-Adrenergic Receptor Blocking Drugs in Hypertension. Special Reference to Their Use as Initial Therapy. Priscilla Kincaid-Smith
- 17A Results From the Multiple Risk Factor Intervention Trial and the Medical Research Council Trial: Implications for Hypertension Therapy, Norman L. Lasser
- 27A Selective Alpha₁-Adrenergic Antagonists: Therapeutically Relevant Antihypertensive Agents. Robert M. Graham
- 32A Effects of Prazosin on Serum Lipids in Patients with Essential Hypertension: A Review of the Findings Presented at the Satellite Symposium on Coronary Heart Disease: Hypertension and Other Risk Factors, Milan, 1983. Jerome Lowenstein

- 35A Monotherapy in Mild to Moderate Hypertension: Comparison of Hydrochlorothiazide, Propranolol, and Prazosin. Isao Inouye, Barry Massie, Neal Benowitz, Paul Simpson, Debra Loge, and Nina Topic
- 40A Prazosin as Initial Antihypertensive Therapy: Correlates of Sympathetic Function. Gordon Guthrie, Jr., Sue H. Koenig, and Theodore A. Kotchen
- 43A Cardiovascular Consequences of Primary Antihypertensive Therapy with Prazosin Hydrochloride. Stephen C. Scharf, Hyo-Bok Lee, John P. Wexler, and M. Donald Blautox
- 48A A Comparison of Prazoein Versus Nadolol in Combination with a Diuretic. Ronald Okun and Jeffrey Kraut
- 52A Effects of Prazosin and Propranolol on Blood Pressure and Plasma Lipids in Patients Undergoing Chronic Hemodialysis. Victor N. Meltzer, Andrew P. Goldberg, Carol A. Tindira, Anna D. Naumovich, and Herschel R. Harter
- 58A Treatment of Hypertension in Diabetic Men: Problems with Sexual Dysfunction. Loren G. Lipson
- 65A Comparison of Blood Pressure, Plasma Lipid and Cardiac Performance Responses to Prazosin Versus Propranoiol in Thiazide-Treated Hypertensive Patients. Robert Misson, Terry Merkel, and Ralph E. Cutler
- 69A Prazosin Versus Propranolol Plus Prazosin: A Comparison in Diuretic-Treated Hypertensive Patients. Mahendr S. Kochar, John H. Kalbfleisch, Samuel S. Blumenthal, and William J. Maierholer

CORONARY HEART DISEASE

- 399 Increased Frequency of Coronary Heart Disease in Relatives of Wives of Myocardial Infarct Survivors: Assortative Mating for Lifestyle and Risk Factors? Leo P. ten Kate, Helge Boman, Stephen P. Daiger, and Arno G. Motulsky
- 404 A Randomized, Angiographically Controlled Trial of Intracoronary Streptokinase in Acute Myocardial Infarction. Roy H. Leiboff, Richard J. Katz, Alan G. Wasserman, George B. Bren, Harry Schwartz, P. Jacob Varghese, and Allan M. Ross
- 408 Prognosis After Recovery from First Acute Myocardial Infarction: Determinants of Reinfarction and Sudden Death. Robin M. Norris, Peter F. Barnaby, Peter W. T. Brandt, Grayson G. Geary, Ralph M. L. Whitlock, Christopher J. Wild, and Brian G. Barratt-Roses
- 414 Early Right Atrial Pacing After Myocardial Infarction. I. Comparison with Early Treadmill Testing. Dan Tzivoni, Shmuel Gottlieb, Andre Keren, Jesaia Benhorin, Adrian Chenzbraun, Ron Waksman, and Shlomo Stern
- 418 Early Right Atrial Pacing After Myocardial Infarction. II. Results in 77 Patients with Predischarge Angina Pectoris, Congestive Heart Fallure, or Age Older Than 70 Years. Dan Tzivoni, Shmuel Gottlieb, Andre Keren, Jesaia Benhorin, Adrian Chenzbraun, Jacob Klein, and Shlomo Stern
- 421 Comparison of Left Ventricular Function and Infarct Size in Patients With and Without Persistently Positive Technetium-99m Pyrophosphate Myocardial Scintigrams After Myocardial Infarction: Analysis of 357 Patients. Charles H. Croft, Robert E. Rude, Samuel E. Lewis, Robert W. Parkey, W. Kenneth Poole, Corette Parker, Norma Fox, Robert Roberts, H. William Strauss, Lewis J. Thomas, Daniel S. Raabe, Jr., Burton E. Sobel, Herman K. Gold, Peter H. Stone, Eugene Braunwald, James T. Willerson, and the Mill. S Study Group
- 429 Prognestic Value of Predischarge 2-Dimensional Echocardiogram After Acute Myocardial Infarction, Rick A. Nishimura, Guy S. Reeder, Fletcher A. Miller, Jr., Duane M. listrup, Clarence Shub, James B. Seward, and Abdul J. Tajik
- 433 Peri-infarction Zone at Risk During the First 5 Days After an Acute Transmural Myocardial Infarction: Electrocardiographic Evidence. Jaime Figueras, Juan Cinca, Laura Santana, and Jorge Blue
- Antianginal Effects of Corwin, a New Beta-Adrenoceptor Partial Agonist. Jean-Marie R. Detry, Patrick M. Decoster, Jean-Jacques Buy, Michel F. Rousseau, and Lucien A. Brasseur
- 444 Five-Year Effect of Medical and Surgical Therapy on Resting Left Ventricular Function in Stable Angina: Veterans Administration Cooperative Study. Katherine M. Detre, Peter Peduzzi, Karl E. Hammermeister, Marvin L. Murphy, Herbert N. Hultgren, Timothy Takaro, and the participants of the Veterans Administration Cooperative Study for Surgery for Coronary Arterial Occlusive Disease
- 451 Hemodynamic Effects of Nifedipine During Upright Exercise in Stable Angina Pectoris and Either Normal or Severely Impaired Left Ventricular Function. Gregory I. C. Nelson, Bernard Silke, Ramesh C. Ahuja, Satya P. Verma, Musharraf Hussain, and Stanley H. Taylor
- 456 Effects of Atrial Pacing on Global and Regional Left Ventricular Function in Coronary Heart Disease Assessed by Digital Intravenous Ventriculography. G. B. John Mancini, Kirk L. Peterson, Gabriel Gregoratos, and Charles B. Higgins, With the technical assistance of Ellen Einsidier

- 462 Prevalence of High-Risk Thallium-201 Scintigraphic Findings in Left Main Coronary Artery Stenosis: Comparison with Patients with Multiple- and Single-Vessel Coronary Artery Disease. Thomas W. Nygaard, Robert S. Gibson, James M. Ryan, Joseph A. Gascho, Denny D. Watson, and George A. Beller
- 470 Significance of increased Lung Thallium-201 Activity on Serial Cardiac Images After Dipyridamole Treatment in Coronary Heart Disease. Robert D. Okada, Yu-Hua Dai, Charles A. Boucher, and Gerald M. Pohost
- 476 Effect of Tyramine on Myocardial Catecholamine Release in Coronary Heart Disease. Mervyn B. Forman, David Robertson, Michael Goldberg, Donna Bostick, Howard Uderman, James M. Perry, and Rose Marie Robertson
- 481 Association of Acute Respiratory Symptoms with Onset of Acute Myocardial Infarction: Prospective Investigation of 150 Consecutive Patients and Matched Control Patients. David H. Spodick, Athan P. Flessas, and Mary M. Johnson
- 483 Location of Myocardial Necrosis as an Independent Determinant of Left Ventricular Performance: Analysis of 96 Patients. Robert Fox, A-Hemid Hakki, Abdulmassih S. Iskandrian, and Sally Kane
- 487 Cardiorespiratory Effects of Isosorbide Dinitrate and Nifedipine in Combination with Nadolol: A Double-Blind Comparative Study of Beneficial and Adverse Antianginal Drug Interactions. Venkat G. Tirlapur and M. Afzal Mir
- 493 Comparison of the Multivariate Analysis and CADENZA Systems for Determination of the Probability of Coronary Artery Disease. Paul S. Greenberg, Myrvin H. Ellestad, and Robert C. Clover
- 497 Left Ventricular Volumes and Function During Atrial Pacing in Coronary Artery Disease: A Radionuclide Anglographic Study. Yoseph Rozenman, Avraham T. Weiss, Henry Atlan, and Mervyn S. Gotsman

ARRHYTHMIAS AND CONDUCTION DISTURBANCES

- 503 Pacing Threshold Changes After Transvenous Catheter Countershock. Raymond Yee, Douglas L. Jones, and George J. Klein
- Facilitation of Ventricular Tachycardia Induction with Abrupt Changes in Ventricular Cycle Length. Stephen Denker, Michael Lehmann, Rehan Mahmud, Carol Gilbert, and Masood Akhtar
- 516 Clinical Efficacy and Electrophysiology of Imipramine for Ventricular Tachycardia. Stuart J. Connolly, L. Brent Mitchell, Charles D. Swerdlow, Jay W. Mason, and Roger A. Winkle
- 522 Pirmenol for Control of Ventricular Arrhythmias: Oral Dose-Ranging and Short-Term Maintenance Study. Jeffrey L. Anderson, Joan R. Lutz, and Jean M. Nappi
- 528 Magnesium Therapy for Torsades de Pointes. Dan Tzivoni, Andre Keren, Amos M. Cohen, Hanan Loebel, Izhar Zahavi, Adrian Chenzbraun, and Shlomo Stern
- 531 Management of Recurrent Ventricular Tachycardia: Economic Impact of Therapeutic Alternatives. Diane Ferguson, Sanjeev Saksena, Estelle Greenberg, and William Craelius
- 537 Noninvasive Evaluation of Pacemaker Circus Movement Tachycardias. Karel den Dulk, Fred W. Lindemans, and Hein J. J. Wellens
- 544 Pharmacodynamics of the initiation of Antiarrhythmic Therapy with Lorcainide. Roger A. Winkle, Deborah L. Keefe, Inez Rodriguez, and Robert E. Kates

VALVULAR HEART DISEASE

- 552 Adult Human Valve Dimensions and Their Surgical Significance. Steve Westaby, Robert B. Karp, Eugene H. Blackstone, and Sanford P. Bishop
- 557 Frequency Spectra of the First Heart Sound and of the Aortic Component of the Second Heart Sound in Patients with Degenerated Porcine Bioprosthetic Valves. Paul D. Stein, Hani N. Sabbah, Jeffrey B. Lakier, Stephen R. Kemp, and Donald J. Magilligan, Jr.
- 562 Vigorous Physical Training After Aortic Valve Replacement: Analysis of 10 Patients. Fernand Landry, Colette Habel, Denis Desaulniers, Gilles R. Dagenais, André Moisan, and Léonard Côté

METHODS

- 567 Hemodynamic Correlates for Timing Intervals, Ejection Rate and Filling Rate Derived from the Radionuclide Anglographic Volume Curve. David J. Magorien, Phillip Shaffer, Charles Bush, Raymond D. Magorien, Albert J. Kolibash, Donald V. Unverferth, and Thomas M. Bashore
- 572 Fetal Doppler Echocardiography: Methods and Characterization of Normal and Abnormal Hemodynamics. Debabrata Maulik, Navin C. Nanda, and Vasant D. Saini
- 579 Evaluation of Size and Dynamics of the Inferior Vena Cava as an Index of Right-Sided Cardiac Function. Fidela LL. Moreno, Arthur D. Hagan, John R. Holmen, T. Allan Pryor, Richard D. Strickland, and C. Hilmon Castle
- Augmentation of Atrial Contribution to Left Ventricular Inflow with Aging as Assessed by Intracardiac Doppler Flowmetry. Kunio Miyatake, Mitsunori Okamoto, Naokazu Kinoshita, Mafumi Owa, Izuru Nakasone, Hiroshi Sakakibara, and Yasuharu Ni-
- 590 Effects of Heart Rate Changes on Left Ventricular Volume and Ejection Fraction: A Two-Dimensional Echocardiographic Study. Raimund Erbel, Peter Schweizer, Winfried Krebs, Hans-Jörg Langen, Jürgen Meyer, and Sven Effert

EXPERIMENTAL STUDIES

- 599 Regional Differences in Left Ventricular Response to Atrial Pacing in the Dog: Mapping of Segmental Function by Two-Dimensional Echocardiography. Shuji Kondo, Samuel Meerbaum, Chuwa Tei, Eliot Corday, Keicho Shimoura, Tatsuo Sakamaki, Jo Ann Prause, and Pravin M. Shah
- 604 Morphologic and Functional Effects of Piroxicam on Myocardial Scar Formation After Coronary Occlusion in Dogs. Haim Hammerman, Kevin J. Alker, Frederick J. Schoen, and Robert A. Kloner
- 608 Reduction of Myocardial Infarct Size by a Fluorocarbon-Oxygenated Reperfusate. Philippe Menasche, Michel Fauchet, Anne Lavergne, Pierre Commin, Christiane Masquet, Paco Lorente, Pierre Birkui, Robert P. Geyer, and Armand Piwnica
- 614 Role of the Renin-Angiotensin System in the Development of Congestive Heart Failure in the Dog as Assessed by Chronic Converting-Enzyme Blockade. Günter A. J. Riegger, Gerhart Liebau, Matthias Holzschuh, Dorothea Witkowski, Hansgeorg Steilner, and Kurt Kochsiek

619 Identification of Reproducible Ventricular Tachycardia in a Canine Model. Gust H. Bardy, William M. Smith, Ross M. Ungerleider, James L. Cox, John J. Gallagher, and Raymond E. Ideker

EDITORIALS

626 Clinical Value of Intracoronary Streptokinase, Curt D. Furberg

POINT OF VIEW

- 628 Arrhythmia Versus Dysrhythmia. Henry J. L. Marriott
- 629 Noninvasive Techniques: Sailing Under False Colors. David H. Spodick

THE AJC 25 YEARS AGO

630 The AJC in February 1959. Edward D. Freis

BRIEF REPORTS

- 631 Atrioventricular Junctional Rhythm Induced by Atrial Stimulation: A Suspected Clinical Manifestation of "Triggered" Activity. József Tenczer, László Littmann, and Miklós Rohla
- 632 Coexistent Arrhythmogenic Right Ventricular Dysplasia and Wolff-Parkinson-White Syndrome. Michael A. Frais, Dante E. Manyari, Henry J. Duff, D. George Wyse, Alan V. M. White, and L. Brent Mitchell
- 635 Uhl's Anomaly (Parchment Right Ventricle): Clinical, Echocardiographic, Radionuclear, Hemodynamic and Angiocardiographic Features in 2 Patients. John S. Child, Joseph K. Perloff, Richard Francoz, Lawrence A. Yeatman, Eberhard Henze, Heinrich R. Schelbert, and Hillel Laks
- 637 Intracoronary Thrombolysis for Acute Myocardial Infarction Late After Bypass Surgery: Value of Lead V₄R. Simon H. Braat, Karel den Dulk, and Hein J. J. Wellens
- 639 Unusual Features of Arrhythmogenic Right Ventricular Dysplasia.
 Fred Morady, Edward N. Shen, and Melvin M. Scheinman
- 640 Ebstein's Anomaly of the Tricuspid Valve in Persistent Common Atrioventricular Canal. Robert M. Roach, Rajendra Tandon, James H. Moller, and Jesse E. Edwards
- 642 Evidence of Remnant Recipient Atria Producing Mechanical Atrial Systole After Heart Transplantation. Arthur J. Labovitz, Robert D. Wiens, George A. Williams, Jesus E. Val-Mejias, Robert Redd, and Harold L. Kennedy
- 644 Obstructive Hypertrophic Cardiomyopathy with Left-Sided Cardiac Failure: Improvement After Verapamil Treatme. I. Michael Eldar, Hanoch Hod, Alexander Battler, Zeev Rotstein, Shlomo Feldman, Babeth Rabinowitz, and Henry N. Neufeld
- 645 Narrow-Based Left Ventricular Thrombus. Kenneth M. Kessler, Robert P. Cotler, Martin S. Bilsker, and Robert J. Myerburg
- 646 Atrial Level Right-to-Left Shunt Abolished by Relief of Pericardial Tamponade. Theodore D. Fraker, Jr.
- 651 Letters

CME test on page 598
FROM THE EDITOR on page 649
INSTRUCTIONS TO AUTHORS on page 650
INDEX TO ADVERTISERS on page A94

SYMPOSIUM ON FLECAINIDE ACETATE

J. Thomas Bigger, Jr., MD, Guest Editor

- 1B Electrophysiologic Basis for Arrhythmias in ischemic Heart Disease. Ralph Lazzara and Benjamin J. Scherlag
- 8B Antiarrhythmic Treatment: An Overview. J. Thomas Bigger,
- 17B Discovery and Development of Flecainide. John M. Hudak, Elden H. Banitt, and Jack R. Schmid
- 21B Discussion I
- 22B Antiarrhythmic and Electrophysiologic Actions of Flecalnide in Animal Models. Donald C. Kvam, Elden H. Banitt, and Jack R. Schmid
- 26B Electrophysiologic Properties of Flecalnide Acetate. N. A. Mark Estes III. Hasan Garan, and Jeremy N. Ruskin
- 30B Electrophysiologic Effects of Flecainide Acetate on Sinus Node Function, Anomalous Atrioventricular Connections, and Pacemaker Thresholds. Kevin J. Hellestrand, Anthony W. Nathan, Rodney S. Bexton, and A. John Camm
- 39B Discussion II
- 41B Metabolism of Flecainide. Gordon J. Conard and Robert E. Ober
- 52B Interaction of Flecainide with Digoxin and Propranolol. George P. Lewis and Jordan L. Holtzman
- 588 Discussion III
- 59B Flecainide Dose-Response Relations in Stable Ventricular Arrhythmias, Raymond L. Woosley, Lyle A. Sidoway, Henry J. Duff, and Dan M. Roden

- 66B Flecalnide Versus Quinidine: Results of a Multicenter Trial. Morrison Hodges, David M. Salerno, Gregory Granrud, and the Flecalnide-Quidine Research Group
- 72B A Double-Blind Crossover Comparison of Flecalnide Acetate and Disopyramide Phosphate in the Treatment of Ventricular Premature Complexes. John Kjekshus, Jørn Bathen, Otto M. Orning and Liv Storstein
- 79B Experience with Electrophysiologically Guided Therapy of Ventricular Tachycardia with Flecainide: Summary of Long-Term Follow-Up. Jeffrey L. Anderson
- 87B Discussion IV
- 89B Fiecainide: Its Proarrhythmic Effect and Expected Changes on the Surface Electrocardiogram. Joel Morganroth and Leonard N. Horowitz
- 95B Effects of Flecainide on Ventricular Function: Clinical and Experimental Correlations. Martin A. Josephson, Nobuo Ikeda, and Bramah N. Singh
- 101B Extracardiac Adverse Effects of Fiecainide. Gary D. Gentzkow and Jo Y. Sullivan
- 106B Discussion V
- 108B Evaluation of Flecainide Acetate in the Management of Patients at High Risk of Sudden Cardiac Death. Philip R. Reid, Lawrence S. C. Griffith, Edward V. Platia, and Sarah E. Ord
- 112B A Proposal for the Clinical Use of Flecainide. Jeffrey L. Anderson, James R. Stewart, and Barry J. Crevey
- 120B Discussion VI
- 122B Conference Summary. J. Thomas Bigger, Jr.

CONTENTS: VOLUME 53 • NUMBER 6

MARCH 1, 1984

CORONARY HEART DISEASE

- 655 Coronary Thrombolysis by Intravenous Streptokinase in Acute Myocardial Infarction: Acute and Follow-Up Studies. James F. Spann, Sol Sherry, Blase A. Carabello, Barry S. Denenberg, Richard H. Mann, William D. McCann, James H. Gault, Richard D. Gentzler, Arthur D. Belber, Alan H. Maurer, and Emmett M. Cooper
- 662 Improvement in Regional and Global Left Ventricular Function after Intracoronary Thrombolysis: Assessment with 2-Dimensional Echocardiography. Yzhar Charuzi, Clain Beeder, Lorraine A. Marshall, Hiroyuki Sasaki, Nancy B. Pack, Ivor Geft, and William Ganz.
- 666 Percutaneous Angioplasty of Stenoses of Bypass Grafts or of Bypass Graft Anastomotic Sites. Peter C. Block, Michael J. Cowley, Martin Kaltenbach, Kenneth M. Kent, and John Simpson
- 669 Improved Efficacy of High-Dose Versus Medium- and Low-Dose Dilitiazem Therapy for Chronic Stable Angina Pectoris. Mateo Go, Jr. and Milton Hollenberg
- 674 Randomized, Placebo-Controlled Study of the Effect of Verapamil on Exercise Hemodynamics in Coronary Artery Disease. J. Norman Patton, Ronald E. Vlietstra, and Robert L. Frye
- 679 Effects of Bepridli on Exercise Tolerance in Chronic Stable Angina: A Double-Blind, Randomized, Placebo-Controlled, Crossover Trial. James A. Hill, John T. O'Brien, Elizabeth Scott, C. Richard Conti, and Carl J. Pepine

- 684 Randomized Double-Blind Comparison of Gallopamil and Propranolol in Stable Angina Pectoris. Nardev S. Khurmi, Martin J. O'Hara, Michael J. Bowles, V. Bala Subramanian, and Edward B. Raftery
- 689 A New Digital Electronic Caliper for Measurement of Coronary Arterial Stenosis: Comparison with Visual Estimates and Computer-Assisted Measurements. David P. Scoblionko, B. Greg Brown, Suzanne Mitten, James H. Caldwell, J. Ward Kennedy, Edward L. Bolson, and Harold T. Dodge
- 694 Functional Importance of Coronary Collateral Vessels. Harvey L. Goldberg, Jonathan Goldstein, Jeffrey S. Borer, Jeffrey W. Moses, and Michael B. Collins
- 700 Dose-Response Relation of Antianginal Activity of Isosorbide Dinitrate. Wolfgang U. Schneider, Wulf-Dirk Bussmann, Beate Stahl, and Martin Kaltenbach
- 706 Evaluation of a QRS Scoring System for Estimating Myocardial Infarct Size. Richard M. Ward, Richard D. White, Raymond E. Ideker, Nancy B. Hindman, Daniel R. Alonso, Sanford P. Bishop, Colin M. Bloor, John T. Fallon, Geoffery J. Gottlieb, Donald B. Hackel, Grover M. Hutchins, Harry R. Phillips, Keith A. Reimer, Steven F. Roark, Satyabhlashi P. Rochlani, William J. Rogers, Wayne K. Ruth, Robert M. Savage, James L. Weiss, Ronald H. Selvester, and Galen S. Wagner
- 715 Insensitivity of the Electrocardiogram in Apical Myocardial Infarction. Benjamin Rothfeld, Jerome L. Fleg, and Sheldon H. Gottlieb

- 718 Effect of Intravenous Dipyridamole on Regional Coronary Blood Flow with 1-Vessel Coronary Artery Disease: Evidence Against Coronary Steal. Eugenio Marchant, Augusto D. Pichard, Pablo Casanegra, and Joseph Lindsay
- 722 Elevated Catecholamines During Cardiac Surgery: Consequences of Reperfusion of the Postarrested Heart. J. G. Reves, Eva Buttner, Robert B. Karp, Suzanne Oparil, Huey G. McDaniel, and Llovd R. Smith

ARRHYTHMIAS AND CONDUCTION DISTURBANCES

- 731 Cardiac and Skeletal Myopathy Associated with Cardiac Dysrhythmias. Ann Dunnigan, Mary Ella Pierpont, Stephen A. Smith, Galen Breningstall, David G. Benditt, and D. Woodrow Benson, Jr.
- 738 Electropharmacology of Nonsustained Ventricular Tachycardia: Effects of Class I Antiarrhythmic Agents, Verapamil and Propranolol. Alfred E. Buxton, Harvey L. Waxman, Francis E. Marchlinski, and Mark E. Josephson
- 745 Effect of Moricizine Hydrochloride in Reducing Chronic High-Frequency Ventricular Arrhythmia: Results of a Prospective, Controlled Trial. Steven N. Singh, Robert DiBianco, John S. Gottdiener, Rick Ginsberg, and Ross D. Fletcher, With the technical assistance of Wanda L. Johnson, and statistical assistance of James C. Cockrell
- 751 Reproducibility and Treatment of Exercise-Induced Ventricular Tachycardia. Alan Woelfel, James R. Foster, Ross J. Simpson, Jr., and Leonard S. Gettes
- 757 Combined Verapamil and Propranolol for Supraventricular Tachycardia. Raymond Yee, Sajad S. Gulamhusein, and George J. Klein
- 764 Thallium-201 Scintigraphy in Complete Left Bundle Branch Block. Heinz O. Hirzel, Markus Senn, Karl Nuesch, Claus Buettner, Alfred Pfeiffer, Otto M. Hess, and Hans P. Krayenbuehl
- 770 Coronary Arteriographic Findings in Symptomatic Right Bundle Branch Block. Jacob I. Haft, Samuel J. DeMaio, Jr., and Orest Bartoszyk
- 774 Relation of Ventricular Premature Beats to Underlying Heart Disease. Eugene F. Uretz, Pablo Denes, Neal Ruggie, Emmanuel Vasilomanolakis, and Joseph V. Messer

SYSTEMIC HYPERTENSION

- 781 Comparison of Oral MK 421 and Propranoiol in Mild to Moderate Essential Hypertension and Their Effects on Arterial and Venous Vessels of the Forearm: Antihypertensive and Vascular Effects of Chronic MK 421 and Propranoiol. Alain Ch. Simon, Jairne A. Levenson, Jean D. Bouthier, Athanase Benetos, Apostolos Achimastos, Marie Fouchard, Brigitte C. Maarek, and Michel E. Safar
- 787 Comparative Efficacy and Safety of Lofexidine and Clonidine in Mild to Moderately Severe Systemic Hypertension. Larry M. Lopez and Jawahar L. Mehta
- 791 Effect of Acebutolol on Left Ventricular Hemodynamics and Anatomy in Systemic Hypertension. Bruno Trimarco, Bruno Ricciardelli, Nicola De Luca, Massimo Volpe, Annamaria Veniero, Alberto Cuocolo, and Mario Condorelli
- 797 Effects of Diuretic Therapy In Low-, Normal- and High-Renin Isolated Systolic Systemic Hypertension. Andreas P. Niarchos and John H. Laragh

THE AJC 25 YEARS AGO

803 The AJC in March 1959. Mark E. Josephson

METHODS

- 805 Exercise Subcostal 2-Dimensional Echocardiography: A New Method of Segmental Wall Motion Analysis. Leonard E. Ginzton, Richard Conant, Marianne Brizendine, Faye Lee, Ismael Mena, and Michael M. Laks.
- 812 Simultaneous Maximal Exercise Radionuclide Angiography and Thallium Stress Perfusion Imaging. Kenneth A. Narahara, Ismael Mena, Jean C. Maublant, Marianne Brizendine, and Michael Criley
- 818 QT/QS₂ Ratio as an Index of Autonomic Tone Changes. Lorenzo De Caprio, Giuseppe Ferro, Sergio Cuomo, Massimo Volpe, Domenico Artiaco, Niacola De Luca, and Bruno Ricciardelli
- 823 Sources of Variability in the Radionuclide Angiographic Assessment of Ejection Fraction: A Comparison of First-Pass and Gated Equilibrium Techniques. Sanjiy Kaul, Charles A. Boucher, Robert D. Okada, John B. Newell, H. William Strauss, and Gerald M. Pohost
- 829 Sensitivity and Specificity of Commonly Used Electrocardiographic Criteria for Left Atrial Enlargement Determined by M-Mode Echocardiography. Kirubakaran Munuswamy, Martin A. Alpert, Richard H. Martin, Richard B. Whiting, and Norman J. Mechlin
- 833 The Femoral Venous Approach to Endomyocardial Biopsy: Comparison with Internal Jugular and Transarterial Approaches. Jeffrey L. Anderson and Hiram W. Marshall, With the technical assistance of Scott B. Allison
- 838 Comparison of Echocardiographic and Necropsy Measurements of Left Ventricular Wall Thickness in Patients with Coronary Artery Disease. Ravi Prakash and Sandra A. Umali

MISCELLANEOUS TOPICS

- 542 Frequency of Arrhythmias in Acute Pericarditis Determined by Holter Monitoring, David H. Spodick
- 846 Two-Dimensional Echocardiographic Recognition of Complications of Cardiac Invasive Procedures. Sabino Iliceto, Gianfranco Antonelli, Margherita Sorino, Piero Calabrese, Giuseppina Biasco, and Paolo Rizzon
- 849 Risk Factors for Aortic Dissection: A Necropsy Study of 161 Cases. Eric Larson and William D. Edwards
- 856 Plasma MB Creatine Kinase after Vigorous Exercise in Professional Athletes. Alian S. Jaffe, Bernard T. Garfinkel, Cynthia S. Ritter, and Burton E. Sobel
- 859 Clinical Features and Course of Aortilis Syndrome in Japanese Women Older Than 40 Years. Shigenori Morooka, Yoshimi Saito, Yasunobu Nonaka, Yuichi Gyotoku, and Tsuneaki Sugimoto
- 862 Comparison of 7 English-Language Cardiology Journals for 1983, William C. Roberts

HISTORICAL STUDIES

870 From Irritable Heart to Mitral Valve Prolapse: The Osler Connection. Charles F. Wooley

EDITORIALS

875 Quantitative QRS Criteria for Diagnosing and Sizing Myocardial Infarcts. Tomoaki Hinohara, Nancy B. Hindman, Richard D. White, Raymond E. Ideker, and Galen S. Wagner

FROM THE EDITOR on page 729
INSTRUCTIONS TO AUTHORS on page 730
CME Test on page 802
INDEX TO ADVERTISERS on page A32

CONGENITAL HEART DISEASE

- 879 Effects of Age on Radionuclide Angiographic Detection and Quantitation of Left-to-Right Shunts. Page A. W. Anderson, Kevin W. Bowyer, and Robert H. Jones
- 884 Bilateral Ductus Arteriosus (or Remnant): An Analysis of 27 Patients. Robert M. Freedom, C. A. F. Moes, Andrew Pelech, Jeffrey Smallhorn, Marlene Rabinovitch, Peter M. Olley, William G. Williams, George A. Trusler, and Richard D. Rowe
- 892 Cervical Origin of the Right Subclavian Artery in Aortic Arch Interruption: Pathogenesis and Significance. Lynn M. Kutsche and Lodewyk H. S. Van Mierop
- 896 Two-Dimensional Echocardiography in Discrete Subaortic Stenoets. Michael Motro, Adam Schneeweiss, Abraham Shem-Tov, Zvi Vered, Julius Hegesh, Henry N. Neufeld, and Shemuel Rath
- 899 Right Ventricular Contractile Function in Children with Congenital Heart Disease. Steven M. Yabek, William Berman, Jr., and Terrence Dillon

CARDIOMYOPATHY

902 Significance of Ventricular Arrhythmias in Idiopathic Dilated Cardiomyopathy. Thomas Meinertz, Thomas Hofmann, Wolfgang Kasper, Norbert Treese, Heinrich Bechtold, Ulrich Stienen, Tiberius Pop, Enz-Rüdiger V. Leitner, Dietrich Andersen, and Jürgen Meyer

CARDIOVASCULAR PHARMACOLOGY

- 908 Nifedipine and the Conditioning Response. Daniel J. Duffey, Lawrence D. Horwitz, and Homer L. Brammell
- 912 Plasma and Red Blood Cell Concentrations of Amiodarone During Chronic Therapy, James J. Heger, Elizabeth B. Solow, Eric N. Prystowsky, and Douglas P. Zipes
- 918 Cardiovascular Effects of Coffee and Caffeine. Thomas L. Whitsett, Carl V. Manion, and H. Dix Christensen

EXPERIMENTAL STUDIES

- 923 Reduction of Infarct Size Induced by Pressure-Controlled Intermittent Coronary Sinus Occusion. Werner Mohl, Dietmar H. Glogar, Harald Mayr, Udo Losert, Heinz Sochor, Othmar Pachinger, Fritz Kaindl, and Ernest Wolner
- 929 In Vivo Assessment by Computer Tomography of the Natural Progression of Infarct Size, Left Ventricular Muscle Mass and Function After Acute Myocardial Infarction in the Dog. Wallace W. Peck, G. B. John Mancini, Robert A. Slutsky, Robert F. Mattrey, and Charles B. Higgins
- 936 Nitroglycerin and Nitroprusside Increase Coronary Blood Flow in Dogs by a Mechanism Independent of Prostaglandin Release. Maret J. Panzenbeck, Arsenio Baez, and Gabor Kaley
- 941 Heparin inhibits Bovine Testicular Hyaluronidase Activity in Myocardium of Dogs with Coronary Artery Occlusion. Robert A. Wolf, Dietmar Glogar, Lee-Yuh Chaung, Patricia E. Garrett, George Ertl, John Turnas, Eugene Braunwald, Robert A. Kloner, Michael L. Feldstein, and James E. Muller
- 945 Platelet Adherence to Bioprosthetic Cardiac Valves. Donald J. Magilligan, Jr., Choken Oyama, Samuel Klein, Jeanne M. Riddle, and David Smith

BRIEF REPORTS

951 Laterality of Pleural Effusions in Chronic Congestive Heart Failure. James M. Weiss and David H. Spodick

- 952 Myocardial Infarction as a Manifestation of Polycythemia in Cyanotic Heart Disease. Scott B. Yeager and Michael D. Freed
- 953 Distal Embolization of a Coronary Artery Bypass Graft Atheroma During Percutaneous Transluminal Coronary Angioplasty. Fred Aueron and Andreas Gruentzig
- 954 Angiographically Visible Intercoronary Collateral Circulation in the Absence of Obstructive Coronary Artery Disease. George J. Linsenmeyer. Ill and John F. Schneider
- 956 Variant Angina in Siblings with Mild Coronary Artery Disease. John E. Madias and William H. O'Connor
- 958 Nonfatal Ajmaline Cardiotoxity. Victor Medina-Ravell, Luis Rodriguez-Salas, Ivan J. Mendoza and Agustin Castellanos
- 960 Concealed Conduction Preventing Anterograde Preexcitation in Wolff-Parkinson-White Syndrome. Eric N. Prystowsky, Edward L. C. Prichett, and John J. Gallagher
- 961 Atrioventricular Block and Preexcitation in Hypertrophic Cardiomyopathy. Paul Touboul, Gilbert Kirkorian, Georges Atallah, Pol Cahen, Claudio De Zuloaga, and Pierre Moleur
- 964 Rate Acceleration of Ventricular Tachycardia After Precordial Chest Thump. Ruud Krijne
- 965 Familial Atrial Standstill and Inexcitability in Childhood. David E. Ward, Siu Yen Ho, and Elliot A. Shinebourne
- 967 Complete Heart Block in Reiter's Syndrome. David Hassel, James Heinsimer, Robert M. Califf, Anthony Benson, John Rice, and Lawrence German
- 969 Prophylactic Replacement of a Starr-Edwards Model 1000 Aortic Valve Prosthesis in Place for 20 Years. Stephen C. Vlay and Frank C. Spencer
- 969 Cardiac Amyloidosis Simulating Hypertrophic Cardiomyopathy. Steven P. Sedlis, Jeffrey E. Saffitz, Valerie S. Schwob, and Allan S. Jaffe
- 971 Beside Balloon Atrial Septostomy Using Echocardiographic Monitoring. Charles A. Bullaboy, Rufus B. Jenning, Jr., and David H. Johnson, With the technical assistance of Carol W. Fulcher
- 971 Quadricuspid Pulmonic Valve. William Lewis and Carmine Cammarosano
- 972 Diagnosis of Incompetent Quadricuspid Aortic Valve by Two-Dimensional Echocardiography. Robert L. Herman, ira S. Cohen, Kenneth Glaser, and Everett W. Newcomb III
- 973 Two-Dimensional Echocardiographic Diagnosis of Acquired Right Ventricular Outflow Obstruction Due to External Cardiac Compression. Ming C. Hsiung, Chin C. Chen, Dan J. Wang, Shyh M. Shieh, and Benjamin N. Chiang
- 974 Two-Dimensional Echocardiographic Diagnosis of Mediastinal Hematoma Causing Cardiac Tamponade. Bapineedu Gondi and Navin C. Nanda
- 976 Intracardiac Golter: A Cause of Right Ventricular Outflow Obstruction and Successful Operative Therapy. Huey-Ming Lo, Yüng-Zu Tseng, Chuen-Den Tseng, Shu-Hsun Chu, Sou-Ming Chuang, and Teh-Lu Wu
- 978 Diagnosis of Intracardiac Rhabdomyoma by Two-Dimensional Echocardiography. Donald R. Fischer, Lee B. Beerman, Sang C. Park, Henry T. Bahnson, Frederick J. Fricker, and Robert A. Mathews.
- 980 Cardiac Involvement in Glycogen Storage Disease III: Morphologic and Biochemical Characterization with Endomyocardial Biopsy. Lyle J. Olson, Guy S. Reeder, Kenneth L. Noller, William D. Edwards, R. Rodney Howell, and Virginia V. Michels

- 981 Echocardiographic Demonstration of an Asymptomatic Patient with Left Ventricuair Fibroma. Katsuhito Takahashi, Yoichi Imamura, Takaaki Ochi, Mareomi Hamada, Taketoshi Ito, Kunio Hiwada, and Tatsuo Kokubu
- 982 Infantile Cardiomyopathy with Histiocytoid Change in Cardiac Muscle Cells: Successful Surgical Intervention and Prolonged Survival. Christopher G. A. McGregor, Angus Gibson, and Philip Cause
- 983 Cardiac Involvement by Kaposi's Sarcoma in Acquired Immune Deficiency Syndrome (AIDS). Marc A. Silver, Abe M. Macher, Cheryl M. Reichert, David L. Levens, Joseph E. Parrillo, Dan L. Longo, and William C. Roberts
- 985 Pseudodyskinesia of the Left Ventricular Free Wall, David S. Kayden, Nohory Ariza, Martin S. Bilsker, Martin G. Laighold, Robert J. Myerburg, and Kenneth M. Kessier
- 987 FROM THE EDITOR
- 988 LETTERS

INSTRUCTIONS TO AUTHORS on page 950 INDEX TO ADVERTISERS on page A35

CONTENTS: VOLUME 53 . NUMBER 8

APRIL 1, 1984

CORONARY HEART DISEASE

- 991 ST Elevations in Leads V₁ to V₅ May be Caused by Right Coronary Artery Occlusion and Acute Right Ventricular Infarction. Nor L. Geft, Prediman K. Shah, Lois Rodriguez, Sharon Hulse, Jamshid Maddahi, Daniel S. Berman, and William Ganz.
- 997 Association Between Leukocyte Count and the Presence and Extent of Coronary Atherosclerosis as Determined by Coronary Arteriography. John B. Kostis, Darya Turkevich, and John Sharp
- 1000 Miscoding of Hospital Discharges as Acute Myocardial Infarction: Implications for Surveillance Programs Aimed at Elucidating Trends in Coronary Artery Disease. Gemma T. Kennedy, Michael P. Stern, and Michael H. Crawford
- 1003 Randomized, Placebo-Controlled Evaluation of Lidoflazine in Patients Receiving Beta-Blocker Therapy with Propranolot: Improvement in Anginal Symptoms and Exercise Tolerance with Combined Drug Therapy. William E. Strauss and Alfred F. Parisi
- 1008 Blood Velocity In the Right Coronary Artery: Relation to the Distribution of Atherosclerotic Lesions. Hani N. Sabbah, Fareed Khaja, James F. Brymer, Earl T. Hawkins, and Paul D. Stein

ARRHYTHMIAS AND CONDUCTION DISTURBANCES

- 1013 Diagnostic Efficacy of 24-Hour Electrocardiographic Monitoring for Syncope. Thomas C. Gibson and Mark R. Heitzman
- 1018 Influence of Basic Atrial Rhythm on Intraatrial Conduction of Extrastimuli. Francisco G. Cosio, Jesús Paylos, Marta Requena, and Juan Fernández-Yáñez
- 1022 Differential Effects of Sotalol and Metoprotol on Induction of Paroxysmal Supraventricular Tachycardia. Ioannis Rizos, Jochen Senges, Rolf Jauernig, Wolfgang Lengfelder, Ellen Czygan, Johannes Brachmann, and Wolfgang Kübler
- 1028 Relation Between Premature Ventricular Contraction Site of Origin (Defined by Radionuclide Phase Analysis) and Subsequent Left Ventricular Function. Stephen J. Rolfe, Timothy Rasor, Phillip A. Shaffer, Patricia A. Sanitate, and Thomas M. Bashore
- 1034 Carotid Sinus Hypersensitivity: Beneficial Effects of Dual-Chamber Pacing. Niall P. Madigan, Greg C. Flaker, Jack J. Curtis, John Reid, Karl J. Mueller, and Thomas J. Murphy
- 1041 A Temporary External DDD Pacing Unit. Phillip O. Littleford, Kerry M. Schwartz, and Carl J. Pepine

SYSTEMIC HYPERTENSION

1044 Regression of Left Ventricular Hypertrophy from Systemic Hypertension by Enalapril. Yoshiyuki Nakashima, Fetnat M. Fouad, and Robert C. Tarazi

CONGESTIVE HEART FAILURE

1051 Positive Inotropic and Yasodilator Effects of MDL 17,043 in Patients with Reduced Left Ventricular Performance. Michael H. Crawford, Kent L. Richards, Marcis T. Sodums, and Gemma T. Kennedy

VALVULAR HEART DISEASE

- 1054 Use of Left Ventricular Filling and Ejection Patterns in Assessing Severity of Chronic Mitral and Aortic Regurgitation. Mary D. Osbakken and Alfred A. Bove
- 1061 Degeneration in Porcine Bioprosthetic Cardiac Valves: Incidence of Primary Tissue Failures Among 938 Bioprostheses at Risk. Ignacio Gallo, Blanca Ruiz, Francisco Nistal, and Carlos M. G. Duran
- 1066 Calcific Degeneration as the Main Cause of Porcine Bioprosthetic Valve Failure. Aldo Milano, Uberto Bortolotti, Enrico Talenti, Carlo Valfrè, Eloisa Arbustini, Marialulsa Valente, Alessandro Mazzucco, Vincenzo Gallucci, and Gaetano Thiane
- 1071 Intermittent Mitral Regurgitation Due to Beali Valve Dysfunction: Analysis of 13 Patients with Atrial Fibrillation. Jerome M. Itzkoff, Edward I. Curtiss, P. S. Reddy, Barry F. Uretsky, and James A. Shaver
- 1075 Conduction System Abnormalities in Symptomatic Mitral Valve Prolapse: An Electrophysiologic Analysis of 60 Patients. J. Anthony Were, Sharon A. Magro, Jerry C. Luck, David E. Mann, Anton P. Nielsen, Kenneth M. Rosen, and Christopher R. C. Wyndham
- 1079 Ventricular Arrhythmias in Aortic Valve Disease: Analysis of 102 Patients. Richard C. Klein
- 1084 Measurement of Aortic Root Size by Biplane Angiography Before Cardiac Valve Replacement. Jhulan Mukharji, Timothy J. Sioan, Aaron S. Estrera, and Kirk M. Lipscomb

CARDIOMYOPATHY

- 1087 Patterns of Inheritance in Hypertrophic Cardiomyopathy:
 Assessment by M-Mode and Two-Dimensional Echocardiography. Barry J. Maron, Paul F. Nichols III, Linda W. Pickle, Yvonne E. Wesley, and John J. Mulvihill
- 1095 Recognition of Regional Hypertrophy in Hypertrophic Cardiomyopathy Using Thaillum-201 Emission-Computed Tomography: Comparison with Two-Dimensional Echocardiography. Yukisono Suzuki, Kazunori Kadota, Ryuji Nohara, Shunichi Tamaki, Hirofumi Karnbara, Akira Yoshida, Tomoyuki Murakami, Gomta Osakada, Chuichi Kawai, Nagara Tamaki, Takao Mukai, and Kanji Torizuka
- 1103 Relation Between Marked Changes in Left Ventricular Outflow Tract Gradient and Disease Progression in Hypertrophic Cardiomyopathy. Elisabetta Ciró, Barry J. Maron, Robert O. Bonow, Richard O. Cannon, and Stephen E. Epstein

CONGENITAL HEART DISEASE

- 1110 Doppler Echocardiographic Prediction of Pulmonary Arterial Hypertension in Congenital Heart Disease. Demotrio Kosturakis, Stanley J. Goldberg, Hugh D. Allen, and Cleo Loeber
- 1117 Noninvasive Assessment of Right Ventricular Systolic Pressure in Atrial Septal Defect: Analysis of the End-Systolic Configuration of the Ventricular Septum by Two-Dimensional Echocardiography. Rihei Shimada, Akira Takeshita, and Motoomi Nakamura
- 1124 Long-Term Follow-Up in the Unoperated Univentricular Heart. Douglas S. Moodie, Donald G. Ritter, Abdul J. Tajik, and W. Michael O'Fallon

MISCELLANEOUS TOPICS

- 1129 Left-Axis Deviation and Adiposity: The United States Health and Nutrition Examination Survey. Paul M. Zack, Robert D. Wiens, and Harold L. Kennedy
- 1135 Identification of Patients at High Risk for Complications of Intracortic Balloon Counterpulsation: A Multivariate Risk Factor Analysis. Sidney O. Gottlieb, Jeffrey A. Brinker, A. Michael Borkon, Clayton H. Kaliman, Alan Potter, Vincent L. Gott, and Kenneth L. Baughman
- 1140 Reevaluation of Electrocardiographic Criteria for Left, Right and Combined Cardiac Ventricutar Hypertrophy. Marvin L. Murphy, P. Nihal Thenabadu, Neil De Soyza, James E. Doherty, James Meade, Bonnie J. Baker, and James L. White

METHODS

- 1148 Quantitative Variability in Regional Wall Motion During Serial Left Ventricular Cineangiography: Guidelines for Assessing Changes in Segmental Function with Intervention Studies. Harold Dash and Roger M. Wint
- 1154 Use of the Indirect Axillary Pulse Tracing for NonInvasive Determination of Ejection Time, Upstroke Time, and Left Ventricular Wall Stress Throughout Ejection in Infants and Young Children. Steven D. Colan, Kenneth M. Borow, Debbie MacPherson, and Stephen P. Sanders
- 1159 Left Ventricular Volumes by Single-Plane Cineanglography: in Vivo Validation of the Kennedy Regression Equation. L. David Hillis, Michael D. Winniford, Gregory J. Dehmer, and Brian G. Firth
- 1164 Digital Processing of Contrast Echocardiograms: A New Technique for Measuring Right Ventricular Ejection Fraction. L. Samuel Wann, Kevin R. Stickels, Virinderjit S. Bamrah, and Charles M. Gross

- 1169 Audibility of an Artificial Third Heart Sound in Relation to its Frequency, Amplitude, Delay from the Second Heart Sound and the Experience of the Observer. Peter Held, Bengt Lindberg, and Karl Swedberg
- 1173 Transesophageal Two-Dimensional Echocardiography: Comparison of Ultrasonic and Anatomic Sections. Michael Schlüter, Andreas Hinrichs, Wolfgang Thier, Peter Kremer, Sören Schröder, Michael K. Cahalan, and Peter Hanrath, With the technical assistance of Volker Siglow
- 1179 Chronic Percutaneous Pericardial Drainage with Modified Pigtail Catheters in Children. James E. Lock, John L. Bass, Thomas J. Kulik, and Bradley P. Fuhrman

CARDIOVASCULAR PHARMACOLOGY

1183 Lidocaine Disposition in Obesity. Darrell R. Abernethy and David J. Greenblatt

EXPERIMENTAL STUDIES

- 1187 Left Ventricular Dimensions and Function During Exercise in Dogs with Chronic Right Ventricular Pressure Overload. Frederick R. Badke
- 1194 Identification of Blood in the Pericardial Cavity in Dogs by Two-Dimensional Echocardiography. Jose Lopez-Sendon, Miguel A. Garcia-Fernandez, Isabel Coma-Canella, Jorge Silvestre, Enrique de Miguel, and Luis Martin Jadraque
- 1198 FROM THE EDITOR

AJC 25 YEARS AGO

1199 The AJC in April 1959. Leonard N. Horowitz

BRIEF REPORTS

- 1201 Evidence for the Continued Existence of the Postmyocardial Infarction (Dressler's) Syndrome. Robin J. Northcote, Stephen J. Hutchison, and John B. McGuinness
- 1202 Diagnosis of Ventricular Septal Rupture from Acute Myocardial Infarction by Combined Two-Dimensional and Pulsed Doppler Echocardiography. Gad Keren, Jack Sherez, Arie Roth, Hylton Miller, and Shlomo Laniado
- 1203 Doppler Echocardiographic Diagnosis of Porcine Bioprosthetic Cardiac Valve Malfunction. Charles M. Gross and L. Samuel Wann
- 1205 Late Sequelae of Femoral Artery Catheterization. Robert Fleming and Sandor A. Friedman
- 1207 LETTERS

INSTRUCTION TO AUTHORS on page 1050

CME test on page 1116

INDEX TO ADVERTISERS on page A155

CONTENTS: VOLUME 53 • NUMBER 9

MAY 1, 1984

CORONARY HEART DISEASE

- 1209 Intravenous Streptokinase in Evolving Acute Myocardial Infarction. William Ganz, Ivor Geft, P. K. Shah, Allan S. Lew, Lois Rodriguez, Teddy Weiss, Jamshid Maddahi, Daniel S. Berman, Yzhar Charuzi, and H. J. C. Swan
- 1217 Effects of Percutaneous Transluminal Coronary Angioplasty: Intracoronary Thrombolysis with Urokinase in Acute Myocardial Infarction. Masao Yasuno, Yoshihiko Saito, Moriharu Ishida, Katsuhiro Suzuki, Shigeki Endo, and Masaaki Takahashi
- 1221 Comparative Value of Maximal Treadmill Testing, Exercise Thallium Myocardial Perfusion Scintigraphy and Exercise Radionuclide Ventriculography for Distinguishing High- and Low-Risk Patients Soon After Acute Myocardial Infarction. Joseph Hung, Michael L. Goris, Elizabeth Nash, Helena C. Kraemer, and Robert F. DeBusk, In cooperation with Walter E. Berger III and Honry Low
- 1228 Hemodynamic Effects of Sublingual Nitedipine in Acute Myocardial Infarction. Gary D. Gordon, Thomas A. Mabin, Sedick Isaacs, Elwyn A. Lloyd, Hans G. Eichler, and Lionel H. Opie
- 1233 Evaluation of Coronary Collateral Circulation in Conscious Humans. Robert L. Feldman and Carl J. Pepine
- 1239 Left Ventricular Function in Patients with Coronary Heart Disease in the Presence or Absence of Angina Pectoris During Exercise Radionuclide Ventriculography. Abdulmassih S. Iskandrian and A-Hamid Hakki
- 1244 Detection and Quantification of Previous Myocardial Infarction by Exercise-Redistribution Tomographic Thallium-201 Scintigraphy. Barry M. Massie, Judith A. Wisneski, Isao K. Inouye, Milton Hollenberg, Edward W. Gertz, and Steven Henderson, With the technical assistance of Patricia Chu

- 1250 Stress Scintigraphy Using Single-Photon Emission Computed Tomography in the Evaluation of Coronary Artery Disease. Ryuji Nohara, Hirofumi Kambara, Yukisono Suzuki, Shunichi Tamaki, Kazunori Kadota, Chuichi Kawai, Nagara Tamaki, and Kanji Torizuka
- 1255 Effects of a Selective Thromboxane Synthetase Inhibitor, Dazoxiben, and of Acetylsalicylic Acid on Myocardial Ischemia in Patients with Coronary Artery Disease. Erik Thaulow, Jon Dale, and Erik Myhre
- 1259 Relation Between Plasma High-Density Lipoprotein Cholesterol and Sex Hormone Concentrations in Men. Wanju S. Dai, James P. Gutai, Lewis H. Kuller, Ronald E. LaPorte, Lorita Falvo-Gerard, and Arlene Caggiula

ARRHYTHMIAS AND CONDUCTION DISTURBANCES

- 1264 Effect of Amiodarone on Serum Quinidine and Procainamide Levels, A. Kim Saal, Jeffrey A. Werner, H. Leon Greene, Gena K. Sears, and Ellen L. Graham
- 1268 Antiarrhythmic and Electrophysiologic Actions of Bethanidine Sulfate in Primary Ventricular Fibrillation or Life-Threatening Ventricular Tachycardla. David G. Benditt, D. Woodrow Benson, Jr., Ann Dunnigan, Jolene M. Kriett, Marc R. Pritzker, and Murvin B. Bacaner
- 1275 Prognostic Factors in Nonsustained Ventricular Tachycardia. Alfred E. Buxton, Francis E. Marchlinski, Harvey L. Waxman, Belinda T. Flores, Dennis M. Cassidy, and Mark E. Josephson
- 1280 Polymorphous Ventricular Tachycardia in Acute Myocardial Infarction. Ehud Grenadier, Gad Alpan, Naftali Maor, Shlomo Keidar, Chen Binenboim, Tamar Margulies, and Avraham Palant
- 1284 Value of Radiotelemetry in a Community Hospital. Donald J. Lipskis, Karl N. Dannehl, and Mark E. Silverman
- 1288 Periodic Variation in Atrioventricular Conduction Time: Mechanisms of Initiation, Maintenance and Termination of Periods of Long PR Intervals. Shinji Kinoshita, Takeshi Kawasaki, Selki Fujiwara, and Katsushi Okimori
- 1292 Effects on Ventricular Function of Disopyramide, Procainamide and Quinidine as Determined by Radionuclide Angiography. Gerald Wisenberg, Andrew G. Zawadowski, Vernon A. Gebhardt, Frank S. Prato, Michele D. Goddard, Peter M. Nichol, Peter A. Rechnitzer, and Brenda Gryfe-Becker

SYSTEMIC HYPERTENSION

- 1299 Plasma Norepinephrine and Left Ventricular Hypertrophy in Systemic Hypertension. Luigi Corea, Maurizio Bentivoglio, Paolo Verdecchia, and Mario Motolese
- 1304 Step-Down Treatment of Mild Systemic Hypertension. Frank A. Finnerty, Jr.

CONGESTIVE HEART FAILURE

- 1308 Impaired Skeletal Muscle Nutritive Flow During Exercise in Patients with Congestive Heart Failure: Role of Cardiac Pump Dysfunction as Determined by the Effect of Dobutamine, John R. Wilson, Jack L. Martin, and Nancy Ferraro
- 1316 Long-Term Captopril Therapy for Chronic Congestive Heart Failure. Barry M. Massie, Barry L. Kramer, and Nina Topic
- 1321 Comparison of Hernodynamic Responses to Nifedipine and Nitroprusside in Severe Chronic Congestive Heart Fallure. Uri Elkayam, Laura Weber, Behrooz Torkan, Charles R. McKay, and Shahbudin H. Rahimtoola

CARDIOMYOPATHY

1326 HLA A, B and DR Typing in Idiopathic Dileted Cardiomyopathy: A Search for Immune Response Factors. Jeffrey L. Anderson, John F. Cariquist, Joan R. Lutz, Charles W. DeWitt, and Elizabeth H. Hammond 1331 Echocardiography In Acute Infectious Myocarditis: Relation to Clinical and Electrocardiographic Findings. Markku S. Nieminen, Juhani Heikkilä, and Jouko Karjalainen

MISCELLANEOUS TOPICS

- 1339 Electrocardiogram of the Athlete: An Analysis of 289 Professional Football Players. Gary J. Balady, John B. Cadigan, and Thomas J. Ryan
- 1344 Hemostatic Abnormalities Associated with Protonged Ventricular Assist Pumping: Analysis of 24 Patients. Hamid Al-Mondhiry, William S. Pierce, Wayne Richenbacher, and Anthony Bull
- 1349 Noninvasive Diagnosis of Pulmonary Arterial Hypertension in Chronic Obstructive Pulmonary Disease: Right Ventricular Ejection Fraction at Rest. Bruce N. Brent, Donald Mahler, Richard A. Matthay, Harvey J. Berger, and Barry L. Zaret

EXPERIMENTAL STUDIES

- 1354 Nitroprusside Infusion in Experimental Acute Myocardial Infarction with Systemic Hypertension: Effects on Systemic Hemodynamics and Regional Myocardial Blood Flows. Seinosuke Kawashima, Chang-Seng Liang, J. Frank Richeson, and William B. Hood, Jr.
- 1360 Coronary Blood Flow in Genetic Cardiac Hypertrophy. Kiminari Kobayashi, Robert C. Tarazi, Walter Lovenberg, and Karel Rakusan
- 1365 Determination of Left Ventricular Mass by Single-Photon Emission Computed Tomography with Thaillium-201. Christopher L. Wolfe, James R. Corbett, Samuel E. Lewis, L. Maximilian Buja, and James T. Willerson
- 1369 In Vitro Verification of Doppler Prediction of Transvalve Pressure Gradient and Orifice Area in Stenosis. Jay A. Requarth, Stanley J. Goldberg, Susan Dietrich Vasko, and Hugh D. Allen
- 1374 In Vitro Analysis of Boundary Identification Techniques Used In Quantification of Two-Dimensional Echocardiograms. Donald A. Conetta, Edward A. Geiser, David J. Skorton, Natesa G. Pandian, Richard E. Kerber, and C. Richard Conti
- 1380 Computer-Assisted Edge Detection in Two-Dimensional Echocardiography: Comparison with Anatomic Data. Steve M. Collins, David J. Skorton, Edward A. Geiser, James A. Nichols, Donald A. Conetta, Natesa G. Pandian, and Richard E. Kerber
- 1388 Modification by the Hancock T6 Process of Calcification of Bioprosthetic Cardiac Valves Implanted in Sheep. Eloisa Arbustini, Michael Jones, Robert D. Moses, Elling E. Eldbo, Raymond J. Carroll, and Victor J. Ferrans
- 1397 Correlates of Repertusion Ventricular Fibriliation in Dogs. Sharon L. Hale, Rüdiger Lange, Kevin J. Alker, and Robert A. Kloner

BRIEF REPORTS

- 1401 Aneurysm of the Atrial Septum as Diagnosed by Echocardiography: Analysis of 11 Patients. Andrew M. Hauser, Gerald C. Timmis, James R. Stewart, Renato G. Ramos, V. Gangadharan, Douglas C. Westveer, and Seymour Gordon, With the technical assistance of Patricia Dudlets
- 1402 Familial Uhl's Anomaly in the Adult. U. Diggelmann and H. R. Baur
- 1403 Sudden Death During Ambulatory Electrocardiographic Monitoring: Importance of Morphologic Confirmation to Establish Cause of Death. Dean J. Kereiakes, Fred Morady, Deborah Heath, Tristram Parsons, and Melvin M. Scheinman
- 1405 Atrial Fibrillation Induced by Adenosine Triphosphate. Bernard Belhassen, Amir Pelleg, and Shlomo Laniado
- 1406 Orthostatic Atrial Tachycardia: Autonomic Influence on Atrial Pacemakers. Bruce B. Lerman, Eric J. Topol, Edward V. Platia, and Kenneth L. Baughman

g.

1408 Visualty Provoked Complete Atrioventricular Block: An Unusual Form of Deglutition Syncope. Charles E. Drake, Harry E. Rollings, O. Emerson Ham, Jr., Dariush H. Heidary, and Thomas J. Yeh

1410 FROM THE EDITOR

1411 LETTERS

CME test on page 1298
INSTRUCTIONS TO AUTHORS on page 1338
INDEX TO ADVERTISERS on page A169

CONTENTS: VOLUME 53 • NUMBER 10

MAY 15, 1984

CONGENITAL HEART DISEASE

- 1415 Sinus Node Function and Conduction System Before and After Surgery for Secundum Atrial Septal Defect: An Electrophyslologic Study. Marc Bolens and Beat Friedli
- 1421 Coarctation of the Aorta or Subscritic Stenosis with Atrioventricular Septal Defect. Robert M. Gow, Robert M. Freedom, William G. Williams, George A. Trusler, and Richard D. Rowe
- 1429 Combined Discrete Subaortic Stenosis and Ventricular Septal Defect in Infants and Children. Kyung J. Chung, David R. Fulton, Marshall B. Kreidberg, Douglas D. Payne, and Richard J. Claveland
- 1433 Tetralogy of Fallot with Absent Pulmonic View: Analysis of 17 Patients. Donald R. Fischer, William H. Neches, Lee B. Beerman, Frederick J. Fricker, Ralph D. Siewers, Cora C. Lenox, and Sang C. Park
- 1438 Pulmonary Artery Aneurysms: Echocardiographic Features in 5 Patients. Anil K. Bhandari and Navin C. Nanda

METHODS

1442 Quantitative Radionuclide Angiography Using Gold-165m. Ferruccio Fazio, Paolo Gerandini, Alberto Margonato, Walter Bencivelli, Attilio Maseri, Maria Carla Gilardi, Alberto Fregoso, and Luciano Milanest

EDITORIALS

1447 Exercise Testing in Chronic Congestive Heart Failure. Joseph A. Franciosa

AJC 25 YEARS AGO

1451 The AJC in May 1959. William C. Roberts

BEST BRIEF REPORTS OF 1983

1453 The "Best" (?) Three Brief Reports in The American Journal of Cardiology. Howard B. Burchell

BRIEF REPORTS

- 1455 Influence of Early Nonparasystolic Impulses on the Atrial Parasystolic Rhythm. Shinji Kinoshita, Kaori Takahashi, and Koji Nakagawa
- 1456 Mechanism of Tachycardia-Dependent Bundle Branch Block. Shinii Kinoshita
- 1458 Intra-Hisian Biocks of Several Degrees Induced by the Ajmailine Test. Luis D. Suárez, José A. Alvarez, Antonio E. Aldariz, Jorge J. Bluguermann, Marta A. Baroni, José Menna, and Ricardo J. Esper
- 1460 Procainamide Cardioversion of Fetal Supraventricular Tachyarrhythmia. Bruce D. Given, Mark Phillippe, Stephen P. Sanders, and Victor J. Dzau

- 1462 Ventricular Tachyarrhythmias Complicating Amiodarone Therapy in the Presence of Hypokalemia. Vincenzo Santinelli, Massimo Chiariello, Crescenzo Santinelli, and Mario Condorelli
- 1465 Incessant Ectopic Atrial Tachycardia: Successful Surgical Treatment with Regression of Dilated Cardiomyopathy Picture. S. Bertil Olsson, Per Blomström, Karl-Göran Sabel, and Göran William-Olsson
- 1467 Shoshin Beriberi: Report of Two Successfully Treated Patients with Hemodynamic Documentation. Virgilio G. Pereira, Zyun Masuda. Artur Katz. and Valsoir Tronchini. Jr.
- 1468 Acquired Left Ventricular Endocardial Constriction from Massive Mural Calcific Deposits: A Newly Recognized Cause of Impairment to Left Ventricular Filling. Marc A. Silver, Robert O. Bonow, Stewart M. Deglin, Barry J. Maron, Richard O. Cannon, III, and William C. Roberts
- 1470 Hypertrophic Cardiomyopathy Compatible with Successful Completion of the Marathon. Barry J. Maron, Yvonne E. Wesley, and Javier Arce
- 1472 Steroid-Responsive Eosinophilic Myocarditis: Diagnosis by Endomyocardial Biopsy. Chung H. Kim, Ronald E. Vlietstra, William D. Edwards, Guy S. Reeder, and Gerald J. Gleich
- 1473 Patent Ductus Arteriosus in Adults: Diagnosis by Suprasternal and Parasternal Pulsed Doppler Echocardiography. Julio E. Pérez, Scott M. Nordlicht, and Edward M. Geltman
- 1475 Detection by Doppler Echocardiography of Acquired Pulmonic Stenosis Due to Extrinsic Turnor Compression. Robert Fox, Ioannis P. Panidis, Morris N. Kotler, Gary S. Mintz, and John Pose.
- 1476 Detection and Quantitation of Right Ventricular Outlet Obstruction Secondary to Aneurysm of the Membranous Ventricular Septum by Combined 2-Dimensional Echocardiography: Continuous-Wave Doppler Ultrasound. Gregory L. Johnson, Ol Ling Kwan, Carol M. Cottrill, and Anthony N. De-Maria
- 1478 Prevalence of Right-to-Left Atrial Shunting in a Healthy Population: Detection by Valsalva Maneuver Contrast Echocardiography. John J. Lynch, Gregory H. Schuchard, Charles M. Gross, and L. Samuel Wann
- 1480 Digoxin-Dilitiazem Interaction. Yohtaro Oyama, Satoshi Fujii, Kohichi Kanda, Emiko Akino, Hisao Kawasaki, Masami Nagata, and Katsuhiro Goto
- 1482 Needle in the Heart: Two-Dimensional Echocardiographic Findings. Kichiro Sakai, Shyuichi Hoshino, and Mikio Osawa
- 1483 FROM THE EDITOR
- 1486 LETTERS

INSTRUCTIONS TO AUTHORS on page 1464

CORONARY HEART DISEASE

- 1489 "Left Main Equivalent" Coronary Artery Disease: Its Clinical Presentation and Prognostic Significance with Nonsurgical Therapy. Robert M. Califf, Martin J. Conley, Victor S. Behar, Frank E. Harrell, Jr., Kerry L. Lee, David B. Pryor, Ray A. McKinnis, and Robert A. Rosati
- 1496 Ventricular Arrhythmias During Coronary Angiography in Patients with Angina Pectoris or Cheet Pain Syndromes. Rick A. Nishimura, David R. Holmes, Jr., Thomas M. McFarland, Hugh C. Smith, and Alfred A. Bove
- 1500 Effects of Prostacyclin on Coronary Hemodynamics at Rest and in Response to Cold Pressor Testing in Patients with Angina Pectoris. Peter Ganz, Jorge Gasper, Wilson S. Colucci, William H. Barry, Gilbert H. Mudge, R. Wayne Alexander
- 1505 Thrombolysis in Acute Myocardial Infarction: Effect of Intravenous Followed by Intracoronary Streptokinase Application on Estimates of Infarct Size. Franz Schwarz, Manfred Hofmann, Gerhard Schuler, Klaus von Olshausen, Rainer Zimmermann, and Wolfgang Kübler
- 1511 Two-Dimensional Echocardiographic Appearance of Left Ventricular Thrombi with Systemic Emboli After Myocardial Infarction. Richard S. Meltzer, Cees A. Visser, Gerard Kan, and Jos Roelandt
- 1514 Low-Dose Colestipol Plus Probucol for Hypercholesterolemia. Carlos A. Dujovne, Steven B. Chernoff, Patricia Krehbiel, Bethany Jackson, Susan DeCoursey, and Harold Taylor
- 1519 Determinants of Arrhythmogenic Ventricular Activity Detected on the Body Surface QRS in Patients with Coronary Artery Disease. Pablo Denes, Eugene Uretz, and Pietro Santarelli
- 1524 Comparison of Supervised and Unsupervised Exercise Training After Coronary Bypass Surgery. Richard Stevens and Peter Hanson
- 1529 Relation Between Electrocardiographic and Scintigraphic Location of Myocardial Ischemia During Exercise in One-Vessel Coronary Artery Disease. Robert M. Fox, A-Hamid Hakki, and Abdulmassih S. Iskandrian, With the technical assistance of Jacqueline Hackney
- 1532 Peak Exercise and Immediate Postexercise imaging for the Detection of Left Ventricular Functional Abnormalities in Coronary Artery Disease. Duncan S. Dymond, Carl Foster, Raymond P. Grenier, John Carpenter, and Donald H. Schmidt
- 1538 Value of Lead V₄R for Recognition of the Infarct Coronary Artery in Acute Inferior Myocardial Infarction. Simon H. Braat, Pedro Brugada, Karel den Dulk, Vincent van Ommen, and Hein J. J. Wellens
- 1542 Persistent ST-Segment Elevation and Left Ventricular Wall Abnormalities: A 2-Dimensional Echocardiographic Study. Stephen Arvan and Murray A. Varat
- 1547 Sensitivity and Specificity of Nuclear Phase Analysis Versus Ejection Fraction in Coronary Artery Disease. Sharon L. Norris, Robert A. Slutsky, Kenneth H. Gerber, Kurt R. Geiss, William L. Ashburn, and Charles B. Higgins

ARRHYTHMIAS AND CONDUCTION DISTURBANCES

- 1553 Ventricular Arrhythmias During Exercise Testing: Mechanism, Response to Coronary Bypass Surgery and Prognostic Significance. Donald A. Weiner, Stephen R. Levine, Michael D. Klein, and Thomas J. Ryan
- 1558 Long-Term Clinical Outcome of Ventricular Tachycardia or Fibrillation Treated with Amiodarone, Brian McGovern, Hasan Garan, Robert F. Malacoff, John P. DiMarco, Gail Grant, T. Duncan Sellers, and Jeremy N. Ruskin

- 1564 Multicenter Controlled Observation of a Low-Dose Regimen of Amiodarone for Treatment of Severe Ventricular Arrhythmias. Collaborative Group For Amiodarone Evaluation*
- 1570 Entrainment of Atrioventricular Nodal Reentrant Tachycardias During Overdrive Pacing from High Right Atrium and Coronary Sinus: With Special Reference to Atrioventricular Dissociation and 2:1 Retrograde Block During Tachycardias. Bolivar Portillo, Jose Mejias, Nelly Leon-Portillo, Liaqat Zaman, Robert J. Myerburg, and Agustin Castellanos
- 1577 Cardiac Arrest Recorded on Ambulatory Electrocardiograms. Francis C. Kempf, Jr. and Mark E. Josephson

SYSTEMIC HYPERTENSION

- 1583 Failure of Antihypertensive Therapy with Diuretic, Beta-Blocking and Calcium Channel-Blocking Drugs to Consistently Reverse Left Ventricular Diastolic Filling Abnormalities. Isao K. Inouye, Barry M. Massie, Debra Loge, Paul Simpson, and Julio F. Tubau
- 1588 Antihypertensive Therapy with Diltiazern and Comparison with Hydrochlorothiazide. Isao K. Inouye, Barry M. Massie, Neal Benowitz, Paul Simpson, and Debra Loge

VALVULAR HEART DISEASE

- 1593 Limitations of Qualitative Angiographic Grading in Aortic or Mitral Regurgitation. Charles H. Croft, Kirk Lipscomb, Kenneth Mathis, Brian G. Firth, Pascal Nicod, Gregory Tilton, Michael D. Winniford, and L. David Hillis
- 1599 Comparison of Late (62 to 140 Months) Degenerative Changes in Simultaneously implanted and Explanted Porcine (Hancock) Bioprostheses in the Tricuspid and Mitral Valve Positions in Six Patients. Steven R. Cohen, Marc A. Silver, Charles L. McIntosh, and William C. Roberts
- 1803 Favorable Effects of Hydralazine on the Hemodynamic Response to Isometric Exercise in Chronic Severe Aortic Regurgitation. Uri Elkayam, Charles R. McKay, Laura Weber, Daniel Eisenberg, and Shahbudin H. Rahimtoola

CARDIOMYOPATHY

- 1608 Potentially Lethal Arrhythmias and Their Management in Hypertrophic Cardiomyopathy. Martin J. Frank, Laurence O. Watkins, L. Michael Prisant, Militadis A. Stefadouros, and Abdulla M. Abdulla
- 1614 Chronic Verapamil Therapy in Pediatric and Young Adult Patients with Hypertrophic Cardiomyopathy. Robert L. Spicer, Albert P. Rocchini, Dennis C. Crowley, and Amnon Rosenthal
- 1620 Laser Myopiasty for Hypertrophic Cardiomyopathy: In Vitro Experience in Human Postmortem Hearts and In Vivo Experience in a Canine Model (Transarterial) and Human Patient (Intraoperative). Jeffrey M. Isner, Richard H. Clarke, Natesa G. Pandian, Roberta Fortin Donaldson, Deeb N. Salem, Marvin A. Konstam, Douglas D. Payne, and Richard J. Cleveland, With the technical assistance of John D. Bonin, Edwin W. Lojeski, and Alon Ahron

CONGENITAL HEART DISEASE

- 1627 Complete Transposition of the Great Arteries and Coarctation of the Aorta. Michael Vogel, Robert M. Freedom, Jeffrey F. Smallhorn, William G. Williams, George A. Trusler, and Richard D. Rowe
- 1633 Morphologic Features of an Intact Ventricular Septum Susceptible to Subpulmonary Obstruction in Complete Transposition. Ing-Sh Chiu, Robert H. Anderson, Fergus J. Macartney, Marc R. de Leval, and Jaroslav Stark

- 1639 Combined Contrast Echocardiographic and Radionuclide Diagnosis of Atrial Septal Defect: Accuracy of the Technique and Analysis of Erroneous Diagnoses. Leonard E. Ginzton, William French, and Ismael Mena
- 1643 Electrophysiologic Abnormalities of Children with Ostium Secundum Atrial Septal Defect. David G. Ruschhaupt, Leila Khoury, Otto G. Thilenius, Robert L. Replogle, and Rene A. Arcilla
- 1648 Long-Term Follow-Up After Palliative Operation for Univentricular Heart. Douglas S. Moodle, Donald G. Ritter, Abdul H. Tajik, Dwight C. McGoon, Gordon K. Danielson, and W. Michael O'Fallon
- 1652 Atrioventricular Valve Anular Diameter: Two-Dimensional Echocardiographic-Autopsy Correlation. Howard P. Gutgesell, J. Tirnothy Bricker, Edward V. Colvin, Larry A. Latson, and Edith P. Hawkins

MISCELLANEOUS TOPICS

- 1656 Effects of Beta; Selective and Nonselective Beta-Adrenoceptor Blockade During Exercise Conditioning in Healthy Adults. Andrew A. McLeod, William E. Kraus, and R. Sanders Williams
- 1862 Pathophysiologic Mechanisms of Cardiac Tamponade and Pulsus Alternans Shown by Echocardiography. F. Andrew Gaffney, Andrew M. Keller, Ronald M. Peshock, Jul-Chin Lin, and Brian G. Firth

METHODS

- 1867 Systolic Time Intervals Reconsidered: Reevaluation of the Presjection Period: Absence of Relation to Heart Rate. David H. Spodick, Yoshinori L. Doi, Richard L. Bishop, and Tetsuo Hashimoto
- 1671 Radionuclide Ventriculographic Responses to Graded Supine and Upright Exercise: Critical Role of the Frank-Starling Mechanism at Submaximal Exercise. Richard M. Steingart, John Wexler, Susan Slagie, and James Scheuer
- 1678 Quantification of Pulmonary Thaillum-201 Activity After Upright Exercise in Normal Persons: Importance of Peak Heart Rate and Propranolol Usage in Defining Normal Values. Kenneth A. Brown, Charles A. Boucher, Robert D. Okada, H. William Strauss, and Gerald M. Pohost

CARDIOVASCULAR PHARMACOLOGY

1683 Inhibition of Platelet Function by Injectable Isosorbide Dinitrate. Raffaele De Caterina, Daniela Giannesi, Filippo Crea, Sergio Chierchia, Walter Bernini, Paolo Gazzetti, and Antonio L'Abbate

EXPERIMENTAL STUDIES

- 1688 Effects of Inotropic and Chronotropic Stimuli on Acute Myocardial Ischemic Injury. III. Influence of Basal Heart Rate. Robert E. Rude, Larry R. Bush, Carlos Izquierdo, L. Maximilian Buja, and James T. Willerson
- 1695 Effect of Dextran and Aspirin on Plateiet Adherence After Transluminal Angioplasty of Normal Canine Coronary Arteries. Patrick T. O'Gara, Jose L. Guerrero, Barbara Feldman, John T. Fallon, and Peter C. Block
- 1699 Altered Acoustic Reflectance on Two-Dimensional Echocardiography as an Early Predictor of Myocardial Infarct Size. Theodore D. Fraker, Jr., A. Dennis Netson, Julie A. Arthur, and R. Douglas Wilkerson

- 1703 Comparison of the Canine Tissue Distribution of Digoxin After Acute and Chronic Administration: Implications for Digitalis Therapy. L. Scott Cook, James E. Doherty, Ronald C. Elkins, and Karl D. Straub
- 1707 Electrophysiologic Effects of Bepridli in the Anesthetized Dog Studied by Endocardiac Electrodes. Antoine Sassins, Christian Masse, Alexandre Fajuri, Jean-Louis Hirsch, Claude Labrid, and Paul Puech
- 1712 Actions of Disopyramide on Potential Reentrant Pathways and Ventricular Tachyarrhythmias in Conscious Dogs During the Late Post-Myocardial Infarction Phase. Stuart M. Cobbe, Ellen Hoffmann, Andreas Ritzenhoff, Johannes Brachmann, Wolfgang Kübler, and Jochen Senges

EDITORIALS

- 1719 Left Main Equivalence is Still an Unproved Hypothesis but Proximal Left Anterior Descending Coronary Artery Disease is a "High-Risk" Lesion. Shahbudin H. Rahimtoola
- 1722 The Future of Computerized Cardiac Angiography. Waiter L. Henry and Jonathan Tobis

BRIEF REPORTS

- 1725 High-Dose Intravenous Nitroglycerin During Cardiopulmonary Resuscitation for Refractory Cardiac Arrest. William G. Ward and R. Leary Reid
- 1725 Recanalization of Occluded Left Main Coronary Artery in Unstable Angina Pectoris. Raimund Erbel, Thomas Meinhertz, Ignaz Wessler, Jürgen Meyer, and Walter Seybold-Epting
- 1727 Thrombolysis of Acute Total Occlusion of the Left Main Coronary Artery in Evolving Myocardial Infarction. Pirn J. de Feyter and Patrick W. Serruys. On behalf of the Dutch Survey of Thrombolysis in Evolving Myocardial Infarction
- 1729 Repetitive Paroxysmal Ventricular Tachycardia and Sudden Deuth in a Child. Thomas W. Rowland and Marc J. Schweiger
- 1738 Transient ("Hole-in-One") Occlusion of the Mitral Valve Orifice by a Free-Floating Left Atrial Ball Thrombus: Identification by Two-Dimensional Echocardiography. John S. Gottdiener, Barbara K. Temeck, Robert H. Patterson, and Ross D. Fletcher
- 1731 Tunnel Subaortic Stenosis in XO Turner's Syndrome. Carl L. Tommaso, Daniel Konick, and David Green
- 1732 Two-Dimensional Echocardiographic Diagnosis of Quadricuspid Aortic Valve. Krishnaswamy Chandrasekaran, Abdul J. Tajik, William D. Edwards, and James B. Seward
- 1733 Identification of a Rare Congenital Anomaly of the Myocardium by Two-Dimensional Echocardiography: Persistence of Isolated Myocardial Sinusoids. Rolf Engberding and Franz Bander

AJC 25 YEARS AGO

- 1735 The AJC in June 1959. Joseph K. Perloff
- 1737 FROM THE EDITOR

CME Test on page 1626

INSTRUCTIONS TO AUTHORS 1724

VOLUME INDEXES on page 1739

INDEX TO ADVERTISERS on page A177

PROCEEDINGS OF THE NATIONAL HEART, LUNG, AND BLOOD INSTITUTE WORKSHOP ON THE OUTCOME OF PERCUTANEOUS TRANSLUMINAL CORONARY ANGIOPLASTY

Kenneth M. Kent, MD, Suzanne M. Mullin, RN, MPH, and Eugene R. Passamani, MD, Guest Editors

- 1C Introduction: Workshop on Percutaneous Transluminal Coronary Angioplasty. Vallee L. Willman
- 3C Historical Background of the National Heart, Lung, and Blood Institute Registry for Percutaneous Transluminal Coronary Angioplasty. Suzanne M. Mullin, Eugene R. Passamani, and Michael B. Mock
- 7C Baseline Characteristics of Patients in the National Heart, Lung, and Blood institute Percutaneous Transluminal Coronary Angioplasty Registry. Katherine M. Detre, Richard K. Myler, Sheryl F. Kelsey, Mark Van Raden, Teresa To, and Herman Mitchell

ACUTE OUTCOME OF PTCA

- 12C Acute Coronary Events Associated with Percutaneous Transluminal Coronary Angioplasty. Michael J. Cowley, Gerald Dorros, Sheryl F. Kelsey, Mark Van Raden, and Katherine M. Detre
- 17C In-Hospital Mortality Rate in the National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty Registry. Gerald Dorros, Michael J. Cowley, Lynne Janke, Sheryl F. Kelsey, Suzanne M. Mullin, and Mark Van Raden
- 22C Emergency Coronary Bypass Surgery After Coronary Angioplasty: the National Heart, Lung, and Blood Institute's Percutaneous Transtuminal Coronary Angioplasty Registry Experience. Michael J. Cowley, Gerald Dorros, Sheryl F. Kelsey, Mark Van Raden, and Katherine M. Detre
- 27C Long-Term Efficacy of Percutaneous Transluminal Coronary Angioplasty (PTCA): Report from the National Heart, Lung, and Blood Institute PTCA Registry. Kenneth M. Kent, Lamberto G. Bentivoglio, Peter C. Block, Martial G. Bourassa, Michael J. Cowley, Gerald Dorros, Katherine M. Detre, Arthur J. Gosselin, Andreas R. Gruentzig, Sheryl F. Kelsey, Michael B. Mock, Suzanne M. Mullin, Eugene R. Passamani, Richard K. Myler, John Simpson, Simon H. Stertzer, Mark J. Van Raden, and David O. Williams
- 32C Efficacy of Repeat Percutaneous Transluminal Coronary Angioplasty for Coronary Restenosis. David O. Williams, Andreas R. Gruentzig, Kenneth M. Kent, Katherine M. Detre, Sheryl F. Kelsey, and Teresa To
- 36C Exercise, Electrocardiographic and Functional Responses
 After Percutaneous Transluminal Coronary Angioplasty.
 Douglas R. Rosing, Mark J. Van Raden, Rita M. Mincernoyer,
 Robert O. Bonow, Martial G. Bourassa, Paul R. David, Carolyn
 J. Ewels, Katherine M. Detre, and Kenneth M. Kent
- 42C Early and Late Morphologic Changes in Major Epicardial Coronary Arteries After Percutaneous Transluminal Coronary Angioptasty. Bruce F. Waller, H. Joel Gorfinkel, Felix J. Rogers, Kenneth M. Kent, and William C. Roberts

- 48C Return to Work After Coronary Angioplasty: A Report from the National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty Registry. David R. Holmes, Jr., Mark J. Van Radan, Guy S. Reeder, Ronald E. Vlietstra, Geun C. Jang, Kenneth M. Kent, George W. Vetrovec, Michael J. Cowley, Gerald Dorros, Sheryl F. Kelsey, Katherine M. Detre, and Michael B. Mock
- 52C Relative Cost of Coronary Angioplasty and Bypass Surgery in a One-Vessel Disease Model. Geun C. Jang, Peter C. Block, Michael J. Cowley, Andreas R. Gruentzig, Gerald Dorros, David R. Holmes, Jr., Kenneth M. Kent, Louis L. Leatherman, Richard K. Myler, S. Matts E. Sjolander, Simon H. Stertzer, George W. Vetrovec, William H. Willis, Jr., and David O. Williams
- 56C Effect of Investigator Experience on Percutaneous Transluminal Coronary Angioplasty. Sheryl F. Kelsey, Suzanne M. Mullin, Katherine M. Detre, Herman Mitchell, Michael J. Cowley, Andreas R. Gruentzig, and Kenneth M. Kent
- 65C Learning Curve for Percutaneous Transluminal Coronary Angioplasty: Skill, Technology or Patient Selection. Bernhard Meier and Andreas R. Gruentzig
- 67C Summary: Acute and Chronic Outcome of Percutaneous Transluminal Coronary Anglopiasty, Michael B. Mock

EXPERIMENTAL STUDIES AND CLINICAL INVESTIGATIONS

- 69C Mechanism of Transluminal Angioplasty. Peter C. Block
- 72C Effect of Antiplatelet Therapy on Restenosis After Experimental Angioplasty. David P. Faxon, Timothy A. Sanborn, Christian C. Haudenschild, and Thomas J. Ryan
- 77C Restenosis After Percutaneous Transluminal Coronary Angioplasty (PTCA): A Report from the PTCA Registry of the National Heart, Lung, and Blood Institute. David R. Holmes, Jr., Ronald E. Viletstra, Hugh C. Smith, George W. Vetrovec, Kenneth M. Kent, Michael J. Cowley, David P. Faxon, Andreas R. Gruentzig, Sheryl F. Keisey, Katherine M. Detre, Mark J. Van Raden, and Michael B. Mock
- 82C Percutaneous Transluminal Coronary Angioplasty (PTCA) in Patients with Relative Contraindications: Results of the National Heart, Lung, and Biood Institute PTCA Registry. Lamberto G. Bentivoglio, Mark J. Van Raden, Sheryl F. Kelsey, and Katherine M. Detre
- 89C Percutaneous Transluminal Coronary Angioplasty (PTCA) in the Elderly Patient: Experience in the National Heart, Lung, and Blood Institute PTCA Registry. Michael B. Mock, David R. Holmes, Jr., Ronald E. Vlietstra, Bernard J. Gersh, Katherine M. Detre, Sheryl F. Kelsey, Thomas A. Orszulak, Hartzell V. Schaff, Jeffrey M. Piehler, Mark J. Van Raden, Eugene R. Passamani, Kenneth M. Kent, and Andreas R. Gruentzig, Participants in the National Heart, Lung, and Blood Institute Percutaneous Transluminal Coronary Angioplasty Registry

TECHNOLOGICAL CONSIDERATIONS

92C Current Status of Dilatation Catheters and Guiding Systems. Andreas R. Gruentzig and Bernhard Meier

- 1790
- 94C Advances in Guidewire Technology. Bruce J. McAuley and John B. Simoson
- 97C Current Status of Dilatation Catheters and Guiding Systems.
 Thomas J. Fogarty, Thomas B. Kinney, and James C. Finn
- 101C Summary: Experimental Studies, Clinical Investigations and Technological Considerations. Francis J. Klocke

SURGICAL CONSIDERATIONS

- 102C Progression of Atheroscierosis in Coronary Arteries and Bypass Grafts: Ten Years Later, Martial G. Bourassa, Marc Enjalbert, Lucien Campeau, and Jacques Lesperance
- 108C Surgical Intervention for Failed Percutaneous Transluminal Coronary Angloplasty. Cary W. Akins and Peter C. Block
- 112C Potential for Percutaneous Transtuminal Coronary Angioplasty Before Initial and Repeat Coronary Artery Bypass Grafting in the Coronary Artery Surgery Study (CASS) Registry Population. Eric D. Foster, Lloyd D. Fisher, George C. Kaiser, William O. Myers, Joyce Carpenter, Sally Abele, and Richard Ell, With the Principle Investigators of CASS and Their Associates
- 116C Summary: Surgical Considerations. Vallee L. Williams

CURRENT CLINICAL TOPICS

117C Percutaneous Transluminal Coronary Angioplasty: Application for Acute Myocardial Infarction. Geoffrey O. Hartzler, Barry D. Rutherford, and David R. McConahay

- 122C Combined Intracoronary Streptokinase Infusion and Coronary Angioplasty During Acute Myocardial Infarction. Herman K. Gold, Michael J. Cowley, Igor F. Palacios, George W. Vetrovec, Cary W. Akins, Peter C. Block, and Robert C. Leinbach
- 126C Complex Coronary Angioplasty: Multiple Coronary Dilatations. Gerald Dorros, Simon H. Stertzer, Michael J. Cowiey, and Richard K. Myler
- 131C Role of Percutaneous Transluminal Coronary Angioplasty in the Treatment of Unstable Angina: Report from the National Heart, Lung, and Blood institute Percutaneous Transluminal Coronary Angioplasty and Coronary Artery Surgery Study Registries. David P. Faxon, Katherine M. Detre, Carolyn H. McCabe, Lloyd Fisher, David R. Holmes, Michael J. Cowley, Martial G. Bourassa, Mark Van Raden, and Thomas J. Ryan
- 136C Current Clinical Topics: Potential Future Uses for Percutaneous Transluminal Coronary Angioplasty. Elliott Rapaport

FUTURE RESEARCH DIRECTIONS

- 138C Design of Comparative Clinical Studies of Percutaneous Transluminal Coronary Angioptasty Using Estimates from the Coronary Artery Surgery Study. Lloyd D. Fisher, David R. Holmes, Jr., Michael B. Mock, Mary Pettinger, Ronald E. Vlietstra, Hugh C. Smith, Thomas J. Ryan, Melvin P. Judkins, Arthur J. Gosselin, and David P. Faxon
- 146C Summary: Future Research Directions. Vallee L. Willman

